Millie Lukehart

Bucilla® Baby Book

INFANTS • TO 4 YEARS

REVISED
VOL. 339
$1.25

BUCILLA
BEAR BRAND
FLEISHER
BOTANY

SUNDAY BEST

Baby Set No. 2144

Infants

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant; Main Color M C, Sacque, 3 skeins; Cap, 1 skein; Bootees, 1 skein Contrasting Color C C, 1 skein.

Bear Brand Machine Washable Win-Tot for Carriage Cover, Main Color M C, 11 balls. Contrasting Color CC, 3 balls. "Boye" or "Diana" Hooks, 1 each Sizes 4 (F) and 8 (I).

CARRIAGE COVER

Approximate Size: 27 inches by 30 inches

GAUGE: 9 sts = 2 inches 4 rows = 1 inch

AFGHAN STITCH STRIP — With size 8 hook and m c, ch 33.

Row 1 — Draw up a loop in 2nd and all succeeding sts, retaining loops on hook; 33 loops. This is half of afghan st row; work off loops as follows: yo, through end loop, *yo, through 2 loops; repeat from * until 1 loop remains.

Row 2 — The loop on hook is first st of row; * draw up a loop in the vertical bar of next st and retain loop on hook; repeat from * to within 1 st of end, draw up a loop through both vertical bars of last st; 33 loops; work off as for row 1. Repeat last row 6 times.

Cluster row 1 — Work until there are 10 loops on hook, *drop m c, with c c, make loop on hook, draw up a loop in st directly under last st in 2nd row below, yo, through 2 c c loops, yo, draw up a loop in next st on 3rd row below, yo, through 2 loops, yo, draw up a loop in next st in 2nd row below, yo, through 2 loops, yo, through 3 loops, keeping last c c loop on hook, break off c c (a cluster), skip center st at back of cluster *, with m c, draw up a loop directly above last st of cluster and in each of next 10 sts; repeat between *'s once, draw up 10 loops with m c; work off as for row 1. Work 8 rows more of afghan st.

Cluster row 2 — Work until 4 loops on hook, repeat between *'s of cluster row 1, † with m c, draw up a loop directly above last st of cluster and in each of next 10 sts; repeat between *'s of cluster row 1 †; repeat between †'s once, draw up 4 loops, complete row. Repeat last 18 rows until 11 cluster rows. Work 6 rows afghan st.

Bind-off row — Insert hook in 2nd vertical bar, yo, through 2 loops, * insert hook in next bar, yo, through 2 loops; repeat from * to end. Fasten off. Make 4 strips.

Criss-Cross Joining — Place 2 strips side by side; with m c and loop on hook, insert hook downward in edge of first row on left hand strip, keeping yarn underneath the work, draw up a loop through strip and also through loop on hook, insert hook from right side in edge of first row on right hand strip, draw up a loop through strip and through loop on hook; * insert hook from right side in edge of next row on left hand strip, draw up loop through strip and through loop on hook, insert hook from right side in edge of next row on right hand strip, draw up loop through strip and through loop on hook; repeat from * to end. Join all strips in same way.

EDGING — **Row 1** — With m c, from right side, work 1 row sc around 4 sides keeping work flat, working 3 sc in each corner; join with slip st to first sc. Fasten off.

Row 2 — With c c loop on hook, working from same side as last row, 1 sc in a st of row below, * ch 1, skip 1 st, 1 sc in next st; repeat from * around, end ch 1, join. Fasten off.

Row 3 — With m c, working from same side, 1 sc and 1 dc under a ch 1, * skip next sc, 1 sc and 1 dc under next ch 1; repeat from * around, join. Fasten off. Fasten all loose ends in back of work. Steam, see page 46.

SACQUE

GAUGE: Afghan St — 7 sts = 1 inch 6 rows = 1 inch
Shell Pattern — 2 pats. = 1 inch 7 rows = 2 inches

YOKE — With size 4 hook and m c, ch 54 loosely for back. Work afghan st as for rows 1 and 2 of Carriage Cover until there are 13 rows; 54 sts.

RIGHT SHOULDER AND FRONT — Work until 15 loops on hook; work off sts. Work 2 more rows on these 15 sts.

Cluster row 1 — Work until 3 loops on hook; repeat between *'s of cluster row 1 of Carriage Cover once, with m c, draw up a loop directly above last st of cluster and in each of next 6 sts, work a 2nd cluster, finish row in m c. Work 1 row afghan st. Drop loop from hook. Join separate strand at other end of last row (inner edge of shoulder) and ch 15 for front of neck. Fasten off. Take up dropped loop and work across row and ch; 30 loops; work off sts. Work 3 rows even.

Cluster row 2 — Work until 7 loops on hook, † repeat between *'s of cluster row 1 of Carriage Cover, with m c, draw up 7 loops †; repeat between †'s twice, end last repeat draw up 6 loops; work off sts. Work 5 rows even in afghan st.

Cluster row 3 — Work until 3 loops on hook, † repeat between *'s of cluster row 1 of Carriage Cover, with m c, draw up 7 loops; repeat from † 3 times, end last repeat draw up 2 loops; work off sts. Work 2 rows even in afghan st. Bind off loosely as for Carriage Cover. Skip 24 sts at back of neck, work remaining 15 sts for left shoulder to correspond to right shoulder for 5 rows (1 row after cluster row).

Next row — Ch 15 for front of neck, work 15 loops on ch, finish row. Finish to correspond to other front.

BODY — Shell Pattern — Row 1 — From right side on lower edge of back of yoke, work 1 sc and 1 dc (1 pat.) in first st, skip 1 st, 1 pat. in next st; * skip 1 st, 1 pat. in next st, skip 2 sts, 1 pat. in next st *; repeat between *'s across; 22 pats. With size 8 hook, ch 1, turn, work 1 pat. in each sc to end. Fasten off.

With size 4 hook, from right side on lower edge of right front of yoke, work 1 pat. in first st; repeat between *'s of row 1, end last repeat skip 1 st; 13 pats. With size 8 hook, ch 1, turn, work 1 row even. Fasten off. Work 2 rows on left front; do not break yarn. Ch 1, turn, work pat. across left front, ch 1, continue across back; ch 1, continue across right front.

(*Continued on page* 34)

Bucilla
N.Y., N.Y. 11101 Copyright MCML in U.S.A. and Canada

2144



CARRIAGE COMPANIONS

Gift Set No. 2143

Infants

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant; Sacque, 2 skeins; Cap and Bootees, 1 skein; Carriage Cover, 6 skeins. Contrasting Color, 1 skein for trimming.

"Boye" or "Diana" Needles, 1 pair each Sizes 1 and 2.

GAUGE: Lace Pattern, blocked—15 sts = 2 inches
10 rows = 1 inch.

PATTERN—Multiple of 8 plus 1. **Row 1**—K 1, * yo, k 2, slip 1, k 2 tog., pass slipped st over the k 2 tog., k 2, yo, k 1; repeat from * to end.

Row 2 and all even rows—P.

Row 3—K 2, * yo, k 1, slip 1, k 2 tog., pass slipped st over the k 2 tog., k 1, yo, k 3; repeat from *, end last repeat k 2.

Row 5—K 3, * yo, slip 1, k 2 tog., pass slipped st over the k 2 tog., yo, k 5; repeat for *, end last repeat k 3.

Row 7—K 1, k 2 tog., k 1, * yo, k 1, yo, k 2, slip 1, k 2 tog., pass slipped st over the k 2 tog., k 2; repeat from * to within 5 sts of end, yo, k 1, yo, k 1, k 2 tog., k 1.

Row 9—K 1, k 2 tog., yo, k 3, yo, * k 1, slip 1, k 2 tog., pass slipped st over the k 2 tog., k 1, yo, k 3, yo, repeat from *, end k 2 tog., k 1.

Row 11—K 2 tog., yo, k 5, yo, * slip 1, k 2 tog., pass slipped st over the k 2 tog., yo, k 5, yo; repeat from *, end k last 2 sts tog.

Row 12—P.

SACQUE

BACK—With size 2 needles, cast on 73 sts loosely. P 1 row. Work pat. for about 5½ ins., end with pat. row 5. Break off, slip on holder.

SLEEVES—Cast on 49 sts loosely. Work same as back for 4¼ ins., end with pat. row 5. Break off, slip on holder. Make 2.

(*Continued on page* 5)

No. 2143 (*Continued from page 4*)

FRONTS—Cast on 49 sts loosely for right front. Work as for back until same length as back, end with pat. row 5. Break off, slip on holder.
Work left front same as right front; do not break off.

UPPER PART OF BODY—Working from wrong side on all pieces, join as follows: p 36 sts of left front, bind off next 12 sts; slip to free needle sts of right front, one sleeve, back and 2nd sleeve. Continue with same needle, binding off last st of left front and first 12 sts of one sleeve, p remaining sleeve sts, p the 73 sts of back, the first 37 sts of right sleeve, bind off last 12 sts of right sleeve and first 13 sts of right front, p remaining sts of right front.
Next row—Work as for pat. row 7 over right front and sleeve to within 2 sts of end of right sleeve, * slip 1, k 3 tog., pass slipped st over k 3 tog., k 2 *, work pat. to within 2 sts of end of back; repeat between *'s, finish row; 217 sts. P 1 row. Work pat. for 9 rows more, end with pat. row 5; decreasing 1 st at end of last row; 216 sts.

YOKE—**Row 1**—wrong side—With size 1 needles, k.
Row 2—* K 7, k 2 tog.; repeat from * to end; 192 sts. K 1 row.
Row 4—* K 2 tog., k 6; repeat from * to end; 168 sts.
Row 5—P 1, * yo, p 2 tog.; repeat from *, end p 1. K 4 rows.
Row 10—* K 5, k 2 tog.; repeat from * to end; 144 sts.
Row 11—Same as row 5. K 4 rows.
Row 16—* K 2 tog., k 4; repeat from * to end; 120 sts.
Row 17—Same as row 5. K 4 rows.
Row 22—* K 3, k 2 tog.; repeat from * to end; 96 sts.
Row 23—Same as row 5. K 4 rows.
Row 28—* K 2 tog., k 2; repeat from * to end; 72 sts.
Row 29—Same as row 5. K 3 rows. Bind off as to k. Sew bound-off sts of sleeve to bound-off sts of front at underarm. Sew seams.

EDGING—Working from right side, with main color, work 1 slip st in corner st at lower edge of left front, * ch 3, skip 1 st, 1 slip st in next st, ch 3, 1 slip st in center st of scallop, ch 3, skip 1 st, 1 slip st in next st, ch 3, 1 slip st in center st of next pat.; repeat from * to right front edge, continue edging around front and neck edge, keeping pat. even and holding in neck to required size. Fasten off.
Row 2—With contrasting color working from same side as last row, 1 sc in space under first ch 3, ch 3, * draw up a loop in same space, draw up a loop in next space, yo, through 3 loops, ch 3; repeat from * around, join with slip st in first sc. Fasten off. Work same edging on lower edge of sleeves. Steam, see page 55. Trim with ribbon as illustrated.

CAP

With size 2 needles, cast on 89 sts loosely. P 1 row. Work pat. for 4¾ ins., end with pat. row 11.
Next row—wrong side—With size 1 needles, * k 15, k 2 tog.; repeat from * 4 times, k to end; 84 sts. K 4 rows (garter st).
With size 2 needles, * k 10, k 2 tog.; repeat from * to end; 77 sts. P 1 row.
* K 9, k 2 tog.; repeat from * to end; 70 sts. P 1 row. Continue to dec. 7 sts every 2nd row until 28 sts remain, having 1 st less between decreases after each dec. row.
Next row—wrong side—P 2 tog. 14 times. Turn, k 2 tog. 7 times. Break off, leaving an end. Pull tog. by drawing end through all 7 sts twice. Sew seam at back of cap, leaving ridges and sides of cap free.

NECK BAND—From right side, with size 1 needles, pick up and k 61 sts evenly spaced on lower edge of cap. K 8 rows. Bind off as to k (5 ridges garter st).

EDGING—Work same edging on front edge of cap as for lower edge of sacque. Steam, see page 55. Trim as illustrated.

BOOTEES

TOP—With size 2 needles, cast on 41 sts loosely. P 1 row. Work pat. for 24 rows. Break off.
INSTEP—Slip first 16 sts to holder, work as for pat. row 1 on next 9 sts, turn. Leaving last 16 sts on back of needle, continue pat. on 9 sts for 2½ ins., end with pat. row 12. K 1 row, p 1 row decreasing 1 st each side on each row; 5 sts. Break off.
FOOT—Slip the first 16 sts to same needle as instep. Working from right side, k 16; pick up and k 13 sts evenly spaced on side of instep; inc. 1 st in each of next 2 sts, k 1, inc. 1 st in each of next 2 sts; pick up and k 13 sts on other side of instep; k last 16 sts; 67 sts. K all rows (garter st) until there are 8 ridges. Mark center st.
Dec. row—K 1, k 2 tog., k to within 2 sts of center st, k 2 tog., k center st, k 2 tog., k to within 3 sts of end, k 2 tog., k 1. K 1 row. Repeat last 2 rows once. K 1, k 2 tog., k to within 3 sts of center, k 2 tog. 3 times, k to within 3 sts of end, k 2 tog., k 1; 54 sts. Slip half of sts to separate needle, weave tog. for sole. Sew seam.
Work edging on top of bootee as for lower edge of sacque. With top of bootee toward you, work same edging on first ridge of garter st, around instep only. Steam lightly, see page 46. Draw ribbon through lower part of pat. as illustrated.

CARRIAGE COVER

Approximate Size: 25 inches by 31½ inches
With size 2 needles, cast on 187 sts. K all rows (garter st) for 2 ins. for border.
Next row—K 13 sts for side border, place marker, work pat. row 1 to within 13 sts of end, place 2nd marker, k last 13 sts for border. Continue pat. for 23 rows more with 13 sts in garter st for border at each side.
Short rows—* K 13 sts, turn, slip 1 st, k to end *.
Next row—K border, work as for pat. row 1, k border at other end. Repeat between *'s.
Continue pat., repeating short rows every 25th and 26th row, until 27½ ins. above border, end with row 11. K garter st for 2 ins. Bind off from wrong side as to k. Steam, see page 46.

BUY SUFFICIENT YARN

At the time you make your initial purchase of the yarn for the garment you intend to make, it is important that you buy the complete amount of each color necessary to finish the article, making sure that it is all of one dye lot number as the next lot number of any color may differ slightly in shade from the original lot you purchased and make it impossible to complete your garment satisfactorily.

Pantie Soakers No. 2159

Infants

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Spectator, 1 ball.
"Boye" or "Diana" Needles, 1 pair each Sizes 2 and 5.

GAUGE: 6 sts = 1 inch.

With size 2 needles, cast on 60 sts loosely for top of front. Work k 1, p 1 ribbing for 5 rows.

Beading – right side – * K 1, yo, k 2 tog., p 1; repeat from * to end. Work 7 more rows of ribbing. With size 5 needles, work garter st – k all rows – for 5 ins. Bind off 2 sts at beg. of every row until 24 sts remain. K 6 rows even. Cast on 2 sts at beg. of every row until there are 64 sts. Work 5½ ins. even, end on right side. With size 2 needles, work k 1, p 1 ribbing for 7 rows. Work beading as for front, then work 5 more rows of ribbing. Bind off loosely in ribbing.

FINISHING – Fold piece double. Sew side seams, easing in extra ridges of back. Make cord and run through beading.

Fancy Pants No. 2158

Infants

MATERIALS — Bucilla Machine Washable Fingering Yarn, 2 skeins.
"Boye" or "Diana" Needles, 1 pair Size 2.

Gauge: 17 sts = 2 inches.

BACK – Cast on 68 sts. Work k 2, p 2 ribbing for 1 in.
Inc. row – Continuing ribbing, inc. 12 sts evenly spaced across row; 80 sts. Work stockinette st – p 1 row, k 1 row – for 4½ ins., end with p row.
Dec. rows – K 2, k 2 tog., k to within 4 sts of end, k 2 tog. inserting needle in back loop of sts, k 2. On next row, k 2, p 2 tog., p to within 4 sts of end, p 2 tog., k 2. Repeat last 2 rows until 28 sts remain.

Gusset – Row 1 – K 2, k 2 tog., k 9, inc. 1 st in each of next 2 sts, k 9, k 2 tog. through back of sts, k 2.
Row 2 – K 2, p 2 tog., p to within 4 sts of end, p 2 tog., k 2.
Row 3 – K 2, k 2 tog., k 7, inc. 1 st in next st, k 2, inc. 1 st in next st, k 7, k 2 tog. as before, k 2. Continue side decs. as before and inc. 2 sts for gusset every k row only, having 2 sts more between incs. on every k row, until 18 sts remain; place sts on safety pin. Break off leaving an end for weaving.
Make front in same way. Sew side seams from ribbing to first dec.

LEG RUFFLE – Beg. at crotch, from right side, pick up and k 72 sts on side of leg.
Row 1 – K, increasing 1 st in every 2nd st; 108 sts.
Row 2 – right side – K all sts, wrapping yarn twice over needle.
Row 3 – P, dropping the extra wrap and increasing 1 st in every 8th st 13 times, finish row; 121 sts. Bind off loosely as to p.
Finish other leg to correspond. Weave back and front crotch sts tog., see page 46. Sew ends of ruffle tog. Steam, see page 46.

Cord – Make a ch 28 ins. long. Draw through center of ribbing as illustrated.

Triangle Soakers No. 2160

Small and Large Size

Instructions are for smaller size, changes for larger size are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Spectator, 2 balls.
"Boye" or "Diana" Needles, 1 pair each Sizes 2 and 5.

GAUGE: 6 sts = 1 inch.

Cast on 112 (120) sts. Work k 1, p 1 ribbing for 5 rows.
Beading – right side – * K 1, yo, k 2 tog., p 1; repeat from * to end. Work 7 more rows of ribbing. Change to garter st (k every row), work 10 (16) rows even.
Dec. row – K 1, k 2 tog., k to end. Repeat last row until 2 sts remain. K 2 tog., fasten off.

FINISHING – Steam, see page 46. Sew ribbing and even rows of garter st tog. Fold soaker with point meeting end of seam. Sew first 3 ins. each side of point to first 3 ins. below seam, matching ridges. With double strand of yarn, ch 30 ins. for cord and run through beading.

Baby Wrapper and Sacque No. 2157

Infants

Instructions are for wrapper, changes for sacque are in parentheses.

MATERIALS — Bucilla Machine Washable Fingering Yarn, 6 skeins for Wrapper, 5 skeins for Sacque.
"Boye" or "Diana" Needles, 1 pair each Sizes 2 and 4.
Hook, Size 1 (E).

MEASUREMENTS OF GARMENT – Chest 20 ins.

GAUGE: 15 sts = 2 inches 19 rows = 2 inches

With size 4 needles, cast on 235 (201) sts for lower edge of garment.

Pattern – Row 1 – right side – P 4 (3), * k 3, p 4 (3); repeat from * to end.
Row 2 – K 4 (3), * p 3, k 4 (3); repeat from * to end.
Row 3 – P 4 (3), * slip 1 st as to k, k 2, pass slipped st over the 2 k sts, p 4 (3); repeat from * to end; 202 (168) sts.

Row 4 – K 4 (3), * p 1, yo, p 1, k 4 (3); repeat from * to end; 235 (201) sts. Repeat these 4 rows for pat, until about 5 (6½) ins. from beg., end with 4th (3rd) pat. row.

FOR WRAPPER ONLY: First dec. row – Work pat., decreasing 1 st in center of first and every other p stripe; 218 sts. Work even with 3 sts in every other p stripe until about 9 ins. from beg., end with pat. row 4.
2nd dec. row – Work pat, decreasing 1 st in center of 2nd and every alternate p stripe; 201 sts. Work even with 3 sts in every p stripe until about 13 ins. from beg., end with pat. row 3; 168 sts.
Continue for Wrapper or Sacque as follows:

Armholes – wrong side – Work pat. until 51 sts on needle, slip on holder for left front, bind off 7 sts for underarm; work until 81 sts on needle, slip on holder for back; bind off 7 sts for underarm, finish row. Continue pat. for 7 more rows on 51 sts of right front, end with pat. row 3; 43 sts. With size 2 needles, begin yoke.

(*Continued on page 7*)



No. 2157 (*Continued from page* 6)

Yoke—**Row 1**—wrong side—K 1, p 1, k 1, * p 2, k 1, p 1, k 1; repeat from * to end.

Row 2—P 1, k 1, p 1, * k 2, p 1, k 1, p 1; repeat from * to end.

Row 3—Same as row 1.

Row 4—P 1, k 1, p 1, * insert needle in back of 2nd st on left hand needle and k this st, do not slip st from needle, k first st, slip both sts from left needle, p 1, k 1, p 1; repeat from * to end. Repeat last 4 rows until yoke measures 2¼ ins., end at front edge.

Neck Shaping—Bind off 22 sts at beg. of next row. Work pat. on 21 sts until armhole measures 4 ins., straight up from underarm. Bind off.

BACK—Take up 81 sts of back on size 4 needles. Working from right side, work pat. for 7 rows, end with pat. row 3; 68 sts.

With size 2 needles, work yoke pat. until armholes are same length as on front. Bind off.

LEFT FRONT—Take up 51 sts of left front on size 4 needle. Beg. at armhole edge, finish to correspond to right front.

SLEEVES—With size 2 needles, cast on 53 sts. Work yoke pat. for 1½ ins., end on right side with pat. row 4. With size 4 needles, work next row same as pat. row 4 of body; 63 sts. Continue pat. with 3 sts in each p stripe until sleeve measures 7 ins. from beg., end with pat. row 4. *Bind off 3 sts at beg. of next 3 rows; 2 sts at beg. of next row; repeat from * twice, end with pat. row 4, omitting yo in last row; 23 sts. Bind off.

FINISHING—Sew shoulder seams, leaving 26 sts free for back of neck. Sew in sleeves with seam at center underarm, holding in extra fulness at top.

EDGING—From right side, work 1 row sc on front and neck edges, keeping work flat. Break off.

Row 2—Working from same side as last row, 1 slip st in first sc, * ch 3, skip 1 sc, 1 slip st in next sc; repeat from * on front and neck edges, continue on lower edge, working 1 slip st in center of each pat. stripe, 2 slip sts in each p stripe for wrapper (1 slip st in center of each pat. and p stripe for sacque); join with slip st. Fasten off.

From right side, work row 2 of edging on cuffs.

Steam, see page 46. Make ch for cord or use ribbon to draw through loops of edging around neck.

2156
2155

Hooded Jacket Set No. 2155

Infants

MATERIALS — Bear Brand, Fleisher or Botany Twin-Pak Machine Washable Win-Knit or Bucilla Knitting Worsted, Jacket, 8 ozs; Leggings and Mittens, 4 ozs; Carriage Cover, 12 ozs.

"Boye" or "Diana" Needles, 1 pair each Sizes 2 and 4. Steel Hook, Size 2.

GAUGE: 6 sts = 1 inch 8 rows = 1 inch

JACKET

MEASUREMENTS OF GARMENT—Chest, buttoned 22 ins. With size 4 needles, cast on 137 sts. K 1, * p 1, k 1; repeat from * to end. Repeat this row 7 times for seed st border.

Pattern—**Row 1**—right side—K 1, p 1, bind off 2 sts for buttonhole, k 1 (5 sts for seed st border), place a marker; k 3, p 1, * k 7, p 1; repeat from * to within 8 sts of end, k 3, place marker; continue seed st on last 5 sts for border.

Row 2—Work border, carry up marker, p 3, k 1, * p 7, k 1; repeat from * to within 4 sts of buttonhole, p 3, carry up marker, k 1, cast on 2 sts over buttonhole, p 1, k 1.

Row 3—Work 5 sts for border, k 2, p 1, k 1, p 1, * k 5, p 1, k 1, p 1; repeat from *, end k 2, work border.

Row 4—Work border, p 2, k 1, p 1, k 1, * p 5, k 1, p 1, k 1; repeat from *, end p 2, work border.

Row 5—Work border, k 1, p 1, * k 3, p 1; repeat from *, end k 1, work border.

Row 6—Work border, p 1, k 1, * p 3, k 1; repeat from *, end p 1, work border.

Row 7—Work border, p 1, k 5, * p 1, k 1, p 1, k 5; repeat from *, end p 1, work border.

Row 8—Work border, k 1, p 5, * k 1, p 1, k 1, p 5; repeat from *, end k 1, work border.

Row 9—Work border, * k 7, p 1; repeat from *, end k 7, work border.

Row 10—Work border, * p 7, k 1; repeat from *, end p 7, work border.

Rows 11 and 12—Same as rows 7 and 8.

Rows 13 and 14—Same as rows 5 and 6.

Short rows—Work 5 border sts, turn, slip 1 st, work 4 seed sts.

Row 15—Same as row 3. Repeat short rows on 2nd border.

Row 16—Same as row 4. Repeat these 16 rows for pat. Continue pat., repeating buttonhole on border when working first and 2nd pat. rows and repeating short rows every 3 ins. Work until 7½ ins. from beg., end on wrong side.

Armholes—Work first 34 sts of next row, slip to holder for right front, bind off 5 sts for underarm, work until 59 sts on needle, slip to holder for back, bind off 5 sts, finish row. Next row, dec. 1 st at armhole edge; 33 sts.

(*Continued on page* 37)

Bunting All-In-One With Hood No. 2156

Infants

MATERIALS — Bear Brand, Fleisher or Botany Twin-Pak Machine Washable Win-Knit or Bucilla Knitting Worsted, Bunting, 20 ozs, Hood 4 ozs.

"Boye" or "Diana" 14 inch Needles, 1 pair each Sizes 6 and 10. Hook, Size 6 (H).

Zipper

MEASUREMENTS OF GARMENT—Chest 26 ins. Width of back at underarm 13 ins.

GAUGE: 7 sts = 2 inches 5 rows = 1 inch

BUNTING

Entire garment is made using 2 strands of yarn.

BACK—With size 10 needles, cast on 48 sts for bottom of bunting. Work stockinette st (p 1 row, k 1 row) for 4 ins., end with k row. Place marker for lower edge of back. Cast on 7 sts at end of each of next 2 rows; 62 sts. Work 13 rows even, end with p row.

Dec. row—Slip, k and pass, k to within 2 sts of end. k 2 tog. Repeat dec. row every 2½ ins. 6 times more; 48 sts. Work even until 19 ins. from marker, end with p row. With size 6 needles, repeat dec. row; 46 sts. Work k 1, p 1 ribbing for 6 rows. P 1 row.

With size 10 needles, work even in stockinette st until 2¾ ins. above ribbing, end with k row. Break yarn and slip sts on holder.

RIGHT SLEEVE—With size 10 needles, cast on 13 sts for mitten. P 1 row.

First inc. row—K 1, * inc. 1 st by knitting a st in side of next st in row below, k 2; repeat from * to end; 19 sts. P 1 row.

2nd inc. row—K 1, * inc. 1 st as before, k 3 sts; repeat from * to end; 25 sts. Work even until 3 ins. from beg., end with k row. With size 6 needles, p 1 row.

Hand Opening—Short rows—Work k 1, p 1 ribbing on first 13 sts for overlap of hand opening. Turn, work ribbing across these 13 sts for 5 rows more. Bind off in ribbing. Cast on 13 sts for underlap on same needle with 12 remaining sts. Work k 1, p 1 ribbing across these 25 sts for 6 rows, end on wrong side. K 1 row.

With size 10 needles, p 1 row.

Inc. row—Inc. 1 st in first st, k to within 2 sts of end, inc. 1 st in next st, k 1; 27 sts. Continuing stockinette st repeat inc. row every 4th row 4 times more; 35 sts. Work even until 4½ ins. above ribbing, end with k row. Break yarn, slip on holder.

LEFT SLEEVE—Work same as right sleeve until 3 ins. from beg., end with p row. With size 6 needles, k 1 row.

Hand Opening—Short rows—Work p 1, k 1 ribbing on first 13 sts for 6 rows. Bind off. Cast on 13 sts for underlap on same needle with remaining 12 sts. Work p 1, k 1 ribbing on these 25 sts for 6 rows, end on right side. P 1 row.

(*Continued on page* 38)

TOPS for TOTS

Bonnet No. 2186

9 Months to 1 Year

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Spectator, 2 balls.
Bucilla Angora, 1 ball.
"Boye" or "Diana" Needles, 1 pair each Sizes 2 and 4.
Hook, Size 4 (F).

GAUGE: 7 sts = 1 inch 11 rows = 1 inch

With size 2 needles, cast on 96 sts for front edge. Work k 1, p 1 ribbing for 1 in. K 2 rows for ridge, increasing 1 st in last row; 97 sts.
With size 5 needles, begin pat. **Row 1**—right side—K.
Row 2—P 1, * take yarn to back of work, slip next 5 sts as to p, take yarn to front of work, p 5 *; repeat between *'s, end last repeat p 1. Repeat last 2 rows twice.
Row 7—K 3, * insert right hand needle under 3 loops of slipped rows and into next st on left hand needle, k loops and st tog., k 9 *; repeat between *'s, end last repeat k 3.
Row 8—P. **Row 9**—K.
Row 10—P 6, repeat between *'s of row 2, end last repeat p 6. Repeat last 2 rows twice.
Row 15—K 8; repeat between *'s of row 7, end last repeat k 8. **Row 16**—P.
Repeat these 16 rows until 4¼ ins. from ribbing, end with pat. row 15. Bind off 30 sts at beg. of next 2 rows. Continue pat. on remaining 37 sts for back of bonnet, decreasing 1 st each side every 6th row 8 times, with care to keep pat.; 21 sts. **Next Row**—wrong side—P 1, p 2 tog. 10 times; 11 sts. Bind off. Steam, see page 46. Sew 30 bound-off sts to each side of back.

NECKBAND—With size 2 needles, from right side, pick up and k 28 sts on side of bonnet from cast-on edge to back, 10 sts on back of neck, 28 sts on other side; 66 sts. Work k 1, p 1 ribbing for 1 in. Bind off in ribbing.

BRIM—With size 5 needles, from right side, holding front ribbing toward you, pick up and k 96 sts on p rib. P 1 row. **Inc. row**—K 4, * inc. 1 st in next st, k 1; repeat from * to within 4 sts of end, k 4; 140 sts. P 1 row. Continuing stockinette st, bind off 4 sts at beg. of next 12 rows, end with p row.
Facing—Cast on 4 sts at beg. of next 12 rows; 140 sts.
Dec. row—K 4, * k 2 tog., k 1; repeat from * to within 4 sts of end, k 4; 96 sts. Bind off.

FINISHING—Turn over brim, k side out, and sew bound-off edge to ridge. Weave cast-on and bound-off edges tog. Steam.

EDGING—With Angora, holding front ribbing toward you, work 1 sc through both thicknesses of outer edge of brim, inserting hook in 2nd row below folded edge, * ch 1, skip 1 st, 1 sc in next st as before; repeat from * to end. Fasten off.
With yarn, make a ch 13 ins. long; work 1 sc in each st. Fasten off. With Angora, from same side as last row, work loosely 1 slip st in each st. Fasten off. Sew over seam of brim. Trim with velvet ribbon as illustrated.

Cap No. 2187

Infants

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 3 skeins.
"Boye" or "Diana" Steel Hook, Size 2.

GAUGE: 8 sc = 1 inch 7 clusters = 2 inches

CROWN—Ch 2, work 10 sc in first st of ch; join with slip st.
Round 2—Cluster round—wrong side—Ch 2, turn; yo, draw up a loop in first sc, yo and through 2 loops on hook, * yo, draw up a loop in same st, yo, through 2 loops; repeat from * twice, yo, through all 5 loops on hook, ch 1 to fasten (a cluster st), work 1 cluster in each of the next 9 sc; 10 clusters; join with slip st in top of ch 2; 20 sts.
Note: Clusters are worked on wrong side.
Round 3—right side—Ch 1, turn, 1 sc in first st, * 2 sc in next st, 1 sc in next st; repeat from * 8 times, 2 sc in last st; 30 sc. Mark end of rounds. Do not turn, continue around.
Round 4—* Work 4 sc, 2 sc in next st; repeat from * around; 36 sc.
Round 5—* Work 5 sc, 2 sc in next st; repeat from * around; 42 sc.
Continue increasing 6 sts in each round, having 1 st more between incs. in each round, for 3 more rounds; 60 sts, slip st in next st.
Round 9—Cluster round—wrong side—Ch 2, turn, work 1 cluster in first st, * skip 1 st, 1 cluster in next st; repeat from *, end skip last st, join; 30 clusters.
Round 10—right side—Ch 1, turn, * work 4 sc, 2 sc in next st; repeat from * around; 72 sc. Mark end of rounds. Do not turn, continue around.
Round 11—* Work 11 sc, 2 sc in next st; repeat from * around; 78 sc.
Round 12—Work 6 sc, * 2 sc in next st, work 12 sc; repeat from *, end work 6 sc; 84 sc.
Continue in this way, increasing 6 sts in a round (between incs. of previous round), until there are 120 sts in round, slip st in next st.

FRONT—**Row 1**—Ch 2, turn, work 1 cluster in first st, * skip 1 st, 1 cluster in next st; repeat from * 48 times, 50 clusters. Leave remaining 21 sts free for back of neck.
†**Row 2**—Ch 1, turn, work 1 sc in each st; 100 sts. Fasten off.
Row 3—With loop on hook, from right side, 1 sc in each st of last row. Fasten off.
Rows 4 and 5—Same as row 3; do not fasten off at end of last row.
Row 6—Ch 2, turn, work 1 cluster in every 2nd st. Repeat from † 4 times. Work 1 sc row, 1 cluster row, 1 sc row. Fasten off.

PICOT EDGE—From right side, work 1 sc in each of 2 sts, * ch 3, slip st in last sc (picot), 1 sc in each of next 3 sts, repeat from * across front edge, end 2 sc; do not break.

NECKBAND—Continue sc on neck edge, working 25 sc on each side, 14 sc across back of neck; 64 sts.
Row 2—Ch 1, turn, 1 sc in each st. Repeat last row 4 times. Fasten off. Make 2 small pom-pons and sew to sides of cap. Trim with ribbon as illustrated.

Cap No. 2188

Infants

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 1 skein.

Few yds. contrasting color for edging. Bucilla Six-Strand, 1 skein each of 2 Contrasting Colors for embroidery.

"Boye" or "Diana" Hook, Size 1 (E).

GAUGE: Loop Pattern—7 sts = 1 inch
8 rows = 1¾ inches

Ch 15 for lower edge of back, skip 1 st, * 1 sc in next st, 2 sc in next st; repeat from * to end; 21 sc.

Row 2—Ch 1, turn, 1 sc in first st working through both loops, 1 sc in each of next 19 sts working in back loop of sts, 1 sc in last st working through both loops. Repeat last row until 3½ ins. from beg. Break off. Turn. Beg. at foundation ch, work 28 sc along side edge of back, spacing sts evenly, 3 sc in corner st, 19 sc across top, 3 sc in corner st and 28 sc on other side; 81 sc.

Loop Pattern—Cut a strip of cardboard ⅝-in. wide; ch 1, turn, hold cardboard in back of work, draw up a loop through both loops of first st, yarn around cardboard, yo and through 2 loops on hook, * draw up a loop through back loop of next st, yarn around cardboard, yo and through 2 loops; repeat from * to end of row (around 3 sides of back), working last st through both loops.

(*Continued on page* 42)

Infant's Scarf No. 2195

Approximately 6 inches by 35 inches

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 2 skeins.

"Boye" or "Diana" Needles, 1 pair Size 4.

GAUGE: 7 sts = 1 inch 11 rows = 1 inch

Cast on 43 sts. K 1, * p 1, k 1; repeat from * to end. Repeat this row for seed st pat. until 34 ins. from beg. Bind off in seed st. Block to 35 ins.

Fringe—Wind yarn around 2½ in. cardboard. Cut at one end. Knot 2 strands in every 2nd st on both ends of scarf.

Boy's Cap No. 2196

Infants

MATERIALS — Bear Brand, Fleisher or Botany Twin-Pak Machine Washable Win-Knit or Bucilla Knitting Worsted, 4 ozs.

"Boye" or "Diana" Needles, 1 pair each Sizes 2 and 4.

GAUGE: 6 sts = 1 inch 8 rows = 1 inch

SIDE PIECES—With size 4 needles, cast on 73 sts.
Row 1—P 1, * k 1, p 1; repeat from * to end; place a marker at each side of center st and carry markers upward throughout.

(*Continued on page* 44)

for TINY HANDS AND FEET

Thumbless Mittens No. 2191

Infants

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 1 skein; or Bucilla Machine Washable Lollipop, 1 ball.

"Boye" or "Diana" Needles, 1 pair Size 3.

GAUGE: 8 sts = 1 inch 21 rows = 2 inches

Cast on 37 sts for cuff. Work garter st (k every row for 10 rows—5 ridges). Work stockinette st (p 1 row, k 1 row) for 1 in., end with p row.

Dec. row—K 1, * k 2 tog.; repeat from * to end; 19 sts. Work garter st for 9 rows.

Inc. row—K 1, * inc. 1 st in next st; repeat from * to end; 37 sts. Work stockinette st for 2½ ins., end with p row.

First dec. row—K 1, * k 2 tog., k 7; repeat from * to end; 33 sts.

2nd dec. row—* P 6, p 2 tog.; repeat from * 3 times, end p 1; 29 sts.

3rd dec. row—K 1, * k 2 tog., k 5; repeat from * to end.

4th dec. row—* P 4; p 2 tog.; repeat from * 3 times, p 1.

5th dec. row—K 1, * k 2 tog., k 3; repeat from * to end.

6th dec. row—* P 2, p 2 tog.; repeat from * 3 times, p 1.

7th dec. row—K 1, * k 2 tog., k 1; repeat from * to end; 9 sts. Break yarn. Run end through 9 sts. Fasten off. Steam, see page 46. Sew seam.

Spiral Mittens No. 2197

Infants

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 1 skein.

About 5 yards of Contrasting Color for Trimming.

"Boye" or "Diana" Double-pointed Needles, 2 pairs Size 1.

With contrasting color, cast on 36 sts (12 sts on each of 3 needles). Join. Work ribbing of k 2, p 2 for 2 rounds. Break off. With main color, continue ribbing until 1¼ ins. from beg.

Pat. round 1—* K 3, p 3; repeat from * to end of round. Repeat last round twice.

* **Round 4**—K 4, then p 3, k 3 alternately to end of round, end p 2; p 1 st from next round. Then work k 3, p 3 for 3 more rounds. Repeat from *, shifting pat. 1 st to the left every 4th round, until 4 ins. from beg.

First dec. round—* K 2 tog., k 4; repeat from * to end; 30 sts. K 1 round even.

2nd dec. round—* K 2 tog., k 3; repeat from * to end; 24 sts. Continue to dec. 6 sts every 2nd round, having 1 st less between decs. after each dec. round until there are 12 sts in round.

Break off, leaving an end. Draw end through all 12 sts twice. Fasten off. Steam, see page 46.

Mittens No. 2192

Infants

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 1 skein.
"Boye" or "Diana" Steel Hook, Size 2.

GAUGE: 8 sc = 1 inch 7 clusters = 2 inches

HAND — Ch 38, join with a slip st to first st. Be careful not to twist ch. Work 1 sc in each st of ch. Continue around, working 1 sc in each st until 2½ ins. from beg. Mark end of round.
Dec. round — Work 1 sc in every 2nd st.
Next round — Work 1 sc in each st.
Repeat last 2 rounds once. Fasten off, leaving an end. Thread end in needle and draw remaining sts tog. securely. Fasten off.
CUFF — From right side, work 1 sc in each st on other side of foundation ch; 38 sts.
Beading round — Ch 4, turn, * skip 1 st, 1 dc in next st, ch 1; repeat from *, end skip 1 st, slip st in 3rd st of ch.
Next round — right side — Ch 1, turn, * 1 sc in dc, 1 sc under ch 1, 1 sc in dc, 2 sc under ch 1; repeat from * 8 times, 1 sc in dc, 2 sc under ch 1; 48 sts; join.
Work 1 more round sc from right side.
†**Cluster round** — wrong side — Ch 2, turn; yo, draw up a loop in 2nd sc, yo and through 2 loops on hook, *yo, draw up a loop in same st, yo, through 2 loops; repeat from * twice, yo, through all 5 loops on hook, ch 1 to fasten (a cluster st), work 1 cluster in every 2nd st around; join; 24 clusters; 48 sts. Ch 1, turn, from right side, work 1 sc in each st; join. Repeat from † once.
Picot Edge — Ch 1, from right side, work 1 sc in each of 2 sts, * ch 3, slip st in last sc (picot), 1 sc in each of next 3 sts; repeat from * around, end 1 sc, join. Fasten off.
TIE — With double strand of yarn make a 12-in. ch. Fasten off. Run through beading. Make 2 small pompons and attach one to each end of tie.

Cable Mittens No. 2193

Small

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 1 skein.
"Boye" or "Diana" Sock Needles, 1 set Size 1.
GAUGE: 9 sts = 1 inch.

GAUGE: 8 sts = 1 inch.

RIGHT HAND MITTEN — Cuff — Cast on 44 sts loosely; divide on 3 needles (16-16-12).
Round 1 — Work k 2, p 2 ribbing on first 32 sts, k 6, p 2, k 2, p 2. **Round 2** — Same as round 1.
Round 3 — Work ribbing on 32 sts, slip next 3 sts to crochet hook, hold in front of work, k next 3 sts, k 3 sts from hook (cable twist), finish round.
Repeat round 1, 3 times. Repeat these 6 rounds for pat., until there are 4 cable twists.
Hand — Next round, k 30, p 2, k 6, p 2, k to end. Repeat last round, twisting cable on every 6th round as before, until 20 rounds above cuff.
K 2, with colored thread k 7 for thumb, slip these 7 sts back to left needle and k again with yarn, finish round. Then work as before until there are 12 cable twists in all, or until about ½ in. less than desired length. Discontinue cable stripe. K 2 rounds even on all sts.

(*Continued on page* 36)

Crochet Mittens No. 2194

Infants, 1 to 2 Years, 3 to 4 Years

These instructions may be used for either of the 3 sizes. Check yarn and hook for size you wish to make.

MATERIALS — *Infants A* — Bear Brand, Fleisher or Botany Machine Washable Winfant, 1 skein.
A few yards Contrasting Color for Trimming.
"Boye" or "Diana" Hook, Size 2 (E).
GAUGE: 6 sc = 1 inch 7 rows = 1 inch

1 to 2 years B — Bear Brand, Fleisher or Botany Machine Washable Spectator, 1 ball.
A few yards Contrasting Color for Trimming.
"Boye" or "Diana" Hook, Size 4 (F).
GAUGE: 5 sc = 1 inch 6 rows = 1 inch

3 to 4 years C — Bear Brand Twin-Pak Machine Washable Win-Knit or Twin-Pak
Knitting Worsted, 4 oz. paks, ½ pak.
A few yards Contrasting Color for Trimming.
"Boye" or "Diana" Hook, Size 5 (G).
GAUGE: 9 sc = 2 inches 5 rows = 1 inch

(*Continued on page* 34)

Cable Bootees No. 2190

Infants

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 1 skein; or Bucilla Machine Washable Lollipop, 1 ball.
A few yards of Contrasting Color.
"Boye" or "Diana" Needles, 1 pair Size 2.
Hook, Size 2 (E).
GAUGE: 8 sts = 1 inch 11 rows = 1 inch

TOP — Cast on 42 sts for cuff. P 2, * k 2, p 2; repeat from * to end.
Row 2 — K 2, * p 2, k 2; repeat from * to end. Work ribbing for 1½ ins., end with row 1.
Inc. row — K 16 and slip on holder, k 1, inc. 1 st in next st, k 5, inc. 1 st in next st, k 2; 12 sts for instep; slip remaining 16 sts to separate holder.

(*Continued on page* 36)

Bootees No. 2189

Infants

MATERIALS — Bucilla Machine Washable Fingering Yarn, 1 skein.
"Boye" or "Diana" Steel Hook, Size 2.
GAUGE: 8 sc = 1 inch 7 clusters = 2 inches

INSTEP AND TOP — Ch 2, work 10 sc in first st of ch; join with slip st.
Round 2 — Cluster round — wrong side — Ch 2, turn; yo, draw up a loop in first sc, yo and through 2 loops on hook, * yo, draw up a loop in same st, yo, through 2 loops; repeat from * twice, yo, through all 5 loops on hook, ch 1 to fasten (a cluster st), work 1 cluster in each of the next 9 sc; 10 clusters; join with slip st in top of ch 2; 20 sts.
Note: Clusters are worked on wrong side.
Round 3 — right side — Ch 1, turn, 1 sc in first st, * 2 sc in next st, 1 sc in next st; repeat from * 8 times, 2 sc in last st; 30 sc. Do not turn, continue around.
Next round — * 1 sc in each of 7 sts, 3 dc in next st, 1 sc in each of 6 sts, 3 dc in next st; repeat from * once, slip st in next st; 38 sts. Fasten off.

(*Continued on page* 41)

for THE WELL DRESSED BABY

Surplice Sweater No. 2149

6 Months and 1 Year

Instructions are for 6 months, changes for 1 year are in parentheses.

MATERIALS — Bucilla Machine Washable Fingering Yarn, 3 skeins; or Bucilla Machine Washable Lollipop, 3 balls.

"Boye" or "Diana" Needles, 1 pair Size 2.

GAUGE: 15 sts = 2 inches 11 rows = 1 inch

BACK—Cast on 74 (78) sts. Work k 1, p 1 ribbing for 1½ ins.

Pattern—P 1 row, k 1 row for 7 rows. **Row 8**—K 1, * yo, k 2 tog.; repeat from *, end k 1. Repeat last 8 rows for pat. Work until 49 (53) pat. rows, end with p row.

Armholes—Dec. 1 st each side of next row; repeat decs. every 2nd row 3 times, with care to keep pat.; 66 (70) sts. Work even for 28 (32) rows, end on right side.
P 20 (21), k 26 (28) for garter st neck border, p 20 (21).

K 1 row. **Next row**—P 20 (21), k 3 for garter st border, slip these 23 (24) sts on holder for left front; bind off next 20 (22) sts as to k for back of neck; k until 3 sts on needle, p 20 (21). Turn, work 8th pat. row to within 4 sts of end, k 4.

RIGHT FRONT—K 3 for garter st border, p to end. K 1 row. Turn, k 3, p to end.
Inc. row—K to within 3 sts of end, inc. 1 st by knitting in next st in row below, k last 3 sts. Continue pat. for 27 (31) more rows, keeping armhole edge even and repeating inc. at inside of front border every 2nd row.

Armhole Shaping—Inc. 1 st at armhole edge, finish row with care to keep pat. Repeat armhole inc. every 2nd row 3 times, continuing front inc. Keep underarm edge even and continue to inc. at front border as before until there are 69 (74) sts on needle, end with pat. row 7.

Next row—Work k 1, p 1 ribbing to end, cast on 1 st; 70 (75) sts. Work ribbing until same length as back. Bind off in ribbing.

LEFT FRONT—Beg. at neck edge, work to correspond to right front to ribbing, increasing at inside of front border by knitting 1 st in row below in 4th st from front edge, until there are 69 (74) sts on needle, end with same pat. row as on right front.

Next row—Cast on 1 st, work p 1, k 1 ribbing to end. Work 1 row ribbing. Work to within 4 sts of end of next row, yo, k 2 tog. for buttonhole, finish row. Repeat buttonhole every 6th row twice. Work ribbing until same length as right front. Bind off.

SLEEVES—Cast on 44 (50) sts. Work ribbing for 1½ (1¾) ins. **Inc. row**—Continuing ribbing, inc. 1 st in every 5th (6th) st 8 times, finish row; 52 (58) sts. Work pat. for 5 (5¾) ins., end with pat. row 7. Continuing pat., bind off 2 sts at beg. of next 8 rows. Bind off 36 (42) sts.

FINISHING—Steam and finish, see page 46. Make 3 buttonloops on left front edge of ribbing to correspond to buttonholes. Sew buttons on each side of right front as illustrated.

Baby Set No. 2145

Infants

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 6 skeins.

"Boye" or "Diana" Needles, 1 pair Size 3.

Hook, Size 1 (E).

GAUGE: 8 sts = 1 inch 14 rows = 1 inch

SACQUE

MEASUREMENTS OF GARMENT—Width of back at underarm 9 ins.
Length from lower edge to back of neck 9 ins.

LEFT FRONT—Cast on 72 sts for front edge. **Row 1**—wrong side—K 72.
Row 2—K 55 (leave remaining 17 sts on end of needle for yoke).
Row 3—Turn, slip 1, k 54. **Row 4**—K 72. Repeat these 4 rows until front measures 5½ ins. at lower edge and 2¾ ins. at neck edge (about 38 ridges at lower edge and 19 ridges on yoke), end at neck edge.

LEFT SLEEVE—**Next row**—K 40, slip remaining 32 sts on holder; cast on 39 sts on same needle with 40 sts; 79 sts. **Row 1**—K 62.
Row 2—Turn, slip 1, k 54 (leave 7 sts at end for cuff).
Row 3—Turn, slip 1, k 71, end at neck edge. **Row 4**—K 79, end at cuff edge. Repeat these 4 rows until sleeve measures 6½ ins. at underarm and 3¼ ins. at cuff (about 46 ridges at underarm and 23 ridges at cuff), end at cuff.
Next row—Bind off 39 sts, k to within 17 sts of neck edge. Turn, slip 1, k 22.

BACK—Take up 32 sts of front on free needle and k these sts to same needle (72 sts on needle). K 72 sts to neck. Repeat first 4 rows of front until back measures 9½ ins. at lower edge (about 67 ridges from sleeve at underarm), end at neck edge.

RIGHT SLEEVE—Work same as left sleeve.

RIGHT FRONT—Work same as back until there are the same number of ridges as on left front, end at lower edge. Bind off, do not break yarn. Work 1 sc in every 2nd ridge on neck edge.
Row 2—Ch 1, turn, * 1 sc in each of next 3 sc, draw up a loop in each of the next 2 sc and work off as 1 sc (a dec.); repeat from * to end.
Row 3—Ch 1, turn, work 1 row sc on neck edge, 2 sc at corner, continue around fronts and lower edge, working 3 buttonloops on right front yoke. Fasten off.

FINISHING—Sew sleeve seams. Steam, see page 46.

CAP

Cast on 25 sts. **Row 1**—K 25. **Row 2**—K 17 (leaving remaining 8 sts on end of needle).
Row 3—Turn, slip 1, k 16. **Row 4**—K 25.
Repeat these 4 rows 4 times more, until there are 10 ridges on wide edge (neck edge) and 5 ridges on narrow edge, end with 4th row at narrow edge. **Next row**—K 25, cast on 35 sts; 60 sts.
Wide Part of Cap—**Row 1**—K 52. **Row 2**—Turn, slip 1, k 51.
Row 3—K 60. **Row 4**—K 60. Repeat these 4 rows until cap measures 10¼ ins. from beg. of wide part (about 72 ridges on wide part), end with 4th row at wide edge. Bind off 35 sts at beg. of next row, work to within 8 sts of end. Turn, slip 1, k 16. **Next row**—K 25.
Continue pat. as in first 4 rows until there are 10 ridges from 35 sts bound off, end at wide edge. Bind off 25 sts. Do not break yarn.

(*Continued on page* 46)

Shoulderette No. 3893

6 Months to Size 1

MATERIALS — Bucilla Machine Washable Perlette, 3 balls.
Bucilla Angora, 5 yds.
"Boye" or "Diana" Needles, 1 pair Size 2.
1 pair Size 0 for cuffs
Steel Hook, Size 2.

GAUGE: Size 2 Needles – 13 sts = 2 inches
12 rows (6 ridges) = 1 inch

With size 2 needles, cast on 2 sts.
Row 1 – Knit.
Row 2 – K 1, yo, k 1.
Row 3 – K 2, yo, k 1.
Row 4 – K 2, yo, k to end.

(*Continued on page* 33)

Pullover No. 2150

6 Months and 2 Years

Instructions are for 6 months, changes for 2 years are in parentheses.

MATERIALS — Bucilla Machine Washable Fingering Yarn; 4 (5) skeins; or Bucilla Machine Washable Lollipop, 4 (5) balls.
"Boye" or "Diana" Needles, 1 pair each Sizes 1 and 2.
Steel Hook, Size 5.

MEASUREMENTS OF GARMENT – Chest 20 (22) ins.
GAUGE: 17 sts = 2 inches.

FRONT – With size 1 needles, cast on 86 (94) sts. Work k 1, p 1 ribbing for 1 in.
Pattern – Row 1 – right side – With size 2 needles, k 34 (38), p 1, k 1, p 1, k 1; * k 3; k 1, p 1, k 1, p 1, k 3, p 1, k 1, p 1, k 1 *, k to end.
Row 2 – P 34 (38), k 1, p 1, k 1, p 1 – seed sts, * p 3, p 1, k 1, p 1, k 1, p 3, k 1, p 1, k 1, p 1; p to end.

(*Continued on page* 45)

Princess Set No. 1231

Infants

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, Sacque, 5 skeins; Cap, 2 skeins; Bootees, 1 skein.

"Boye" or "Diana" Needles — 1 pair Size 2.
1 pair Size 1.
Steel Hook, Size 3.

GAUGE: Size 2 Needles — 17 sts = 2 inches
23 rows = 2 inches

Quaker Stitch — Purl Rib — Row 1 — right side — Purl. K 1 row, p 1 row, k 1 row.

Knit Rib — K 1 row, p 1 row, k 1 row, p 1 row. Repeat these 8 rows for pattern.

SACQUE

MEASUREMENTS — Chest 19 inches.

LEFT FRONT — With size 2 needles, cast on 47 sts. Work stockinette st (p 1 row, k 1 row) decreasing 1 st at beg. of k row every 8th row 5 times to shape underarm edge; 42 sts. Work even until 4 ins. from beg., end with a p row. Next row, bind off 4 sts, k to end. Slip these sts on extra needle. Do not break yarn.

LEFT SLEEVE — With size 1 needles, cast on 37 sts for cuff. Work Quaker Stitch until there are 3 purl and 2 knit ribs, end with a purl rib.

Inc. row — right side — K 1, * inc. 1 st in next st, k 2; repeat from * to end. With size 2 needles, p 1 row, continue stockinette st, increasing 1 st each side every 6th row 5 times; 59 sts. Work even until 4 ins. above cuff, end with p row. Next row, bind off 4 sts, work to within 4 sts of end, bind off 4 sts. Slip sts on needle with front.

BACK — With size 2 needles, cast on 86 sts. Working stockinette st, dec. 1 st each side every 8th row 5 times; 76 sts. Work even until same length as front, end with p row. Next row, bind off 4 sts, work to within 4 sts of end, bind off 4 sts. Fasten off. Slip sts on needle next to sleeve. Make right sleeve and slip sts on needle next to back. Make right front to correspond to left, shaping underarm edge and binding off for underarm at end of k rows. Slip sts on needle next to sleeve.

YOKE — Slip to size 2 needle, 38 sts of right front, 51 sleeve sts, 68 back sts, 51 sleeve sts, 38 sts of left front; 246 sts.

Beg. at left front edge, with attached yarn, p 1 row. Continue stockinette st until 5½ ins. from lower edge of back, end with p row.

Short Rows — Row 1 — K to within 10 sts of end. **Row 2** — Turn, slip 1, p to within 10 sts of end. **Row 3** — Turn, slip 1, k to within 14 sts of end. **Row 4** — Turn, slip 1, p to within 14 sts of end. Continue to work 4 sts less each row for 2 rows more. Break yarn, slip 38 sts on to same needle with other sts.

Quaker Stitch Yoke — Join yarn at right front edge.

First dec. row — right side — With size 1 needle, p 9, p 2 tog., * p 2, p 2 tog. *; repeat between *'s 6 times; † p 3, p 2 tog.; repeat from † 33 times; repeat between *'s 7 times, p 9; 197 sts. K 1 row, p 1 row, k 1 row, completing first purl rib. Work 4 rows of knit rib.

2nd dec. row — right side — P 5, * p 2 tog., p 6; repeat from * to end; 173 sts. Finish purl rib. Work 4 rows of knit rib.

3rd dec. row — P 5, * p 2 tog., p 5; repeat from * to end; 149 sts. Finish purl rib. Work 4 rows of knit rib.

(*Continued on next page*)

No. 1231 (*Continued from page* 16)

4th dec. row—P 5, * p 2 tog., p 4; repeat from * to end; 125 sts. Finish purl rib. Work 4 rows of knit rib.
5th dec. row—P 4, * p 2 tog., p 3; repeat from *, end last repeat p 4; 101 sts. Finish purl rib. Work 4 rows of knit rib.
6th dec. row—P 4, * p 2 tog., p 2; repeat from *, end last repeat p 3; 77 sts. Finish purl rib. Bind off tightly as to purl.
Do not break yarn.

FINISHING—Sew underarm and sleeve seams. Weave 8 underarm sts of sleeve to 8 underarm sts of front and back. Beg. at neck edge, work 17 sc on left front edge of yoke; 2 sc in every 3 rows to lower corner, 2 sc at corner, 1 sc in each st on lower edge, work right side to correspond.
Row 2—Ch 1, turn, 1 sc in first sc, * ch 4 for buttonloop, skip 2 sts, 1 sc in each of next 5 sts; repeat from * twice; continue sc to left corner of neck edge, working 2 sc at corners. Block, see page 46.

BOOTEES

With size 1 needles, cast on 36 sts.
Quaker St—Row 1—wrong side—Knit. P 1 row, k 1 row, p 1 row for purl rib. P 1 row, k 1 row, p 1 row, k 1 row for knit rib. Repeat these 8 rows once. Repeat 4 rows of purl rib again. P 1 row.
Beading row—* K 2 tog., yo, k 1; repeat from * to end. P 1 row.
Next row—K 12, slip on holder for right side, do not break yarn; join another end of yarn and k next 12 sts for instep; slip remaining 12 sts on holder. Work back and forth in stockinette st—p 1 row, k 1 row—on 12 sts of instep for 2 ins., end with p row. Break yarn.
Take up 12 sts of right side on free needle; pick up and k 16 sts on edge of instep; k 12 sts of instep; pick up and k 16 sts on other side of instep; take up and k remaining 12 sts; 68 sts. Repeat 8 rows of quaker st twice.
First dec. row—wrong side—K 2 tog., k 30, k 2 tog. twice, k 30, k 2 tog.; 64 sts. P 1 row. **2nd dec. row**—K 2 tog., k 28, k 2 tog. twice, k 28, k 2 tog.; 60 sts. P 1 row. **3rd dec. row**—P 2 tog., p 26, p 2 tog. twice, p 26, p 2 tog.; 56 sts.
Next row—K 28, break yarn, leaving 18-in. end. Weave sts on needles together.
CORD—Ch 12 ins. Fasten off.

FINISHING—Sew seam at back. Block, see page 55. Run cord through beading. Make 2 small pom-pons and sew on ends of cord.

CAP

With size 1 needles, cast on 97 sts. Work quaker st as for sacque until there are 10 purl and 9 knit ribs, end with a purl rib.
Next row—right side—Bind off 34 sts, k until there are 29 sts, bind off 34 sts.
Back Part—Join yarn in last st worked. With size 2 needles, p 1 row, k 1 row and continue stockinette st on 29 sts for 3 ins., end with p row.
Dec. row—K 12, k 2 tog., k 1 (seam st), slip, k and pass, k 12; 27 sts. Repeat decs. every 2nd row 5 times, decreasing 1 st each side of center seam st; 17 sts. Bind off.

TIE CORD—With size 1 needles, cast on 191 sts. Work stockinette st for 5 rows. Bind off. Gather up short ends and sew, having purl side for right side.

FINISHING—Sew sides of back part of cap to adjoining bound-off edges of quaker st. With right side of cord to right side of cap, sew 17 sts at center of cast-on edge of cord to 17 bound-off sts of back part of cap; sew neck edge of quaker st part to next 20 sts of cord at each side of back. Sew bound-off edge over seam. Block.



Plaid Carriage Cover or Crib Blanket No. 3861

Approximate Size
Carriage Cover—29 inches by 32 inches
Crib Cover—39 inches by 50 inches

Instructions are for carriage cover, changes for crib cover are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Twin-Pak Machine Washable Win-Knit, or Bucilla Knitting Worsted, Main Color A, 10(18) ozs. Contrasting Colors B, C and D, 3 ozs. each.
"Boye" or "Diana" Needles, 1 pair Size 10—or size you require to knit to gauge given below. Hook, Size H.

GAUGE: 9 sts = 2 inches 6 rows = 1 inch

With A, cast on 127 (171) sts for lower edge.
Note: Horizontal stripes are knitted in and vertical stripes are embroidered after cover is completed.

Row 1—With A, * k 6, p 1, k 1, p 1, k 1, p 1; repeat from * across, end k 6.

(*Continued on page* 42)

Carriage Cover or Crib Cover No. 2152

Approximate Size: Carriage Cover 27 by 35 inches
Crib Cover 36 by 45 inches

Instructions are for Carriage Cover, changes for Crib Cover are in parentheses.

MATERIALS — Bucilla Knitting Worsted, Main Color A, 16 (28) ozs.

Bucilla Tapestry Yarn, B 2 skeins,
C 3 skeins.
"Boye" or "Diana" Needles, 1 pair Size 10.

GAUGE: 7 sts = 2 inches 5 rows = 1 inch

With 2 strands of A, cast on 95 (127) sts.

Row 1 – K 1, * p 1, k 1; repeat from * to end. Repeat this row 8 times for seed st border.

Row 10 – * K 1, p 1; repeat from * twice – 6 sts seed st border, p 83 (115), work 6 sts seed st border.

Row 11 – Work 6 sts seed st, k 83 (115), work 6 sts seed st. Repeat last 2 rows until 33 (43) ins. from beg. Repeat row 1, 8 times. Bind off in seed st.

EMBROIDERY – Embroider figures in duplicate st, see page 55. **Figure 1** – Lower edge starts on 16th row above border and on 22nd st from right border.

Figure 2 – Lower edge starts on 62nd row above lower border and on 20th st from left border.

Figure 3 – Top edge starts on 16th row below top border and on 35th st from left border. See charts. With B, embroider whiskers over 3 sts at each side of face. Tie a single strand of C around wrist of each mitten and trim with tiny pom-pons. Sew 2 buttons on body part of each figure. Steam, see page 46.

Wrapping Shawl No. 2153

Approximate Size: 36 inches by 36 inches

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 11 skeins.

"Boye" or "Diana" Hook, Size 8 (1).

GAUGE: 4 sts (2 pats.) = 1 inch 7 rows = 2 inches

Ch 144, 1 sc and 1 dc in 2nd st from hook, * skip 1 st; 1 sc and 1 dc in next st; repeat from * to end; 72 pats.
Row 2 – Ch 1, turn, * skip 1 dc; 1 sc and 1 dc in next sc; repeat from * to end. Repeat last row until 36 ins. from beg.

EDGING – Ch 1, turn, work 1 row sc around shawl, having 2 sc in each corner, keeping edges flat; join with slip st.
Round 2 – Ch 1, 1 sc in first sc, ch 2, 1 sc in same st, * skip 1 st, 1 sc in next st, ch 2, 1 sc in same st; repeat from * to end. Fasten off.

Charts for 2152



Fig. 1



Fig. 2



Fig. 3

Carriage Cover or Crib Cover No. 2154

Approximate Size:
Carriage Cover, 27 by 34 inches
Crib Cover, 36 by 45 inches

Instructions are for Carriage Cover, changes for Crib Cover are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Twin-Pak Machine Washable Win-Knit, or Bucilla Knitting Worsted, 16 (24) ozs.

"Boye" or "Diana" 14-inch Crochet Hook, Size J.
Crochet Hook, Size 6 (H).

GAUGE: 13 sts = 4 inches 7 rows = 2 inches

With size J hook, ch 81 (111).

Row 1 – Draw up a loop in horizontal bar at back of 2nd and each remaining st of ch, retaining all loops on hook; 81 (111) loops on hook. This is half of afghan st row, work off loops as follows: yo, through end loop, * yo, through 2 loops; repeat from * until 1 loop remains.

Row 2 – The loop on hook is first st of row; bring yarn to front of work, * insert hook in next vertical bar, yo, draw up a loop, with yarn at front repeat from * across row; work off loops as on row 1.

Repeat row 2 until 32 (43) ins. from beg. Bind off by working a slip st in 2nd and each vertical bar to end. Do not fasten off.

Border – With size 6 hook, work 1 row sc around entire cover, keeping edge flat; working a multiple of 4 sc plus 1 on each side and 3 sc in each corner. Join with slip st. Do not turn.

Row 2 – * Skip 1 sc, 1 dc in next sc, ch 1, 1 dc in same st with first dc, ch 1, 1 dc in same st, skip 1 sc, 1 sc in next st – 1 shell; repeat from * around, working a shell at each corner. Join; fasten off. Steam lightly, see page 46.

2151
2146
HAND KNITS FROM SO
EASY TO MAKE — WOND
Instructions for these Garme
2161
2148
2172

2147
2165
UP TO SUN DOWN
ERFUL TO WEAR
nts on Pages 22 and 23
2171
2164
2163

INSTRUCTIONS for GARMENTS

Baby Brooks Type Cardigan No. 2146

6 Months and 2 Years

Instructions are for 6 months, changes for 2 years are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 4 skeins; or Bucilla Machine Washable Lollipop, 4 balls.

"Boye" or "Diana" Needles, 1 pair each Sizes 1 and 2.

MEASUREMENTS OF GARMENT—At chest, buttoned 20¾ (22¾) ins.

GAUGE: 17 sts = 2 inches.

BACK—With size 1 needles, cast on 82 (90) sts. Work k 2, p 2 ribbing for 14 rows. With size 2 needles, work stockinette st—p 1 row, k 1 row—until 4¾ (6¼) ins. above ribbing, or desired length to underarm, end with p row.

Armholes—K 4, slip on holder for underarm, k to within 4 sts of end, slip last 4 sts on holder. Work even on 74 (82) sts until armhole measures 4 (4½ ins., straight up from underarm, end with k row. Break yarn. Slip sts on holder.

Note: These instructions are for girl's sweater, with buttonholes on right front. For boy's sweater, make buttonholes on left front.

RIGHT FRONT—Wilth size 1 needles, cast on 50 (54) sts.

Row 1—wrong side— * K 2, p 2; repeat from * to within 6 sts of end, p 1, k 1 to end—seed st band.

Row 2—K 1, p 1 for 6 sts of seed st band, work ribbing to end. Repeat these 2 rows twice.

(*Continued on page* 43)

Norwegian Star Yoke Sacque No. 2147

6 Months and 1 Year

Instructions are for 6 months, changes for 1 year are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, Main Color A, 4 skeins. Contrasting Color B, 1 skein.

"Boye" or "Diana" Needles, 1 pair Size 3. Hook, Size 1 (E).

MEASUREMENTS OF GARMENT—Chest 21 (22) ins.

GAUGE: 8 sts = 1 inch 11 rows = 1 inch

BODY—With color A, cast on 169 (179) sts for lower edge. Work stockinette st—p 1 row, k 1 row—for 6 (6¾) ins., end with p row.

Next row—K 41 (44), slip on holder for right front; bind off 8 sts for underarm, k until 71 (75) sts on needle, slip on holder for back, bind off 8 sts, finish row.

LEFT FRONT—Keeping front edge even, dec. 1 st at armhole edge every 2nd row 2 (3) times, end at armhole edge; 39 (41) sts.

Yoke Pattern—**Row 1**—K, carrying color not in use loosely along on wrong side (1 year only, 1 B), * 2 A, 1 B, 5 A, 1 B, 2 A, 1 B, 1 A, 1 B *; repeat between *'s once, 2 A, 1 B, 5 A, 1 B, 2 A (1 year only, 1 B).

Row 2—P 2 (3) A, * 2 B, 3 A, 2 B, 3 A, 1 B, 3 A *; repeat between *'s once, 2 B, 3 A, 2 B, 2 (3) A.

Beg. with row 3 continue pat as on chart see page 47 for the remaining 10 rows. Continue yoke with B, working even until 2¾ (3) ins. above underarm, end at front edge. Bind off 19 (20) sts for neck, finish row. Work 6 rows even on 20 (21) sts. Bind off for shoulder.

(*Continued on page* 39)

Sacque No. 2148

Infants

MATERIALS — Bucilla Machine Washable Fingering Yarn, Main Color A, 4 skeins.

Bucilla Embroidery Floss, Contrasting Color B, 1 skein.

"Boye" or "Diana" Needles, 1 pair Size 3.

Steel Hook, Size 4.

MEASUREMENTS OF GARMENT—Chest 20 ins.

GAUGE: 8 sts = 1 inch 21 rows = 2 inches

BACK—With A, cast on 87 sts. Work stockinette st—p 1 row, k 1 row—for 9 rows, end with p row.

Pattern—**Row 1**—right side—K 7, * p 1, k 17; repeat from * 3 times, p 1, k 7. Continue stockinette st for 11 rows, decreasing 1 st each side when work measures 1½ ins.

(*Continued on page* 38)

Cardigan No. 2151

6 Months and 1 Year

Instructions are for 6 months, changes for 1 year are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 4 skeins; or Bucilla Machine Washable Lollipop, 4 balls.

"Boye" or "Diana" Needles, 1 pair Size 3.

MEASUREMENTS OF GARMENT—Chest, buttoned 19¾ (20¾) ins.

GAUGE: 8 sts = 1 inch 21 rows = 2 inches.

Cast on 164 (172) sts for lower edge. Work garter st (k every row) for 4 rows, end at left front edge.

Buttonhole—**For Boy**—K 2, bind off 2 sts, k to end. **For Girl**—K to within 4 sts of end, bind off 2 sts, k to end. Cast on 2 sts over buttonhole in next row. Continue garter st for 4 rows more, end at left front edge.

Row 11—wrong side—K 6 for border, p to within 6 sts of end, k 6 for border. **Row 12**—K. Repeat last 2 rows until 6 (6¾) ins. from beg. repeating buttonhole every 17th and 18th (19th and 20th) rows, end on wrong side at right front edge.

(*Continued on page* 35)

Creepers No. 2161

1 Year

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 4 skeins.

A few yards of Contrasting Color for Embroidery.

"Boye" or "Diana" Needles, 1 pair each Sizes 1 and 2

Hook, Size 1 (E).

MEASUREMENTS OF GARMENT—At chest 21 ins.

Width of panties 22 ins.

Length from crotch to back of neck 17 ins.

GAUGE: 17 sts = 2 inches.

BACK—With size 2 needles, cast on 26 sts for crotch. Work stockinette st—p 1 row, k 1 row—, casting on 2 sts at end of each of next 18 rows; then 4 sts at end of each of next 8 rows; 94 sts. Work even until 9 ins. at center, or desired length to waistband, end with p row.

(*Continued on page* 39)

SHOWN ON PAGES 20 AND 21

Cable Raglan Cardigan No. 2163

6 Months and 1 Year

Instructions are for 6 months, changes for 1 year are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, Main Color A, 4 skeins. Contrasting Color, B, 1 skein for cables.

"Boye" or "Diana" Needles, 1 pair each Sizes 1 and 3.

Hook, Size 1 (E).

MEASUREMENTS OF GARMENT—Chest, buttoned 20½ (21½) ins.

GAUGE: 8 sts = 1 inch 21 rows = 2 inches

Wind 5 bobbins of A and 4 bobbins of B.

(*Continued on page* 40)

Scottie Cardigan No. 2164

1 and 2 Years

Instructions are for 1 year, changes for 2 years are in parentheses.

MATERIALS — Bucilla Machine Washable Fingering Yarn, Main Color A, 5 skeins. A few yards each of Contrasting Color B and C for Borders and Scotties.

"Boye" or "Diana" Needles, 1 pair Size 3.

Hook, Size 1 (E).

MEASUREMENTS OF GARMENT—Chest, buttoned 22 (23) ins.

GAUGE: 8 sts = 1 inch 21 rows = 2 inches

BACK—With A, cast on 88 (92) sts. Work k 1, p 1 ribbing for 12 rows. Work stockinette st—k 1 row, p 1 row—until 6¾ (7¼) ins. above ribbing.

Armholes—Bind off 3 sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 3 times; 76 (80) sts. Work even until armhole measures 3¾ (4) ins., straight up from underarm. Bind off.

(*Continued on page* 44)

Cardigan No. 2165

1 to 2 Years and 3 to 4 Years

Instructions are for 1 to 2 years, changes for 3 to 4 years are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 5 skeins.

"Boye" or "Diana" Needles, 1 pair Size 3.

MEASUREMENTS OF GARMENT—At chest, buttoned 21 (23) ins.

GAUGE: 8 sts = 1 inch 21 rows = 2 inches

BACK—Cast on 84 (92) sts. Work k 1, p 1 ribbing for 10 rows. Work stockinette st—k 1 row, p 1 row—until 72 (88) rows above ribbing; about 7½ (9) ins. from beg.

Armholes—Bind off 3 (4) sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 3 (4) times; 72 (76) sts. Work even until armhole measures 4 (4½) ins., straight up from underarm.

Shoulders—Bind off 11 (12) sts at beg. of next 4 rows. Bind off remaining 28 sts.

RIGHT FRONT—Cast on 51 (55) sts.

Row 1—right side—K 1, * p 1, k 1; repeat from * to end.

(*Continued on page* 40)

Pantie Suit No. 2171

1 and 3 Years

Instructions are for 1 year, changes for 3 years are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, Main Color A, 4 skeins. Contrasting Color C, 5 skeins.

Bucilla Tapestry Wool, Art. 040, Contrasting Color B, 1 skein.

"Boye" or "Diana" Double-pointed Needles, 2 pairs each Sizes 1 and 2.

MEASUREMENTS OF GARMENT—At chest, buttoned, 22 (24) ins.

Width of panties 21 (23) ins.

GAUGE: 17 sts = 2 inches.

CARDIGAN

BACK AND FRONTS—With size 1 needles and A, cast on 196 (212) sts. P 1 row, k 1 row, p 1 row. K 3 rows for turning ridge. With size 2 needles, p 1 row, k 1 row for 4 rows; casting on 8 sts at end of last row for facing of buttonhole band; 204 (220) sts.

Next row—wrong side—K 8 for garter st facing, p to within 8 sts of end, k last 8 sts for garter st border of right front.

Buttonhole row—K to within 14 sts of end, k 2 tog., yo, k 7, k 2 tog., yo, k 3. Continue in stockinette st, knitting first and last 8 sts of every p row for garter st borders. Repeat buttonholes every 2 (2½) ins. twice, work even until 6¼ (7¾) ins. above turning ridge, end with p row.

Armholes—K 49 (53), place on holder for right front; bind off 6 sts for underarm; k until there are 86 (94) sts on needle, place on holder for back; bind off 6 sts for left underarm, finish row.

LEFT FRONT—Work 1 row on 57 (61) sts of left front. Dec. 1 st at beg. of next row for armhole. Work 1 more row, end at armhole edge. Drop A. With B, dec. 1 st at beg. of next row; repeating buttonholes. Work 1 more row; break off B.

(*Continued on page* 41)

Crocheted Cardigan No. 2172

1 and 2 Years

Instructions are for 1 year, changes for 2 years are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Machine Washable Winfant, 6 skeins.

A few yards of Contrasting Color for Ties and Pompons.

"Boye" or "Diana" Steel Hook, Size 2.

MEASUREMENTS OF GARMENT—At chest, buttoned, 21 (22) ins.

GAUGE: Pattern—8 sts = 1 inch 8 rows = 1 inch

Ribbing 9 rows = 1 inch

BODY—RIGHT FRONT—Ch 82 (90) sts for edge of right front band.

Row 1—1 sc in 2nd and each remaining st on ch; 81 (89) sts. **Row 2**—Ch 1, turn, 1 sc in each st.

Row 3—buttonhole row—wrong side—Ch 1, turn, 1 sc in each of first 2 (5) sts, * ch 3, skip 3 sts, 1 sc in each of next 12 (13) sts; repeat from * 5 times, end last repeat 1 sc—neck edge. Repeat row 2, 3 times, end at lower edge.

Pattern—Row 1—wrong side—Ch 1, turn, 1 sc in both loops of first st, 1 sc in back loop of each st to within 1 st of end, 1 sc in both loops of last st.

(*Continued on page* 42)

for YOUNG GADABOUTS

Curlilocks No. 3175

Size 2, 3 and 4 years

Instructions are for 2 years, changes for 3 and 4 years are in parentheses.

MATERIALS — Bucilla Machine Washable Fingering Yarn, 4 (5-5) skeins.
"Boye" or "Diana" Needles, 1 pair Size **3.**
Steel Hook, Size 0.

MEASUREMENTS OF GARMENT — Width of back at underarm 10½ (11–11½) inches.
Width of each front at underarm — hemmed 6¾ (7–7¼) inches.
Length from lower edge to shoulder 12¼ (13¾–14¾) inches.
Sleeves — Width at underarm 8 (8½–9) inches.
GAUGE: 8 sts = 1 inch

BACK — Cast on 84 (88–92) sts. Work stockinette st, p 1 row, k 1 row for 7¾ (9–9¾) ins.
Armholes — Bind off 3 sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 3 times; 72 (76–80) sts. Work even until 4½ (4¾–5) ins. above underarm. Bind off.
POCKET LININGS — Cast on 24 sts. Work stockinette st for 3 (3¾–3¾) ins., end with k row. Break yarn. Slip sts to holder. Make 2.
RIGHT FRONT — Cast on 61 (63–65) sts.
Row 1 — wrong side — P 7 (9–11) sts, k 1, p 6, k 1, p 24, k 1, p 6, k 1, p 14 for front border and hem.
Row 2 — K 14, p 1, k 6, p 1, k 24, p 1, k 6, p 1, k to end. Repeat these 2 rows twice. Repeat row 1 again.
Row 8 — cable twist row — K 14, * p 1, slip next 3 sts to hook, hold at back of work, k next 3 sts, k 3 sts from hook, p 1, * k 24; repeat between *'s once, k to end. Repeat these 8 rows for cable pat. Work even until 1 (2–1½) ins. from lower edge, end at front edge.
Buttonhole rows — K 2, bind off next 3 sts for buttonhole, k until 4 sts from buttonhole, bind off next 3 sts, work to end. Cast on 3 sts over each buttonhole on next row. Repeating buttonholes every 2 (1¾–2) ins., continue cable pat. until about 3(3¾–3¾) ins. from lower edge, end with 5th row above a cable twist row.
Next row — Work 22 sts, bind off 24 sts for pocket opening, k to end.
Note — Cable at underarm side of pocket is now discontinued, cable at inside edge of border and buttonholes are continued up to neck — a total of 6 (7–7) pairs of buttonholes.
Next row — P to opening, take up and p across 24 sts of pocket lining, work to end. Work until same length as back to armhole, end at underarm edge. Shape armhole as for back; 55 (57–59) sts. Work even until about 1¼ (1½–1¾) ins., end with 7th row above a twist row.

Yoke — Row 1 — K 14, * p 1, work cable twist on next 6 sts, p 1, k 2 (3–3) sts; repeat from * 3 times, end last repeat k 3 (2–4) sts.
Continue to work cables on yoke in this way until armhole measures about 3½ (3¾–4) ins., end with a twist row at armhole edge. There should be 1 row above last buttonhole.
First dec. row — Work 23 (24–26) sts, k 1, p 2, p 2 tog., p 2, k 1, p 2 (3–3) sts, k 1, p 2, p 2 tog., p 2, k 1, p 14.
Next row — Bind off 25 sts for neck, work to end. Dec. 1 st at neck edge every row 5 times, end with twist row; 23 (25–27) sts.

(*Continued on page* 35)

Huck Finn No. 3180

Size 3 and 4 Years

Instructions are written for size 3 years, changes for size 4 years are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Twin-Pak Machine Washable Win-Knit or Bucilla Knitting Worsted, 8 (12) ozs.
"Boye" or "Diana" Needles, 1 pair each Sizes 3 and 5.

GAUGE: Size 5 needles — 7 rows = 1 inch

MEASUREMENTS — Chest 23 (24) ins. Length from lower edge to underarm 8½ (9½) ins. Sleeves — Width 8 (8½) ins.

POCKET LININGS — With size 5 needles, cast on 21 sts.
First row — K 1, * p 1, k 1; repeat from * to end.
2nd row — P 1, * k 1, p 1; repeat from * to end. Work even until 2¼ (2½) ins. from beginning, end with 2nd row. Slip to holder; make 2.

BACK AND FRONTS — With size 3 needles, cast on 143 (151) sts for lower edge of back and fronts. Work ribbing as for pocket lining for 18 rows. Change to size 5 needles. Continue ribbing until 3¼ (4) ins. from beginning, end with 2nd row — right side.
Next row — Work 11 sts, bind off next 21 sts for pocket, work to within 32 sts of end, bind off next 21 sts, finish row. Next row, work 11 sts, take up and work 21 sts of one pocket lining matching ribbing, work to 2nd pocket opening, work sts of other lining, finish row. Work even until 8½ (9½) ins. or desired length to underarm, end on right side.

Armhole — Dec. 1 st at beginning of next row for neck shaping, work until 33 (35) sts on needle, slip on holder for left front, bind off 7 sts for underarm, work until 61 (65) sts from bind-off, slip on holder for back, bind off 7 sts for underarm, finish row decreasing 1 st at end.

RIGHT FRONT — Work the 33 (35) sts. Dec. 1 st at armhole edge every 2nd row once (twice); continue decreasing 1 st at front edge every 2nd row until 18 sts remain.

Work even until 4½ (5) ins. above underarm. Bind off 9 sts from armhole edge twice.

BACK — Slip 61 (65) sts to needle. Beginning at right armhole, dec. 1 st each side every 2nd row once (twice); 59 (61) sts. Work even until 4½ (5) ins. above underarm.

Shoulders — Bind off 9 sts at beginning of next 4 rows. Bind off 23 (25) sts for neck.

LEFT FRONT — Slip sts to needle. Beginning at underarm edge, work to correspond to right front.

SLEEVES — With size 3 needles, cast on 44 (46) sts. Work 1, p 1 ribbing for 18 rows. Change to size 5 needles. Work 1 in. even. Inc. 1 st each side of next row; repeat increases every 2 ins. 3 times; 52 (54) sts. Work even until 10½ (11½) ins. from beginning or desired length to underarm. Bind off 3 sts at beginning of next 2 rows; 2 sts at beginning of next 10 (12) rows. Bind off 26 (24) sts.

(*Continued on page* 35)

Jiffy Jacket No. 2185

2 and 3 Years

Instructions are for 2 years, changes for 3 years are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Twin-Pak Machine Washable Win-Knit or Bucilla Knitting Worsted, 3 ozs. "Boye" or "Diana" Needles, 1 pair each Sizes 4 and 9. Hook, Size 5 (G).

MEASUREMENTS OF GARMENT — Chest 23 (24) ins.

GAUGE: 5 sts = 1 inch 11 rows = 2 inches

BACK — With size 4 needles, cast on 59 (61) sts.
Row 1 — right side — K 1, * p 1, k 1; repeat from * to end.
Row 2 — P 1, * k 1, p 1; repeat from * to end. Repeat these 2 rows twice.
With size 9 needles, begin pat.
Row 1 — K 1, * p 1, k 1; repeat from * to end.
Row 2 — P. Repeat last 2 rows until 6½ (7) ins. above ribbing, or desired length to underarm.

Armholes — Bind off 2 sts at beg. of next 2 rows for underarm. Dec. 1 st each side of next row; 53 (55) sts. Continue pat. until armhole measures 2 ins., straight up from underarm, end with p row.

Yoke — With size 4 needles, work p 1, k 1 ribbing until 4 (4½) ins. above underarm. Bind off in ribbing.

LEFT FRONT — With size 4 needles, cast on 28 (30) sts. Work k 1, p 1 ribbing for 6 rows as on back. With size 9 needles, work pat. until same length as back to underarm, end with p row.

Armhole — Bind off 2 sts at beg. of next row for underarm. Dec. 1 st at armhole edge on 2nd row; 25 (27) sts. Work even until same length as back to yoke, end with p row. With size 4 needles, work p 1, k 1 ribbing until 3 (3½) ins. above underarm, end at front edge.

Neck Shaping — Bind off 5 (6) sts at beg. of next row. Dec. 1 st at neck edge every row 3 times. Work even until armhole is same length as on back. Bind off in ribbing.

(*Continued on page* 42)

PLAYTIME CLASSICS

Brooks Type Cardigan No. 2181

2 and 4 Years

Instructions are for 2 years, changes for 4 years are in parentheses.

MATERIALS — Bucilla Machine Washable Perlette, 5 balls.

"Boye" or "Diana" Needles, 1 pair each Sizes 2 and 3.

MEASUREMENTS OF GARMENT—At chest, buttoned 22¾ (25) ins.

GAUGE: 7 sts = 1 inch 9 rows = 1 inch

BACK—With size 2 needles, cast on 74 (82) sts. Work k 2, p 2 ribbing for 14 rows. With size 3 needles, work stockinette st—p 1 row, k 1 row—until 5¾ (7½) ins. above ribbing, end with p row.

Armholes—K 4, slip on holder for underarm, k to within 4 sts of end, slip last 4 sts on holder. Work even on 66 (74) sts until armhole measures 5 (5½) ins., straight up from underarm, end with k row. Break yarn, slip sts on holder.

Note: These instructions are for girl's sweater, with buttonholes on right front. For boy's sweater make buttonholes on left front.

RIGHT FRONT—With size 2 needles, cast on 46 (50) sts.

Row 1—wrong side—* K 2, p 2; repeat from * to within 6 sts of end, k 6 for garter st border. **Row 2**—K 6, work ribbing to end. Repeat these 2 rows twice.

Buttonhole row—wrong side—Work ribbing to within 6 sts of end, k 1, bind off 3, k to end. Cast on 3 sts over buttonhole on next row. Repeat rows 1 and 2 until 14 rows from beg., end on right side.

With size 3 needles, p to within 6 sts of end, k 6.

Next row—K. Repeat last 2 rows, working buttonhole every 2⅛ (2½) ins., including previous buttonhole, until same length as back to armhole, end at underarm edge.

Armhole—P 4 sts, slip on holder for underarm. Continuing buttonholes work even on remaining 42 (46) sts until armhole measures 4¼ (4¾) ins., end at front edge, having about 1½ (2) ins. above 5th buttonhole.

Neck Shaping—Work 21 (23) sts, slip on holder for neck, k 21 (23) sts. Work 1 in. even. Break yarn leaving 24-in. end for weaving.

LEFT FRONT—With size 2 needles, cast on 46 (50) sts. For boy's sweater, first buttonhole is made in 7th row of ribbing as follows: K 2, bind off 3 sts, work to end. Buttonhole is repeated as indicated on right front.

Finish left front to correspond to right, shaping at opposite sides. Weave shoulder sts to same number of sts at each side of back.

NECK RIBBING—With size 2 needles, take up 21 (23) sts of right front, join yarn in 21st (23rd) st from front edge, pick up and k 6 sts on side neck edge, take up and k 24 (28) sts on back of neck, pick up and k 6 sts on left side, take up and k 21 (23) sts of left front; 78 (86) sts.

Row 1—wrong side—K 6, p 2, * k 2, p 2; repeat from * to within 6 sts of end, k 6.

Row 2—K 8, * p 2, k 2; repeat from * to within 6 sts of end, k 6. Work 6th buttonhole in next row. Continue neck ribbing and band until there are 8 rows. Bind off.

SLEEVES—With size 3 needles, take up and k 4 underarm sts on left front, pick up and k 52 (56) sts on armhole edge, take up and k 4 underarm sts. Working stockinette st on 60 (64) sts, dec. 1 st each side every 1 (1½) ins. 6 times. Work even on 48 (52) sts until sleeve measures 8½ (10½) ins., end with k row.

Dec. row—With size 2 needles, p, decreasing 10 sts evenly spaced across row; 38 (42) sts.

Cuff—Work k 2, p 2 ribbing for 2½ (3) ins. Bind off.

POCKETS—With size 4 needles, cast on 21 sts. Work even in stockinette st for 2¼ ins. Work garter st for 8 rows. Bind off. Make 2.

FINISHING—Steam and finish, see page 46.

Striped or Solid Color Pullover No. 2179

2 and 4 Years

Instructions are for 2 years, changes for 4 years are in parentheses.

MATERIALS — Bucilla Machine Washable Perlette, Main Color A, 2 (2) balls.

Contrasting Color B, 2 (2) balls.

Contrasting Color C, 2 (2) balls.

"Boye" or "Diana" Needles, 1 pair each Sizes 2 and 3.

Note: For solid color Pullover follow instructions below, omitting stripes.

Material for solid color, 2(3) additional balls.

MEASUREMENTS OF GARMENT—At chest 22 (24) ins.

GAUGE: 7 sts = 1 inch 9 rows = 1 inch

BACK—With size 2 needles and A, cast on 76 (84) sts. Work k 2, p 2 ribbing for 1½ ins.

With size 3 needles, k 1 row.

Stripe Pattern—Work stockinette st—p 1 row, k 1 row—working 2 rows B; 2 rows C; 2 rows B; 2 rows A; carrying yarn not in use loosely along edge. Repeat these 8 rows for pat. Work even in pat. until 5½ (6¾) ins. above ribbing, end with p row.

Armholes—K 5, slip on holder for underarm, k to end; slip last 5 sts on holder. Break off all 3 colors. Join right color for sequence of pat. in last st on needle, continue pat. on 66 (74) sts until armhole measures 5 (5½) ins., straight up from underarm, end with pat. row 5.

Next row—With B, k 19 (21) sts, slip on holder for shoulder, k to end. Break all colors and slip last 19 (21) sts on holder for other shoulder. Join A in last st on needle. With size 2 needles, p 1 row.

Neck Ribbing—Work k 2, p 2 ribbing on remaining 28 (32) sts for 8 rows. Bind off in ribbing.

FRONT—Work same as back until armhole measures 3¼ (3¾) ins., end with pat. row 5.

Next row—With B, k 19 (21) sts, slip on holder for left side; k 28 (32) sts, slip on holder for neck, k 19 (21) sts. Work 1¾ ins. even, end with pat. row 7. Slip on holder for shoulder. Break off all colors, leaving a 24-in. end of A for weaving. Take up sts of left side and work to correspond.

FRONT NECK RIBBING—Join A on left neck edge at corner. With size 2 needles, pick up and k 12 sts on side edge, take up and k 28 (32) sts of neck, pick up and k 12 sts on right side; 52 (56) sts. Work k 2, p 2 ribbing for 8 rows. Bind off in ribbing. Weave shoulders tog.

SLEEVES—With size 3 needles and B, take up and k 5 underarm sts, pick up and k 50 (54) sts on armhole edge, k 5 underarm sts; 60 (64) sts. Working stripe pat., dec. 1 st each side every 1 (1½) ins. 6 times; 48 (52) sts. Work even until sleeve measures 8¾ (10½) ins., end with pat. row 6. Break off B and C. With size 2 needles and A, dec. 10 sts evenly spaced across row; 38 (42) sts.

Cuff—With A, work k 2, p 2 ribbing for 2½ (3) ins. Bind off in ribbing.

FINISHING—Steam and finish, see page 46.

Striped or Solid Color Pullover No. 2179

Pants No. 2180

2 and 4 Years

Instructions are for 2 years, changes for 4 years are in parentheses.

MATERIALS — Bucilla Machine Washable Perlette, 2 balls.
"Boye" or "Diana" Needles, 1 pair each Sizes 2 and 3.

MEASUREMENTS OF GARMENT — Width of pants 22½ (24½) ins.
GAUGE: 7 sts = 1 inch 9 rows = 1 inch

LEFT HALF — With size 2 needles, cast on 96 (100) sts. P 1 row, k 1 row for 4 rows. K 1 row from wrong side for turning ridge. With size 3 needles, k 1 row, p 1 row for 4 rows.
Beg. short rows.
Row 1 — Inc. 1 st in first st, k 9, turn. Slip 1, p to end.
Row 3 — K 10, with point of right needle take up st directly below "slipped" st and slip it to left needle, k this st tog. with slipped st to prevent hole in work, k 8, turn. Slip 1, p to end.

(*Continued on page* 36)

DESIGNED for SMARTNESS

Cardigan No. 2141

2 and 4 Years

Instructions are for 2 years, changes for 4 years are in parentheses.

MATERIALS — Bucilla Machine Washable Perlette, 5 (6) balls.

"Boye" or "Diana" Needles, 1 pair each Sizes 1 and 2. Hook, Size 2(E).

MEASUREMENTS OF GARMENT — Chest, buttoned 23 (25) ins.
GAUGE: 15 sts = 2 inches 19 rows = 2 inches

BACK — With size 1 needles, cast on 82 (90) sts. Work k 1, p 1 ribbing for 10 rows. With size 2 needles, work stockinette st — k 1 row, p 1 row — until 6½ (8) ins. above ribbing or desired length to underarm.
Armholes — Bind off 3 (4) sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 2 (3) times; 72 (76) sts. Work even until 4 (4½) ins., straight up from underarm.
Shoulders — Bind off 6 (8) sts at beg. of next 2 rows; 8 sts at beg. of next 4 rows. Bind off remaining 28 sts.
Note: These instructions are for girl's cardigan, with buttonholes on right front. For boy's, work right front first, omitting buttonholes and make buttonholes on left front.
RIGHT FRONT — With size 1 needles, cast on 49 (53) sts.
Row 1 — right side — K 1, * p 1, k 1; repeat from * to end.
Row 2 — P 1, * k 1, p 1; repeat from * to end. Repeat these 2 rows 3 times more.

(*Continued on page* 36)

Boy's Pullover No. 2140

2 and 4 Years

Instructions are for 2 years, changes for 4 years are in parentheses.

MATERIALS — Bucilla Machine Washable Perlette, 5 balls

"Boye" or "Diana" Needles, 1 pair each Sizes 1 and 2. Hook, Size 2(E).

MEASUREMENTS OF GARMENT — Chest 22 (24) ins.
GAUGE: 15 sts = 2 inches 19 rows = 2 inches

BACK — With size 1 needles, cast on 82 (90) sts. Work k 1, p 1 ribbing for 2½ ins. With size 2 needles, work stockinette st — p 1 row, k 1 row — until 5 (6½) ins. above ribbing or desired length to underarm.
Armholes — Bind off 3 (4) sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 2 (3) times; 72 (76) sts. Work even until armhole measures 4 (4½) ins., straight up from underarm.
Shoulders — Bind off 6 (8) sts at beg. of next 2 rows; 8 sts at beg. of next 4 rows.
Neck Ribbing — With size 1 needles, work k 1, p 1 ribbing for 8 rows on remaining 28 sts. Bind off loosely in ribbing.
FRONT — With size 1 needles, cast on 82 (90) sts. Work ribbing as for back.
Next row — With size 2 needles, k 7 (11), * p in front and back of next st to inc., k 9, p in front and back of next st, k 8; repeat from * 3 times, end last repeat k 7 (11); 90 (98) sts.
Pattern — Row 1 — wrong side — P 7 (11), * k 2, p 9, k 2, p 8; repeat from *, end last repeat p 7 (11).

(*Continued on page* 35)

Argyle Cardigan No. 2175

2 and 4 Years

Instructions are for 2 years, changes for 4 years are in parentheses.

MATERIALS — Bear Brand Machine Washable Win-Sport, Main Color A, 4 (5) skeins. Contrasting Colors B and C, 1 skein each.

"Boye" or "Diana" Needles, 1 pair Size 2.

MEASUREMENTS OF GARMENT — Chest, buttoned 23 (25) ins.
GAUGE: 8 sts = 1 inch 11 rows = 1 inch

Note: Instructions are for girl's cardigan, with buttonholes on right front. For boy's cardigan make buttonholes on left front.
LEFT FRONT — With A, cast on 53 (59) sts.
Ribbing — Row 1 — right side — K 1, * p 1, k 1; repeat from * to end.
Row 2 — P 1, * k 1, p 1; repeat from * to end. Repeat rows 1 and 2, 5 times.
Note: Instructions and chart call for knitting in the cross lines. Instead of knitting in cross lines, they may be embroidered in duplicate st after fronts are completed, in which case diamonds are worked in solid color. Wind 3 bobbins each of A, B and C. Wind only 1 bobbin each of B and C if cross lines are to be embroidered.
Pattern — Working in stockinette st — k 1 row, p 1 row — follow chart, see page 43.
Row 1 — right side — For 2 years — with A, k 8; (for 4 years — with B, k 1, with A, k 11); k 1 C, 11 A, 1 B, 1 C, 11 A, 1 B, 11 A, 1 C; with A, continue ribbing on last 7 (9) sts for front border.

(*Continued on page* 43)

Little Men and Women Cardigan No. 2218

3 to 4 Years

MATERIALS — Bucilla Machine Washable Perlette, Main Color A, 4 balls. Contrasting Color B, 3 balls.

"Boye" or "Diana" Needles, 1 pair each Sizes 2 and 3.

MEASUREMENTS OF GARMENT — Chest 25 ins. Width of back at underarm 12 ins. Sleeves — Width at underarm 9 ins.
GAUGE: 7 sts = 1 inch 8 rows = 1 inch

BODY — With size 2 needles and A, cast on 170 sts.
Row 1 — right side — P 2, * k 2, p 2; repeat from * to end.
Row 2 — K 2, * p 2, k 2; repeat from * to end. Repeat last 2 rows for 2 ins., end on wrong side decreasing 1 st at end of last row; 169 sts.
With size 3 needles, k 1 row, p 1 row for 4 rows. Beg. pat.
Note: Throughout pat., carry yarn not in use loosely on wrong side of work, catching it in every 3rd st to avoid long loops.
Row 1 — right side — * K 2 B, 2 A; repeat from *, end 1 B.
Row 2 — P 1 A, * 2 B, 2 A; repeat from * to end. With A only, k 1 row, p 1 row. Continue next 2 rows as for rows 5 and 6 of chart, see page 54.
With A only, k 1 row, p 1 row.
Row 9 — K 4 A, * 3 A, 2 B, 1 A, 2 B, 4 A, 2 B, 3 A, 2 B, 1 A *; repeat between *'s, end last repeat 6 A.
Row 10 — P 5 A, * 2 A, 1 B, 3 A, 1 B, 6 A, 1 B, 1 A, 1 B, 4 A *; repeat between *'s, end last repeat 8 A.

(*Continued on page* 45)

2140
2218
2141
2175

WINTER WONDERLAND

Stocking Cap No. 2168

MATERIALS — Bear Brand, Fleisher or Botany Twin-Pak Machine Washable Win-Knit or Bucilla Knitting Worsted, 4 ozs.

A few yards of Contrasting Color for Tassel.

"Boye" or "Diana" Needles, 1 pair Size 4.

GAUGE: 6 sts = 1 inch 8 rows = 1 inch

Cast on 96 sts. Work k 2, p 2 ribbing for 3½ ins. Change to stockinette st (p 1 row, k 1 row). Work 2 ins. even.

First dec. row — * K 2 tog., k 14; repeat from * to end; 90 sts. Work 1 in. even.

2nd dec. row — * K 2 tog., k 13; repeat from * to end; 84 sts. Continue to dec. 6 sts in a row every 1 in. 8 times more; every ½ in. 4 times; 12 sts. Work ½ in. even. Work 2 tog. 6 times. Break off, draw end through 6 sts. Fasten off. Block, see page 55. Sew seam.

TASSEL — With contrasting color, make 5-in. tassel and sew to cap.

Snowsuit No. 2166

1 and 3 Years

Instructions are for 1 year, changes for 3 years are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Twin-Pak Machine Washable Win-Knit or Bucilla Knitting Worsted, 16 ozs. for Snowsuit; 4 ozs. for Hat and Mittens.

Bucilla Angora, 2 balls.

"Boye" or "Diana" Needles, 1 pair each Sizes 2 and 4.

Sock Needles, 1 set, Size 4 for Mittens.

Hook, Size 4(F).

12-inch Zipper.

MEASUREMENTS OF GARMENT — Chest 24½ (27) ins. Leggings — length of front from beginning of waistband to crotch 8½ (9½) ins. — to lower edge 20 (24½) ins.

GAUGE: 6 sts = 1 inch 8 rows = 1 inch

(*Continued on page* 32)

Snow Suit No. 2167
2 and 4 Years

Instructions are for 2 years, changes for 4 years are in parentheses.

MATERIALS — Bear Brand, Fleisher or Botany Twin-Pak Machine Washable Win-Knit, or Bucilla Knitting Worsted, 12 (16) ozs. Main Color A for Windbreaker and Cap; 12 (16) ozs. Contrasting Color B for Leggings and Mittens.

"Boye" or "Diana" Needles, 1 pair Size 2.

Nylon Circular Needle, Size 4.

Sock Needles, 1 set Size 4 for Mittens.

Steel Hook, Size 2.

Slide Fastener.

GAUGE: Size 4 Needles – 6 sts = 1 inch
8 rows = 1 inch.

WINDBREAKER

MEASUREMENTS OF GARMENT – At chest 25½ (27½) ins. Length from lower edge to back of neck 14 (15½) ins. With circular needle and A, cast on 32 sts. P 1 row.

Row 1 – Inc 1 st in first st, * inc. 1 st in next st, k 1 and mark for seam st; inc. 1 st in next st, k 2 for sleeve, inc. 1 st in next st, k 1 and mark for seam st; inc. 1 st in next st *, k 14 for back; repeat between *'s once, inc. 1 st in last st, 10 sts increased; 42 sts.

Row 2 and all even rows – P.

Row 3 – Inc. 1 st in first st, k 2 for front, * inc. 1 st in next st; k 1, inc. 1 st in next st, k 4 for sleeve, inc. 1 st in next st, k 1, inc. 1 st in next st*, k 16 for back; repeat between *'s once; k 2 for front, inc. 1 st in last st; 52 sts. Continue in this way to inc. 10 sts every k row, having 2 sts more between incs. after each inc. row until there are 4 (5) inc. rows; 72 (82) sts, end with p row.

Discontinue inc. at beg. and end of rows, continue incs. each side of seam sts as before and cast on 8 sts at beg. of next 2 rows; 96 (106) sts. Continue to inc. 1 st each side of seam sts on k rows, keeping front edges even, until there are 256 (274) sts, end with p row.

Next row – Divide work – K 40 (43) sts, slip to holder for left front; k next 54 (58) sts for left sleeve; slip to separate holders the next 68 (72) sts for back; 54 (58) sts for right sleeve and the remaining 40 (43) sts for right front.

LEFT SLEEVE – Cast on 1 (2) sts at beg. of next 2 rows for underarm; 56 (62) sts. Continue stockinette st, decreasing 1 st each side every 6th row 8 (9) times; 40 (44) sts. Work even until 6½ (8) ins. from underarm or desired length, allowing 2 (2½) ins. for cuff. With size 2 needles, work k 2, p 2 ribbing for 2 (2½) ins. Bind off in ribbing.

RIGHT SLEEVE – Take up sts of right sleeve on size 4 needle. From right side, k 1 row. Cast on 1 (2) sts at beg. of next 2 rows. Finish to correspond to left sleeve. Sew sleeve seams.

BODY – Take up sts of left front on size 4 needle, join yarn in last st, pick up and k 2 (4) sts on the cast-on sts of left underarm, take up and k sts of back, pick up and k 2 (4) sts on right underarm, take up and k sts of right front; 152 (166) sts. Work even for 5 (6) ins. or to within 2½ ins. of desired length, end with p row.

Dec. row – wrong side – P 9, * p 2 tog., p 5; repeat from * 18 (20) times, p 2 tog., p 8; 132 (144) sts. Break yarn.

Ribbing – Slip 33 (36) sts of each front to size 2 needle with front edges at center of needle; 66 (72) sts. Join yarn at right underarm edge. Work k 2, p 2 ribbing for 2½ ins. Bind off in ribbing. Slip sts of back to size 2 needle. Work ribbing same as on front.

COLLAR – With size 4 needles and A, cast on 28 (30) sts. P 1 row. Continue stockinette st, casting on 4 sts at beg. of next 8 rows; 60 (62) sts. K 1 row, p 1 row.

Inc. row – Inc. 1 st in first st, k to within 2 sts of end, inc. 1 st in next st, k last st. Repeat incs. every 4th row 2 (3) times; 66 (70) sts. P 1 row; k 3 rows for turning ridge; p 1 row, k 1 row, p 1 row.

Dec. row – K 2 tog. inserting needle in back of sts; k to within 2 sts of end; k 2 tog. inserting needle in front of sts. Repeat decs. every 4th row 2 (3) times. P 1 row, k 1 row, p 1 row. Bind off 4 sts at beg. of next 8 rows. Bind off remaining 28 (30) sts.

FINISHING – Fold collar double. Sew cast-on edge of collar to neck edge, with ends of collar at front edges. Sew bound-off edge to neck. Sew sides of collar. From right side, work a row of sc on front edges, keeping work flat. Sew ribbing tog. at underarm. Steam, see page 46.

EMBROIDERY – With B, embroider motif in duplicate st, see page 46, following chart, see below, having lower edge of figure 1 in. above ribbing and last st of outer edge of figure 1 st from front edge. There will be 11 (12) motifs around windbreaker, with 4 sts between each motif. With A embroider eyes and nose in French knots. Tie a strand of A around neck for collar as illustrated. Sew in slide fastener.



LEGGINGS

MEASUREMENTS OF GARMENT – Waist 22 (24) ins. Length from lower edge to crotch 13 (16½) ins. Length from crotch to top of waist at front, including ribbing 10 (11) ins.

LEFT LEG – With size 4 needles and B, cast on 48 (52) sts. Work k 2, p 2 ribbing for 3½ ins.

Inc. row – right side – For 2 years, inc. 1 st in every 2nd st; 72 sts (for 4 years, k 3, * inc. 1 st in next st, k 1; repeat from *, end last repeat k 2; 76 sts). Work stockinette st, increasing 1 st each side every 6th row 5 (15) times; for 2 years only, inc. every 4th row 10 times more; 102 (106) sts. Work even until 9½ (13) ins. above ribbing. Bind off 3 sts at beg. of next 2 rows for crotch. Dec. 1 st each side every 4th row 14 times; 68 (72) sts. Work even until 7½ (8½) ins. above crotch, end at back edge with p row.

Begin short rows. **Row 1** – K 48 sts, turn.

Row 2 – Slip 1, p to end. **Row 3** – K 40, turn.

Row 4 – Same as row 2. **Row 5** – K 32, turn.

Continue to work 8 sts less every 2nd row 3 times more.

Row 12 – Same as row 2. **Next row** – K 7, with point of right needle, take up st directly below next "slipped st", place it on left needle, k this st tog,. with slipped st to prevent hole, working all slipped sts in this way, k to end of row. Work k 2, p 2 ribbing for 2½ ins. Bind off in ribbing.

(*Continued on page* 32)

No. 2167 (*Continued from page* 31)

RIGHT LEG—Work same as left leg up to short rows, end at back edge with k row.
Begin short rows. **Row 1**—p 48, turn.
Row 2—Slip 1, k to end. Work 10 more short rows to correspond to left leg. **Next row**—P all sts, working each slipped st tog. with st directly below. Finish as for left leg.
STRAPS—With size 4 needles and B, cast on 10 sts. Work stockinette st for 6 rows. Cast on 5 sts at beg. of next 2 rows.
Buttonhole—Work 5 rows on the first 10 sts only, end at center of strap; break off. Beg. at center, work 5 rows on remaining 10 sts, end at side edge. Work stockinette st on all 20 sts until 13 (15) ins. from buttonhole, or to desired length, allowing about 2 ins. stretch in blocking. Work a 2nd buttonhole. Work 1 row after buttonhole is completed. Bind off 5 sts at beg. of next 2 rows. Work 6 rows even on 10 sts. Bind off. Make 2.
FINISHING—Block straps, stretching about 2 ins. in length, see page 46. Sew seams. Fold narrow part of straps at each end into a point on wrong side and sew. Fold side edges over and sew tog. from right side at center of strap, leaving openings in seam opposite each buttonhole. Steam. Sew 4 buttons on ribbing at top of pants. Sew elastic straps to lower edge of legs.

HELMET

With size 4 needles and A, cast on 104 (112) sts. Work k 2, p 2 ribbing for 8 rows. For 2 years only, inc. 2 sts on last row of ribbing; 106 (112) sts.
Diagonal Pattern—**Row 1**—wrong side—Inc. 1 st in first st, p to end; 107 (113) sts.
Row 2—K 8, * inc. 1 st in next st, k 11 (12), k 2 tog., slip, k and pass, k 11 (12), inc. 1 st in next st, k 4; repeat from * twice, end last repeat k 7; 107 (113) sts.
Row 3—P.
Repeat rows 2 and 3 until 5½ (6) ins. from beg., measured at side edges, or 1½ ins. less than desired depth from back of neck to center of top, end on right side.
First dec. row—* P 2 tog., p 2; repeat from *, end p 2 tog., p 1 (3); 80 (85) sts.
Top Ribbing—**Row 1**—right side—K 2 (1), * p 2, k 1; repeat from * to end.
Row 2—* P 1, k 2; repeat from *, end p 2 (1). Repeat last 2 rows twice.
2nd dec. row—right side—K 2 tog. (k 1), * p 2 tog., k 1; repeat from * to end; 53 (57) sts. Work p 1, k 1 ribbing for 4 rows; dec. 1 st at end of last row; 52 (56) sts.
3rd dec. row—wrong side— P 2 tog. across row; 26 (28) sts.
4th dec. row—K 2 tog. across row; 13 (14) sts.
5th dec. row—P 2 tog. across row, for 2 years, end p 1; 7 (8) sts. Break off, leaving end. Draw end tightly through all sts on needle; fasten off. Sew seam for center back.
CHIN STRAP—With size 2 needles and A, cast on 7 sts. Work stockinette st for about 4 ins. Bind off. Fold and sew side edges tog. Make a buttonloop at each end. Steam, see page 46.

MITTENS

CUFF—With sock needles and B, cast on 40 (44) sts on 3 needles. Join, work k 2, p 2 ribbing for 14 (16) rounds.
Dec. round—* K 2 tog., p 2 tog.; repeat from * to end of round; 20 (22) sts. Work k 1, p 1 ribbing for 4 rounds.
Inc. round—K 1 round, increasing 10 (12) sts evenly spaced; 30 (34) sts.
HAND—K 8 (10) rounds even. With a colored thread k 5 (6) sts of next round for thumb, slip these 5 (6) sts back to left hand needle, then k again as before for 14 (17) rounds.
First dec. round—K 2 tog., k 13 (15), k 2 tog., k 13 (15); 28 (32) sts. K 1 round even.
2nd dec. round—* K 2 tog., k 2; repeat from * to end; 21 (24) sts. K 1 round even.
3rd dec. round—* K 2 tog., k 1; repeat from * to end; 14 (16) sts. K 1 round even.
K 2 tog. 7 (8) times. Break off, leaving an end. Draw end twice through all sts. Fasten off.
THUMB—Draw out colored thread and pick up 5 (6) sts each side; place these 10 (12) sts on 3 needles. K 10 (14) rounds even. K 2 sts tog. 5 (6) times. Finish same as top of mitten. Steam, see page 46.

No. 2166 (*Continued from page* 30)

LEGGINGS

POCKET LININGS—With size 4 needles, cast on 18 sts. Work stockinette st for 3 ins., end with k row. Break off and slip to separate needle. Make 2.
RIGHT HALF OF PANTS—With size 2 needles, cast on 44 sts for cuff. Work k 2, p 2 ribbing for 3 ins. Continuing ribbing, inc. 1 st in every 2nd st; 66 sts. With size 4 needles, work stockinette st increasing 1 st each side every 6th row 10 (8) times (for 3 years only, inc. every 8th row 5 times more); for both sizes, inc. every 2nd row 4 times; 94 (100) sts. For both sizes, dec. 1 st each side every row 4 times (for 3 years only, dec. every 10th row 4 times more); every 8th row 6 (2) times; 74 (80) sts. P 1 row after last dec. row.
Pocket Opening—K 12 (15), bind off 18 sts, finish row. P to pocket opening, p the 18 sts of pocket lining to same needle, finish row. Work 4 rows even. Dec. 1 st each side of next row; 72 (78) sts. Work even until 17 (21½) ins. above ribbing, end at back edge with k row.
Begin short rows. **Row 1**—P 40 (43), turn. **Row 2**—Slip 1 st, k to end. **Row 3**—P 32 (35), turn. **Row 4**—Slip 1, k to end. Continue to p 8 sts less every 2nd row until there are 8 (11) sts on last k row.
Next row—* P 7 (10), pick up next st in row below on right needle, p next—slipped—st, pass picked up st over last st worked; this prevents a hole; repeat from * 4 times, finish row; 72 (78) sts.
With size 2 needles, k 1 row and mark for beg. of waistband. Break off; leave on needle.
LEFT HALF—Work same as right half, up to pocket opening; 74 (80) sts, end at back edge with p row.
Pocket Opening—K 44 (47), bind off 18 sts, k 12 (15). On next row, p to opening, p 18 sts of pocket lining to same needle, finish row. Continue as for right half up to short rows; 72 (78) sts, end at back edge with p row.
Begin short rows. **Row 1**—K 40 (43), turn. **Row 2**—Slip 1, p to end. **Row 3**—K 32 (35), turn. **Row 4**—Slip 1, p to end. Work 6 more short rows to correspond to right half.
Next row—* K 7 (10), with point of right needle take up st directly below slipped st and slip it to left needle, k this st tog. with slipped st to prevent a hole; repeat from * 4 times, finish row; 72 (78) sts.
WAISTBAND—With size 2 needles, p 72 (78) sts of left half, p 72 (78) sts of right half to same needle; 144 (156) sts. K 1 row, p 1 row for 8 rows.
Inc. row—K, increasing 4 (6) sts evenly spaced across row; 148 (162) sts.

WAIST

With size 4 needles, p 1 row, k 1 row for 5 rows.
Pattern—**Row 1**—right side—K 3, * p 2, k 12; repeat from *, end p 2, k 3.

(*Continued on page* 33)

No. 2166 (*Continued from page* 32)

Row 2—P 3, * k 2, p 12; repeat from *, end k 2, p 3. K 1 row, p 1 row for 8 rows.
Row 11—K 10, * p 2, k 12; repeat from *, end p 2, k 10.
Row 12—P 10, * k 2, p 12; repeat from *, end k 2, p 10. K 1 row, p 1 row for 8 rows. Repeat these 20 rows until 4 (5¼) ins. above inc. row, or desired length to underarm, end with p row.
Armholes—K 35 (37) and place on holder for right front, bind off 6 (8) sts for underarm, k 66 (72) and place on 2nd holder for back, bind off 6 (8) sts for left underarm, finish row.
LEFT FRONT—Continue pat. on last 35 (37) sts only, decreasing 1 st at armhole edge every 2nd row 3 times; 32 (34) sts. Work even until 3 (3½) ins. above underarm, end at front edge.
Neck Shaping—Bind off 6 sts at beg. of next row. Dec. 1 st at neck edge every row 6 times. Work even until armhole measures 4¼ (4¾) ins., straight up from underarm, end at armhole edge.
Shoulder—Bind off 10 (11) sts at beg. of next 2 rows worked from armhole edge.
BACK—Working from wrong side, continue pat. on 66 (72) sts, decreasing 1 st each side every 2nd row 3 times; 60 (66) sts. Work even until armhole is same length as on front. Bind off 10 (11) sts at beg. of next 4 rows. Bind off remaining 20 (22) sts.
RIGHT FRONT—Beg. at underarm, finish right front to correspond to left, shaping neck at beg. of k rows.
SLEEVES—With size 2 needles, cast on 40 sts. Work k 2, p 2 ribbing for 2 ins. Continuing ribbing, inc. 1 st in every 4th st; 50 sts. With size 4 needles, work pattern st, increasing 1 st each side every 3 (1½) ins., 1 (4) times; 52 (58) sts. Work even until 6½ (8½) ins. above ribbing, or desired length to underarm. Bind off 3 (4) sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 3 (5) times. Bind off 3 sts at beg. of next 8 rows. Bind off remaining 16 sts.
COLLAR—With size 4 needles, cast on 20 (22) sts for underside of collar. P 1 row. Work stockinette st, casting on 10 sts at beg. of next 4 rows; 60 (62) sts. K 1 row, p 1 row. Inc. 1 st each side of next row; repeat incs. every 4th row twice; 66 (68) sts. P 1 row. K 3 rows for turning ridge. P 1 row, k 1 row, p 1 row. Dec. 1 st each side of next row; repeat decs. every 4th row twice; 60 (62) sts. P 1 row. Bind off 10 sts at beg. of next 4 rows. Bind off remaining 20 (22) sts.
FINISHING—Sew seams, leaving front seam open for 12 ins. below neck edge. Sew in sleeves with seam at center underarm. Sew pocket linings to wrong side. Work 1 row sc from right side around front opening. Block, see page 46.
With 2 strands of Angora, embroider over the 4 p sts of pat. on waist and sleeves as illustrated. With Angora, work 1 row sc from right side, on pocket opening. Turn collar on turning ridge and sew short sides tog.; sew to neck edge and steam. Sew in Zipper. Work casing for drawstring on wrong side at waistband. With double strand, ch about 30 ins. for drawstring.

HAT

CROWN—Cast on 12 sts. P 1 row. **Row 2**—K 1, * inc. 1 st by making a loop on right hand needle, k 1 and mark this st for center gore st, inc. 1 st as before, k 2; repeat from *, end last repeat k 1; 20 sts.
Row 3 and all odd numbered rows—P.
Row 4—K 2, * inc. 1 st as before, k 1, inc. 1 st, k 4; repeat from *, end last repeat k 2. Continue to inc. 1 st each side of the 4 gore sts every k row, until there are 68 (76) sts; then repeat incs. every 4th row 5 times more; 108 (116) sts. Work even until 5 (5½) ins. from beg., measured at center of gore, end on right side.
BRIM—K 1 row from wrong side. P 1 row.
Inc. row—K, increasing 1 st in every 3rd st 36 (38) times, finish row; 144 (154) sts. P 1 row, k 1 row for 9 rows. K 3 rows for turning ridge. P 1 row, k 1 row for 7 rows.
Dec. row—* K 2, k 2 tog.; repeat from * 35 (37) times, finish row; 108 (116) sts. Bind off as to p. Weave seam at center back. Fold back brim on turning ridge, k side out and sew to right side of crown.
EARLAPS—Working from wrong side, with outer edge of brim toward you, beg. in 11th st from center back, pick up and k 24 sts on last row of crown. Continue stockinette st. Work 3 rows even. Dec. 1 st each side of next row. Repeat decs. every 4th row twice; then every row until 6 sts remain. Bind off. Work 2nd earlap on other side of center back.
TAB—Ch 24; 1 sc in 5th and each st of ch; 20 sts; ch 4, 1 sc in each of 20 sts on other side of ch. Join with slip st, having a buttonloop at ends of tab.
FINISHING—Beg. at center back, with outer edge of brim toward you, work 1 row sc on last row of crown and earlaps, holding crown in to desired size. Steam, see page 46. With Angora, from right side, work 1 row of hdc around outer edge of brim, inserting hook through both thicknesses, in 2nd row below turning ridge. Sew buttons to earlaps.

MITTENS

CUFF—Cast on 40 sts on 3 sock needles. Join, work k 2, p 2 ribbing for 14 rounds. **Dec. round**—* K 2 tog., p 2 tog.; repeat from * to end of round; 20 sts. Work k 1, p 1 ribbing for 4 rounds. **Inc. round**—K 1 round, increasing 10 sts evenly spaced; 30 sts.
HAND—K 8 rounds even. With a colored thread k 5 sts of next round for thumb, slip these 5 sts back to left hand needle, then k again as before for 14 rounds.
First dec. round—K 2 tog., k 13, k 2 tog., k 13; 28 sts. K 1 round even.
2nd dec. round—* K 2 tog., k 2; repeat from * to end; 21 sts. K 1 round even.
3rd dec. round—* K 2 tog., k 1; repeat from * to end; 14 sts. K 1 round even. K 2 tog. 7 times. Break off, leaving an end. Draw end twice through all sts. Fasten off.
THUMB—Draw out colored thread and pick up 5 sts each side; place these 10 sts on 3 needles. K 10 rounds even. K 2 sts tog. 5 times. Finish same as top of mitten. Steam, see page 46.

No. 3893 (*Continued from page* 15)

Repeat row 4 until there are 88 sts on needle (or work to any desired width). Begin decreasing.
Row 1—K 1, k 2 tog., yo, k 2 tog., k to end.
Row 2—K 2, yo, k to end.
Repeat last 2 rows (decreasing at one side and increasing at the other side) until the increased side measures 18 ins.
Next row—K 1, k 2 tog., yo, k 2 tog., k to end.
Repeat last row until 2 sts remain. K 2 tog.; fasten off.

CUFFS—With size 0 needles, from right side, pick up and k 44 sts on one end of shoulderette. Work k 1, p 1 ribbing for 2 ins. Bind off in ribbing. Work other cuff in same way. Sew seam of cuffs.

EDGING—With Angora from wrong side, work 1 slip st in first ridge from cuff seam, * ch 3, skip 1 ridge, 1 slip st under thread before next ridge; repeat from * around entire edge. Join in first slip st. Fasten off.
Make twisted cords and sew small pom-pon to 1 end of each cord. Turn back 1 edge for collar and sew twisted cord 5 ins. above cuff.

No. 2144 (*Continued from page 2*)

Ch 1, turn, work pat. across fronts and back, working 1 pat. in ch 1 at each underarm; 50 pats. Work even until 6½ ins. from yoke or desired length. Fasten off.

SLEEVES—With size 4 hook, from right side, beg. at center underarm, work 14 shell pats. around armhole spacing sts evenly, join with slip st in first sc.

With size 8 hook, ch 1, turn, work shell pat. around, join. Repeat last round until 5 ins. from beg.

With size 4 hook, ch 1, turn, work 27 sc; join. Fasten off.

EDGING—With size 4 hook and c c, from right side, beg. at lower edge of right front yoke, 1 sc in end of first row, ch 1, skip 1 row, 1 sc in end of next row, continue edging around neck and left front of yoke, keeping work flat. Fasten off. With m c, from same side as last row, work 1 sc and 1 dc under each ch 1. Fasten off. Repeat edging on cuffs. Steam, see page 46. Trim as illustrated.

CAP

With size 4 hook and m c, ch 83 for front band. Work even in afghan st for 4 rows.

Cluster row—Work until 9 loops on hook, † repeat between *'s of cluster row 1 of Carriage Cover, with m c, draw up 7 loops; repeat from † 8 times, end last repeat draw up 9 loops; finish row. Work 1 row more in afghan st.

Dec. Row—Ch 1, * work 1 sc in each of next 8 vertical bars, draw up a loop in each of next 2 bars and work off as 1 sc (a dec.); repeat from * 7 times; finish row; 74 sc.

Turn-Back row—Ch 1, turn, 1 sc in each sc, working through front loop of st only.

With size 8 hook work shell pat., ch 1, turn, 1 pat. in first sc, skip 3 sts, 1 pat. in next st, * skip 2 sts, 1 pat. in next st; repeat from * to end; 25 pats. Work 13 rows more of shell pat. Fasten off.

Turn, skip 9 pats., work 14 rows more on 7 center pats. for back of cap. Fasten off. Sew side seams, holding in extra fulness.

Neck Band—Fold front band of cap at turn-back row. With size 4 hook, working afghan st from right side, draw up 6 loops through both thicknesses of band and cap, 18 loops on side of cap, 14 loops across back, 18 loops on other side and 6 loops through band and cap; 62 loops; work off as for afghan st.

Row 2—Work until 19 loops on hook, work 2 loops tog. (by inserting hook through 2 vertical bars and drawing up 1 loop) 12 times; work remaining 19 sts; 50 loops; finish row. Work 1 row even. Bind off.

Repeat edging of sacque across foundation ch of front band and lower edge of neck band. Steam, see page 46. Trim as illustrated.

BOOTEES

INSTEP—With size 4 hook and m c, ch 7 loosely for toe. Work afghan st until 3 loops on hook, draw up 3 loops in next st as follows: 1 in front thread, 1 in back thread, 1 in front thread, draw up 1 loop in each remaining st, finish row; 9 sts. Work afghan st until 13 rows from beg.

Row 14—Work until 2 loops, work 2 tog. as for Cap, work 1 loop, work 2 tog., work 2 loops, finish row. Bind off.

FOOT—Join yarn in left edge of 12th row from beg. of instep, ch 13, draw up 13 loops on ch, 11 loops on side of instep, 7 loops across toe, 11 loops on other side; join separate strand of yarn in right edge of 12th row, ch 13, break yarn; draw up 13 loops on ch; 55 loops; finish row. Work 6 more rows afghan st.

Row 8—dec. row—Work until 23 loops, work 2 tog. twice, work center loop, work 2 tog. twice, work 23 loops; 51 loops; finish row.

Row 9—With 1 loop on hook, work 2 tog., work 18, work 2 tog. twice, work 1, work 2 tog. twice, work 18, work 2 tog., work 1; 45 loops; finish row.

Row 10—With 1 loop on hook, work 2 tog., work 15, work 2 tog. twice, work 1, work 2 tog. twice, work 15, work 2 tog., work 1; 39 loops; finish row. Bind off.

LEG—With size 8 hook work shell pat., working around top from right side, work 1 pat. in first st from back, * skip 2 sts, 1 pat. in next st; repeat from * 3 times, 1 pat. in end of 3rd row from top of instep, skip top of instep, 1 pat. in 3rd row from top of instep, finish other side to correspond; 12 pats. Work pat. for 6 rows more. Fasten off.

Sew back and sole seam. From right side, repeat edging as on sacque around all edges of instep, see illustration. Steam, see page 46.

CORD—With size 8 hook and 2 strands of c c, ch 12 ins. Draw cord through sts at ankle, tying at front.

No. 2194 (*Continued from page 13*)

LEFT MITTEN—Palm and Thumb—Ch 29. **Row 1**—wrong side—Skip 2 sts, 1 hdc in each of next 6 sts, 1 sc in each st to end; 27 sts.

Row 2—Ch 1, turn, 2 sc in first sc (an inc.), 1 sc in each of next 15 sts, 1 sc in back loop of each of next 5 sts for wrist ribbing, 1 hdc in each of last 6 sts.

Row 3—Ch 2, turn, 6 hdc, 5 sc in back loop of sts, work sc to end; 28 sts. Repeat last 2 rows once having 1 st more on hand; 29 sts.

Row 6—Ch 1, turn, draw up a loop in each of first 2 sts, yo and through 3 loops (a dec.), 1 sc in each of next 11 sts, ch 9 for thumb, work 8 sc on ch, finish row as before.

Row 7—Ch 2, turn, work to tip of thumb, work 8 sc on other side of thumb ch, finish row; 44 sts.

Row 8—Ch 1, turn, dec. 1 st, finish row; 43 sts. **Row 9**—Work 1 row even.

Final row—right side—Ch 1, turn, 1 sc in each of 11 sts of palm and 8 sts of thumb, fold thumb double, work 1 slip st, inserting hook in next st and in last st worked, work 7 sc through both edges of thumb, 1 sc in each st to end, work 2 more sc in last st, continue on edge of cuff, working 2 sc in end of each row, 3 sc in first st of foundation ch, 1 sc in each st on foundation ch, 1 sc in end of each row on finger tip side; join with slip st in first st of final row. Fasten off.

Back of Mitten—Work same as palm for 5 rows.

Row 6—Dec. at beg. of row, finish row. Work 1 row even. Repeat last 2 rows once. Ch 1, turn, work final row as on palm, omitting thumb.

RIGHT MITTEN—Work first 9 rows of palm same as for left mitten, marking row 1 for right side instead of wrong side.

Final row—wrong side—Ch 1, turn, work 1 sc in each of first 19 sts, fold thumb on right side, work 1 slip st inserting hook through last st worked and next st, work 7 sc through both edges of thumb, 1 sc in each st to top of cuff; break off.

From right side, beg. at fingertip end, work 1 sc in end of each row on shaped side, 1 sc in each st on foundation ch, 2 more sc in last st, 2 sc in end of each row on top of cuff; join with slip st. Fasten off.

Make back same as back of left mitten.

FINISHING—Hold back and palm of mitten tog. right sides out, with back facing you. With contrasting color, beg. at top of cuff, work 1 row sc through both thicknesses around 3 sides of mitten, continue around edge of cuff, 1 sc in each st. Join with slip st. Fasten off.

Cord—With contrasting color, make a ch about 12 ins. long. Draw through center of ribbing on wrist. Trim ends with pom-pons.

No. 2140 (*Continued from page 28*)

Row 2—K 7 (11), * p 2, k 9, p 2, k 8; repeat from *, end last repeat k 7 (11).
Row 3—Same as row 1.
Row 4—right side—K 7 (11), * p 2, slip next 3 sts to crochet hook and hold in back of work, k next 3 sts, bring hook with first 3 sts forward and hold in front of work, k next 3 sts, k 3 sts from hook (cable twist), p 2, k 8; repeat from *, end last repeat k 7 (11).
Row 5—Same as row 1. Repeat rows 2 and 1, 4 times. Repeat last 10 rows for pat. until same length as back to armhole. Shape armholes as for back; 80 (84) sts. Work even until armhole measures 3 ins.

Neck Shaping—Work 32 (34) sts and slip to holder for one side, work 16 center sts and slip to 2nd holder for neck, finish row. Work other side of front, decreasing 1 st at neck edge every row 8 times. Work even until armhole is same length as back, end at armhole edge.

Shoulder—Bind off 8 sts at beg. of next row; 8 (9) sts at beg. of next 2 rows worked from armhole. Beg. at neck edge, finish other side to correspond.

NECK RIBBING—With size 1 needles, from right side, pick up and k 16 (20) sts on left neck edge, k the 16 front sts, increasing 1 st in each of first 2 sts and last 2 sts, pick up and k 16 (20) sts on right neck edge; 52 (60) sts. Work k 1, p 1 ribbing for 7 rows. Bind off loosely in ribbing.

SLEEVES—With size 1 needles, cast on 40 (44) sts. Work k 1, p 1 ribbing for 2½ (3) ins.
Inc. row—Continuing ribbing, inc. 1 st in every 4th st 10 times; 50 (54) sts. With size 2 needles, working stockinette st, inc. 1 st each side every 1 in. 5 (7) times; 60 (68) sts. Work even until 6½ (8) ins. above ribbing or until desired length to underarm. Bind off 3 (4) sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 3 (4) times. Bind off 2 sts at beg. of next 14 (16) rows. Bind off remaining 20 sts.

FINISHING—Steam and finish, see page 46.

No. 2151 (*Continued from page 22*)

Dividing Row—K 41 (43), slip on holder for right front, bind off next 6 sts for underarm, k until 70 (74) sts on needle, slip on holder for back, bind off next 6 sts, finish row.

LEFT FRONT—Dec. 1 st at armhole edge every 2nd row 5 times; 36 (38) sts. Work even until 1¼ ins. above underarm.
Yoke—Work garter st for 1½ (1¾) ins., about 11 (12) ridges, end at front edge 1 ridge above *6th buttonhole on boy's sweater*. Bind off 18 (19) sts for neck, finish row. K 7 rows on 18 (19) sts. Bind off.

BACK—Take up 70 (74) sts of back, join yarn on wrong side. Dec. 1 st each side every 2nd row 5 times; 60 (64) sts. Work even until 1¼ ins. above underarm. Work garter st yoke for 2 (2¼) ins.; about 15 (16) ridges. Bind off.

RIGHT FRONT—Take up sts of right front; beg. on wrong side, finish to correspond to left front, having 1 ridge above *6th buttonhole on girl's sweater*, before binding off for neck.

SLEEVES—Cast on 28 (31) sts loosely. Work garter st cuff for 9 (11) rows, 5 (6) ridges. On next row, inc. 1 st in every 2nd st 14 times (15 times, finish row); 42 (46) sts. Working stockinette st, inc. 1 st each side every ½ in. 6 times; 54 (58) sts. Work even until 6 (7) ins. from beg. or desired length to underarm. Bind off 3 sts at beg. of next 2 rows for underarm. Bind off 2 sts at beg. of next 16 (18) rows. Bind off remaining 16 sts.
FINISHING—Steam lightly and finish, see page 46.

No. 3175 (*Continued from page 24*)

2nd dec. row—P 3 (2–4) sts, * k 1, p 2, p 2 tog., p 2, k 1, p 2 (3–3) sts *; repeat between *'s once, (k 1 on sizes 3 and 4 only); 21 (23–25) sts.
Work 3 rows even, having 5 sts instead of 6 sts in each cable. Bind off.

LEFT FRONT—Cast on 61 (63–65) sts.
Row 1—wrong side—P 14 for border, k 1, p 6, k 1, p 24, k 1, p 6, k 1, p to end. Work to correspond to right front up to pocket opening, omitting buttonholes, end on wrong side with 5th row above a twist row.
Next row—K 15 (17–19) sts, bind off 24 sts for pocket opening, work to end. Work to correspond to right front up to yoke.
Yoke—Row 1—K 3 (2–4) sts, * p 1, work cable twist on next 6 sts, p 1, k 2 (3–3) sts; repeat from * 3 times, end last repeat k 14.
Work to correspond to right front up to first neck dec. On next row, dec. 1 st at center of the 2 cables nearest front border.
Next row—Work to within 25 sts of end, bind off 25 sts for neck. Break yarn and join in last st. Finish to correspond to right front.

SLEEVES—Cast on 40 (44–48) sts for cuff. Work k 2, p 2 ribbing for 1¾ ins.
Inc. row—K 1 (3–5) sts, * inc. 1 st in next st, k 3; repeat from *, end last repeat k 2 (4–6) sts; 50 (54–58) sts. Work stockinette st for 7 rows. Inc. 1 st each side of next row; repeat incs. every 8th (10th–10th) row 6 times; 64 (68–72) sts. Work even until sleeve measures 8¾ (10–10¾) ins. from beg. or desired length to underarm. Shape armhole as on back. Bind off 2 sts at beg. of each of next 14 (16–18) rows. Bind off 24 sts.

FINISHING—Sew side edges of pocket linings to wrong side. Sew underarm and sleeve seams. Sew shoulder sts of fronts to same number of sts on each side of back, leaving 30 sts for back of neck. Sew in sleeves with seam at center underarm. Turn back 7 sts on each front edge and hem, matching buttonholes. Finish buttonholes, working through both thicknesses. Work 2 rows sc on lower edge of sweater and on neck edge, working first row from right side and through both thicknesses of hem and pockets, keeping work flat. Work 1 row sc on top edge of pockets. Steam, see page 46.

No. 3180 (*Continued from page 24*)

BAND—With size 3 needles, cast on 10 sts. Work k 1, p 1 ribbing for 4 rows. **Buttonhole**—Continue ribbing, work first 5 sts only for 3 rows keeping remaining sts on back of needle. Break yarn. Beginning at center, work other 5 sts for 3 rows. Next row, work all sts. Repeat buttonhole having about 1¼ (1½) ins. between buttonholes until there are 5 buttonholes in all or if length to underarm was changed divide space evenly. Top buttonhole should be 8½ (9½) ins. above lower edge when slightly stretched. Work even until band when slightly stretched will reach around both fronts and neck edge. Bind off.

FINISHING—Sew seams. Sew in sleeves with seam at center underarm. Sew edges of pocket linings to wrong side. Sew band around front and neck edges with top buttonhole just below point of first dec. on left front edge. Finish buttonholes. Steam, see page 46. Work 1 row slip st on edge of band from right side.

No. 2141 (*Continued from page* 28)

Buttonhole—K 1, p 1, k 1, bind off next 3 sts, finish row. Continuing ribbing cast on 3 sts over buttonhole on next row.

With size 1 needles, continue ribbing on first 8 sts for front band; with size 2. needles, k 4, * p into front and back of next st to inc., k 9, p 2 sts in next st as before *, k 8; repeat between *'s once, k 7 (11); 53 (57) sts.

Pattern—**Row 1**—wrong side—With size 2 needles, p 7 (11), * k 2, p 9, k 2 *, p 8; repeat between *'s once, p 4; with size 2 needles work ribbing on last 8 sts.

Row 2—With size 1 needles, work ribbed band; with size 3 needles, k 4, * p 2, k 9, p 2 *, k 8; repeat between *'s once, k 7 (11). **Row 3**—Same as row 1.

Row 4—With size 1 needles, work ribbed band; with size 2 needles, k 4, * p 2, slip next 3 sts to crochet hook, hold in back of work, k next 3 sts, bring hook with first 3 sts forward and hold in front of work, k next 3 sts, k 3 sts from hook—a cable twist—p 2 *, k 8; repeat between *'s once, k 7 (11). Repeat rows 1 and 2, 3 times.

Repeat these 10 rows for pat., repeating buttonhole every 17th and 18th row, about 1⅞ ins. including previous buttonhole, until same length as back to armhole, end at underarm edge.

Armhole—Bind off 3 (4) sts at beg. of next row. Dec. 1 st at armhole edge every 2nd row 2 (3) times; 48 (50) sts. Continuing buttonholes as before, work even until 3 ins. above underarm, end at front edge. **Note:** 6th (7th) buttonhole will be worked on neck band.

Neck Shaping—Work 8 sts of front band and place on holder, bind off next 8 sts, finish row. Dec. 1 st at neck edge every row 8 times. Work even until armhole is same length as back, end at armhole edge. Bind off 8 (10) sts at beg. of next row. Bind off 8 sts at beg. of next 2 rows worked from armhole edge.

LEFT FRONT—Work to correspond to right front, shaping at opposite sides. Sew shoulder seams, holding in extra sts of fronts.

NECK RIBBING—With size 1 needles, work 8 sts of right front band, pick up and k 18 (22) sts on side edge of neck, 27 sts across back, pick up and k 18 (22) sts on other side, work 8 sts of left front ribbing; 79 (87) sts. Work ribbing for 1 row. Work buttonhole on next 2 rows. Work until there are 7 rows of ribbing. Bind off in ribbing.

SLEEVES—With size 1 needles, cast on 40 (44) sts. Work k 1, p 1 ribbing for 2½ (3) ins. **Inc. row**—Continuing ribbing, inc. 1 st in every 4th st 10 times; 50 (54) sts. With size 2 needles, working stockinette st, inc. 1 st each side every 1 in. 5 (7) times; 60 (68) sts. Work even until 6½ (8½) ins. above ribbing or desired length to underarm. Bind off 3 (4) sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 3 (4) times. Bind off 2 sts at beg. of next 14 (16) rows. Bind off 20 sts.

FINISHING—Steam and finish, see page 46.

No. 2193 (*Continued from page* 13)

First dec. round—* K 2, k 2 tog.; repeat from * to end; 33 sts. K 1 round.

2nd dec. round—* K 1, k 2 tog.; repeat from * to end; 22 sts. K 1 round. K 2 tog. 11 times. Break off, leaving an end. Draw end twice through all sts. Fasten off.

Thumb—Draw out colored thread; pick up 7 sts each side and 1 extra st. Place these 15 sts on 3 needles and k even for 18 rounds. K 2 tog. 7 times, k 1. Finish same as top of mitten.

LEFT HAND MITTEN—Work same as right hand mitten until 20 rounds above cuff.

Next round—K 17 sts, work thumb sts on next 7 sts. Finish same as right hand mitten with thumb at opposite side of cable. Steam, see page 46.

No. 2180 (*Continued from page* 27)

Note: When working over short rows, always work slipped st tog. with st directly below.

Row 5—Inc. 1 st in first st, k 26, turn. Slip 1, p to end.

Row 7—K 36, turn. Slip 1, p to end.

Row 9—Inc. 1 st in first st, k 43, turn. Slip 1, p to end.

Next row—K all sts to within 2 sts of end, inc. 1 st in next st, k last st; 100 (104) sts.

Begin short rows for other side. **Row 1**—P 11, turn. Slip 1, k to end.

Row 3—P 19 (see note for preventing holes), turn. Slip 1, k to within 2 sts of end, inc. 1 st in next st, k 1.

Row 5—P 28, turn. Slip 1, k to end.

Row 7—P 36, turn. Slip 1, k to within 2 sts of end, inc. 1 st, k last st. **Row 9**—P 45, turn. Slip 1, k to end.

Next row—P all 102 (106) sts. Continue stockinette st, increasing 1 st each side every k row 3 (5) times; 108 (116) sts. P 1 row. Dec. 1 st each side of every row 5 times; every 2nd row 5 times; every 4th row 4 times; every 1 in. 3 times; 74 (82) sts. Work even until 9 (11) ins. above hemline, measured at center of piece, or until desired length, end with p row.

Short rows for back shaping—**Row 1**—K 36 (40), turn. Slip 1, p to end.

Row 3—K 28 (32), turn. Slip 1, p to end.

Row 5—K 20 (24), turn. Slip 1, p to end.

Row 7—K 12 (16), turn. Slip 1, p to end.

Row 9—K 4 (8), turn. Slip 1, p to end.

Waistband—With size 2 needles, k all sts, decreasing 6 (10) sts evenly spaced across row; 68 (72) sts. K 1 row from wrong side. K 1 row, p 1 row for 9 rows. K next row from wrong side for turning ridge. K 1 row, p 1 row for 8 rows. Bind off.

RIGHT HALF—Work same as left half up to short rows for back shaping, end with k row. **Next row**—P 36 (40). Turn, slip 1, k to end. Work short rows from opposite edge. Finish to correspond to left half.

FINISHING—Steam and finish, see page 46. Insert elastic.

No. 2190 (*Continued from page* 13)

Cable Pattern—**Row 1**—wrong side—P 2, k 1, p 6, k 1, p 2. **Row 2**—K 2, p 1, slip next 3 sts to crochet hook, hold in front of work, k next 3 sts, k 3 sts from hook, p 1, k 2. **Row 3**—Same as row 1. **Row 4**—K 2, p 1, k 6, p 1, k 2. Repeat rows 3 and 4 once.

Repeat last 6 rows twice; then repeat first 5 rows once more; break off. Working from right side, slip first 16 sts to free needle, join yarn, pick up and k 13 sts on side of instep, work across instep, pick up and k 13 sts on other side of instep, take up and k last 16 sts; 70 sts. Next row, p to instep, work instep sts in pat., p to end. Continue pat. on instep, working all other sts in stockinette st, until 1 in. from picked up sts, end on wrong side. **Dec. row**—K 30, k 2 tog., k 6, k 2 tog., k to end; 68 sts. Bind off as to p.

SOLE—Cast on 24 sts. P 1 row, k 1 row, increasing 1 st each side of every k row 4 times; 32 sts; then dec. 1 st each side of every k row 4 times; 24 sts. Bind off as to p; do not break yarn. From right side, work 1 row sc around sole, working 1 sc in every st, 10 sc on each shaped side; 68 sc. Join; fasten off.

Sew back seam. Steam lightly, see page 46. With contrasting color, holding top of bootee toward you, join top to sole with 1 row sc, inserting hook through both loops on each sc on top and sole.

EDGING—With contrasting color, from right side, work 1 sc in seam st of center back, * ch 3, 1 slip st in center of p rib, ch 3, 1 slip st in center of next k rib; repeat from * to end. Join; fasten off. Make a ch and draw through lower part of leg. Trim with pom-pons.

No. 2155 (*Continued from page 9*)

Work pat. even on left front until 3 ins. above underarm, repeating short rows as before, end at front edge.

Neck and Shoulder Shaping—Bind off 10 sts, finish row. Dec. 1 st at neck edge every row 5 times. When armhole measures 4 ins., bind off 9 sts at beg. of next 2 rows worked from armhole edge.

Slip 34 sts of right front to needle. Join yarn at underarm, dec. 1 st at armhole edge. Finish to correspond to left front, repeating buttonhole and short rows as before.

Join yarn at wrong side of back, dec. 1 st each side; 57 sts. Work even until armholes are same length as on front. Bind off 9 sts at beg. of next 4 rows. Bind off remaining 21 sts.

SLEEVES—Cast on 35 sts. Work 7 rows seed st.

Inc. row—Continuing seed st, inc. 1 st in first, then in every 3rd st 11 times more, finish row; 47 sts. Work pat. as for jacket, omitting side borders. Work until 7½ ins. from beg., end with same pat. row as on jacket at underarm. Bind off 3 sts at beg. of next 8 rows. Bind off 23 sts.

FINISHING—Steam and finish, see page 46. Work 1 row sc around neck edge, holding in to desired size.

HOOD

With size 4 needles, cast on 79 sts. Work seed st for 7 rows.

Inc. Row—Continuing seed st, work 19 sts, * inc. 1 st in next st, work 6 sts; repeat from * 7 times, finish row; 87 sts. Work pat. even as for sleeve until 6 ins. from beg., end on wrong side.

Short rows—Work to within 9 sts of end, turn, slip 1 st, work to within 9 sts of end. * Turn, slip 1 st, work 9 sts less than last row *; repeat between *'s 5 times. Turn, slip 1, k to end of row. P all sts. K to within 1 st of center, k next st tog. with center st. Break yarn, leaving end for weaving. Fold in half, weave sts tog. Work a row sc around neck edge, working same number of sts as around neck edge of jacket. Sew hood to neck edge of jacket. Steam, see page 46.

LEGGINGS

RIGHT HALF—With size 2 needles, cast on 72 sts. Work k 1, p 1 ribbing for 4 rows.

Beading—* K 1, yo, k 2 tog., p 1; repeat from * to end. Continue ribbing for 6 rows more.

With size 4 needles, p 1 row. Begin short rows for back shaping.

First and 2nd short rows—K 8, turn, slip 1 st, p 7.

3rd and 4th short rows—K 7, with right needle, pick up st directly below slipped st and slip it to left needle, work this st tog. with slipped st to prevent hole in work, k 8, turn, slip 1, p 15. Always work slipped st as above. Continue working 8 sts more every k row until there are 40 sts worked. On next k row, work all sts. Continue stockinette st, increasing 1 st each side every 2½ ins. 3 times; 54 sts. Work even until 9 ins. above ribbing, measured at short edge, end with p row. Dec. 1 st each side of next row. Repeat decs. every 2nd row 4 times; every 6th row 7 times; 54 sts. Work even until 16 ins. above ribbing. **Dec. row**—Work first 2 sts tog., then work every 3rd and 4th st tog.; 40 sts. With size 2 needles, work k 1, p 1 ribbing for 2½ ins., end on wrong side.

Instep—K 21, hold on end of needle; work ribbing on next 13 sts for instep, keeping last 6 sts on back of needle. Work 13 more rows of ribbing on these 13 sts.

Continuing ribbing, dec. 1 st each side of next 2 rows; 9 sts. Break off.

Foot—Working from right side, slip the 21 sts to front of needle, join yarn and with the same needle, pick up and k 13 sts on side of instep, k 9 sts of instep, pick up and k 13 sts on other side, k 4, k last 2 sts tog.; 61 sts. Work seed st for 13 rows, end on wrong side.

First dec. row—Continuing seed st, work 6 sts, work 2 sts tog. twice, work 26 sts, work 2 tog., work 1, work 2 tog., work 20 sts. Work 1 row even.

2nd dec. row—Work 5 sts, work 2 tog. twice, work 24, work 2 tog., work 1, work 2 tog., work 19; 53 sts. Bind off in seed st.

LEFT HALF—Work ribbing as for right half. P 1 row, k 1 row.

First and 2nd short rows—P 8, turn, slip 1, k 7. Continue short rows to correspond to right half, purling 8 sts more every 2nd row, working slipped st as in other half. When at instep, k 6, work ribbing on next 13 sts for instep, keep last 21 sts on back of needle. Work instep to correspond to right half.

Foot—Work to correspond to right foot, working first 2 sts of first row of seed st tog.; 61 sts.

First dec. row—Work 20, work 2 tog., work 1, work 2 tog., work 26, work 2 tog. twice, work 6. Finish to correspond to right foot.

Sew seams. Steam, see page 46. With 2 strands of yarn, make a ch 36 ins. long for cord.

MITTENS

CUFF—With size 2 needles, cast on 30 sts. Work k 1, p 1 ribbing for 2 ins. With size 4 needles, work even in stockinette st for 2½ ins., end on wrong side.

First dec. row—* K 13, k 2 tog.; repeat from * once; 28 sts. P 1 row.

2nd dec. row—* K 5, k 2 tog.; repeat from * to end; 24 sts. P 1 row.

3rd dec. row—* K 4, k 2 tog.; repeat from * to end; 20 sts. P 1 row.

4th dec. row—K 2 tog. 10 times. P 1 row.

5th dec. row—K 2 tog. 5 times. Break off, leaving end. Draw end through remaining 5 sts. Fasten off.

Sew seam. Make 2. Steam, see page 46.

With 2 strands of yarn, make a ch 30 ins. long for cord. Sew end of cord to each mitten.

CARRIAGE COVER

Approximate Size: 26 inches by 32 inches

With size 4 needles, cast on 157 sts. K 1, * p 1, k 1; repeat from * to end. Repeat this row for 2 ins. for seed st border.

Next row—Work first 11 sts seed st for side border, place marker; work pat. same as for row 1 of jacket to within 11 sts of end, place 2nd marker; work 11 sts seed st for border. Continue pat. as for jacket, having seed st border of 11 sts at each side, until there are 14 pat. rows.

Short rows—Work 11 border sts, turn, slip 1, work 10 seed sts. Work pat. row 15. Repeat short rows on 2nd border. Work pat. row 16. Continue pat., repeating short rows every 3 ins., until about 28 ins. above border, end with pat. row 2. Work 2 ins. seed st for border. Bind off in seed st. Steam, see page 46.

No. 2156 (*Continued from page* 9)

With size 10 needles, finish same as right sleeve. Slip on holder.

FRONT—With size 10 needles, cast on 62 sts for lower edge of front. P 1 row, k 1 row for 13 rows. Dec. 1 st each side on next row. Continue same as back until 9½ ins. from beg., end on wrong side; 56 sts.

Front Opening—K 28 sts, slip on holder for left front. K remaining 28 sts for right front.

Right Front—Continue shaping underarm edge as on back, keeping front edge even until 19 ins. from beg., end with p row. With size 6 needles, repeat dec. at underarm edge; 23 sts. Work ribbing as for back. P 1 row. With size 10 needles, work stockinette st for 2¾ ins. above ribbing, end with k row. Slip the 23 sts on holder.

Left Front—With size 10 needles, take up the 28 sts; beg. from wrong side, work to correspond to right front until same length, end at front edge.

RAGLAN YOKE—**Row 1**—P 23 sts of left front, take up and p 35 sts of left sleeve, 46 sts of back, 35 sts of right sleeve, 23 sts of right front; 162 sts.

Row 2—K 22, k 2 tog., place marker on needle for simulated seam, slip, k and pass, k 29, k 2 tog., place marker, slip, k and pass, k 44, k 2 tog., place marker, slip, k and pass, k 29, k 2 tog., place marker, slip, k and pass, k 22; 154 sts. P 1 row.

Row 4—* K to within 2 sts of marker, k 2 tog., slip, k and pass; repeat from * 3 times, k to end; 146 sts. Repeat last 2 rows 10 times, having 2 sts less on each sleeve and back and 1 st less on each front after each dec. row; 66 sts, end on wrong side.

Neck Shaping—Bind off 2 sts at beg. of next 6 rows (always slip first st), continuing to dec. on each side of markers every k row as before. Bind off remaining 30 sts.

COLLAR—With size 6 needles and single strand, cast on 55 sts. With double strand work k 1, p 1 ribbing for 3 ins. Bind off loosely in ribbing. With single strand, from right side, work 1 row sc on short sides and bound-off edge, keeping work flat. Fasten off.

TAB—With size 6 needles and 1 strand only, cast on 7 sts. Work k 1, p 1 ribbing for 2 ins. Bind off in ribbing, do not break yarn. Work 4 sc across bound-off edge, turn. Ch 4 for buttonloop, slip st in last sc. Fasten off.

FINISHING—Steam, see page 46. Sew side edges of overlap of hand opening to right side of wrist ribbing. Sew sleeve and mitten seams. Sew side seams leaving 4 ins. of bottom free. Pin center of cast-on edge of back to center of cast-on edge of front; sew cast-on edges tog. leaving 7 sts free at each side of front. Sew free sts of front and back to side edges of bottom. Sew on collar, holding neck edge in to 10½ ins. With 1 strand of yarn, from right side, work 1 row sc around front opening working 1 sc in every row. Fasten off. Sew in Zipper. Sew on tab and button, as illustrated.

HOOD FOR GIRL

With size 6 needles and double strand of yarn, cast on 48 sts. Work k 1, p 1 ribbing for 8 rows. K 1 row. With size 10 needles, work stockinette st until 4½ ins. above ribbing, end with p row.

Short rows—**Row 1**—K 46. **Row 2**—Turn, slip 1, p 43. **Row 3**—Turn, slip 1, k 41. **Row 4**—Turn, slip 1, p 39. **Row 5**—Turn, slip 1, k 37. **Row 6**—Turn, slip 1, p 35. **Row 7**—Turn, slip 1, k 33. **Row 8**—Turn, slip 1, p 31. **Row 9**—Turn, slip 1, k 15. Break yarn leaving about 36-in. end for weaving. Weave tog. the 24 sts on each needle, see page 55.

Tie Strings and Neck Band—With size 6 needles and single strand of yarn, cast on 7 sts. Work k 1, p 1 ribbing for 10 ins. Join another strand of yarn and continue ribbing for 10 ins. Break off 1 strand and continue ribbing for 10 ins. Bind off in ribbing.

FINISHING—Steam, see page 46. With center of band to center back of hood, sew neck edge of hood to band holding in neck to 10 ins.

HOOD FOR BOY

With size 6 needles and double strand of yarn, cast on 49 sts. Work k 1, p 1 ribbing for 8 rows. K 1 row.

With size 10 needles, work stockinette st until 3½ ins. above ribbing, end with p row.

Back Shaping—**Short rows**—**Row 1**—K 34, slip, k and pass, turn. **Row 2**—Slip 1, p 19, p 2 tog., turn.

Row 3—Slip 1, k 19, slip, k and pass. **Row 4**—Slip 1, p 19, p 2 tog.

Repeat last 2 rows until 7 sts remain at each side, having 1 st less at alternate sides after every row.

Row 15—Slip 1, slip, k and pass, k 15, k 2 tog., slip, k and pass. **Row 16**—Slip 1, p 17, p 2 tog.

Row 17—Slip 1, slip, k and pass, k 13, k 2 tog., slip, k and pass. **Row 18**—Slip 1, p 15, p 2 tog.

Continue as in last 4 rows having 2 sts less between decs. every k row until 7 sts remain on needle, end with p row. Break off yarn. With size 6 needle and double strand of yarn, from right side, pick up and k 17 sts on left side edge, k 7 sts, pick up and k 17 sts on right edge, cast on 14 sts; 55 sts.

Neck Ribbing—Work k 1, p 1 ribbing for 1¼ ins. With size 10 needles, continue ribbing for 1¼ ins. more. Bind off loosely in ribbing.

FINISHING—Steam, see page 46. With 1 strand of yarn work 1 row sc on left side of neck ribbing. Work 2 rows sc on right side of ribbing making 2 buttonloops, 1 at neck edge and the other at center as illustrated. Fasten off.

No. 2148 (*Continued from page* 28)

Row 13—K 15, * p 1, k 17; repeat from * twice, p 1, k 15. Work stockinette st for 11 rows.

Repeat last 24 rows for pat., continuing to dec. 1 st each side every 1½ ins. twice more, with care to carry out pat.; 81 sts. Work pat. even until 5½ ins. from lower edge or desired length to underarm.

Cast on 44 sts at beg. of next 2 rows for sleeves; 169 sts. Work even, carrying out pat. on added sts, until 3¼ ins. above cast-on row of sleeves, end on right side.

Next row—P 70 and place on holder for left side, bind off 29 sts for back of neck, finish row. Work 7 more rows on right sleeve and shoulder, end at neck edge.

RIGHT FRONT—Cast on 16 sts for front neck edge; 86 sts. Work pat., omitting last p st on front edge. Work even until sleeve measures 7 ins., end on wrong side. Bind off 44 sts at beg. of next row; 42 sts. Work 1 in. even. Inc. 1 st at underarm edge on next row; repeat inc. every 1½ ins. twice; 45 sts. Work even until same length as back below sleeve. Bind off.

Beg. at neck edge, finish left sleeve and front to correspond.

FINISHING—From right side, work 1 row sc on lower edge of sleeves, working 1 sc every 2nd row, having an even number of sc. Ch 1, turn, work 2 more rows sc. Fasten off. Sew seams, From right side, work 1 row sc around entire sacque increasing at corners, keeping edge flat, having an even number of sts.

With B, embroider flowers in "lazy-daisy" st as illustrated, using each p st as center.

Edging—With B, from right side, work 1 slip st in any st, * ch 2, skip 1 st, 1 slip st in next st; repeat from *, end with 1 slip st in first st. Fasten off. Work edging around sacque and sleeve edges.

Steam, see page 46. Trim as illustrated.

No. 2161 (*Continued from page 22*)

Dec. row—With size 1 needles, work k 1, p 1 ribbing, working every 7th and 8th st tog. 10 times, finish row; 84 sts. Continue ribbing for 14 more rows.

Inc. row—Work ribbing, increasing 1 st in every 12th st 6 times, finish row; 90 sts. With size 2 needles, work stockinette st for 2½ ins. or desired length to underarm.

Armholes—Bind off 4 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 3 times; 76 sts. Work even until armhole measures 3 ins., straight up from underarm, end with p row.

Shoulders—Bind off 8 sts at beg. of next 2 rows; 8 sts at beg. of next 4 rows. Place remaining 28 sts on holder for neck.

FRONT—Work same as back to inc. row on waistband; 84 sts.

Inc. row—wrong side—Continuing ribbing, inc. 13 sts evenly spaced across row; 97 sts. Begin pat.

Row 1—right side—With size 2 needles, k 4, p 1; * k 7, p 1; repeat from *, end k 4.

Row 2—P 4, k 1, * p 7, k 1; repeat from *, end p 4.

Row 3—K 3, p 1, k 1, p 1, * k 5, p 1, k 1, p 1; repeat from *, end k 3.

Row 4—P 3, k 1, p 1, k 1, * p 5, k 1, p 1, k 1; repeat from *, end p 3.

Row 5—K 2, p 1, * k 3, p 1; repeat from *, end k 2.

Row 6—P 2, k 1, * p 3, k 1; repeat from *, end p 2.

Row 7—K 1, * p 1, k 5, p 1, k 1; repeat from * to end.

Row 8—P 1, * k 1, p 5, k 1, p 1; repeat from * to end.

Row 9—P 1, * k 7, p 1; repeat from * to end.

Row 10—K 1, * p 7, k 1; repeat from * to end.

Rows 11 and 12—Same as rows 7 and 8.

Rows 13 and 14—Same as rows 5 and 6.

Rows 15 and 16—Same as rows 3 and 4.

Repeat these 16 rows for pat. until same length as back to armholes, end on wrong side.

Armholes—Bind off 6 sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 4 times keeping pat.; 77 sts. Work even until armhole measures 2¾ ins., end on wrong side.

Neck Shaping—Work 27 sts, place on holder for left side; work next 23 sts and place on holder for neckband, finish row. Continue pat. on remaining 27 sts of right front, decreasing 1 st at neck edge every 2nd row 3 times. Work even until armhole is same length as on back. Shape shoulder as for back on rows beg. from armhole edge. Beg. at neck edge, finish left side to correspond.

SLEEVES—With size 1 needles, cast on 40 sts. Work k 1, p 1 ribbing for 2 ins.

Inc. row—Continuing ribbing, inc. 14 sts evenly spaced across row; 54 sts. With size 2 needles, work stockinette st, increasing 1 st each side every 1 in. 5 times; 64 sts. Work even until 6 ins. above ribbing or desired length to underarm. Bind off 5 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 4 times. Bind off 2 sts at beg. of next 12 rows. Bind off remaining 22 sts.

CROCHET EDGES ON SHOULDERS—Beg. at neck edge of right front shoulder, work 19 sc to armhole. Ch 1, turn, 1 sc in each of 4 sts, * ch 1, skip 1 st for buttonhole, 1 sc in each 4 sts; repeat from * twice.

Ch 1, turn, 1 sc in each st; 19 sts. Fasten off. Work left shoulder to correspond. Work 3 rows sc on each shoulder back, omitting buttonholes.

NECKBANDS—With size 1 needles, from right side, pick up and k 4 sts on ends of sc rows of right back shoulder, k 28 sts of back neck, pick up and k 4 sts on ends of crochet rows of left shoulder; 36 sts. Work k 1, p 1 ribbing for 4 rows. Bind off in ribbing.

Beg. at left shoulder of front, pick up and k 4 sts on ends of crochet rows, 14 sts on side edge, k across 23 sts of front of neck, pick up and k 17 sts on other side; 58 sts. Work 1 row of k 1, p 1 ribbing.

Buttonhole row—Work 2 sts, yo, work 2 tog., work to within 3 sts of end, yo, work 2 tog., work last st. Finish to correspond to band at back.

CROTCH BORDERS—From right side, work 22 sc across back crotch. Work 2 more rows sc. Fasten off. Work front crotch border in same way. Sew side seams.

LEG RIBBING—With size 1 needles, from right side, pick up and k 4 sts on end of crochet rows of crotch, 72 sts around leg, 4 sts on ends of crochet rows; 80 sts. Work ribbing for ¾ in. Bind off in ribbing. Finish other leg in same way.

Sew sleeve seams. Sew in sleeve with seam at center underarm. Fasten with 5 snap fasteners at crotch. Steam, see page 46.

EMBROIDERY—Weave double strand of contrasting color through p sts on every 2nd row, outlining diamonds of front pat., see cut below.

No. 2147 (*Continued from page 22*)

BACK—Take up 71 (75) sts of back. Beg. on wrong side, with A, continue stockinette st, decreasing 1 st each side every 2nd row 2 (3) times, end with p row; 67 (69) sts. Work yoke pat. as on front repeating between *'s 3 times instead of once as there are 2 more stars on back than on chart. With B, finish yoke, working even until 3½ (3¾) ins. above underarm. Bind off.

RIGHT FRONT—Take up sts of right front. Finish to correspond to left front, binding off for neck at beg. of k row.

SLEEVES—With A, cast on 34 (38) sts. Work k 2, p 2 ribbing for 2 (2½) ins.

Inc. row—Inc. 17 sts evenly spaced across row; 51 (55) sts. Work stockinette st for 5 (6) ins. above cuff, end with p row. Bind off 4 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 2 (3) times; 39 (41) sts, end with p row.

Work yoke pattern even for 12 rows. With B, finish sleeve, decreasing 1 st each side of next row, then bind off 3 sts at beg. of next 4 rows. Bind off remaining 25 (27) sts.

FINISHING—Steam and finish, see page 46. From right side, with matching color, work 2 rows sc around lower, front and neck edges, working 3 buttonloops on 2nd row on right front edge of yoke.

No. 2147



No. 2163 (*Continued from page* 23)

NECK RIBBING—With size 1 needles and A, cast on 89 sts loosely.
Row 1—K 6 for garter st front border, k 1, * p 1, k 1; repeat from * to within 6 sts of end, k 6 for border.
Row 2—K 6, p 1, * k 1, p 1; repeat from * to within 6 sts of end, k 6. Repeat these 2 rows once.
Buttonhole row—Row 5—For Girl's—K 2, bind off 2 sts, work to end. **For Boy's**—Work to within 4 sts of end, bind off 2 sts, work to end, making buttonhole on left front border instead of right front.
Row 6—Same as row 2, casting on 2 sts over buttonhole.
Row 7—Same as row 1.
Inc. row—Continuing ribbing, work 20 sts, * inc. 1 st in next st, work 7 sts, inc. 1 st in next st *, work 31 sts; repeat between *'s once, work 20 sts; 93 sts.

Yoke—Row 1—wrong side—With size 3 needles, k 6, p 12, k 1 for right front; joining another strand of yarn for each change of color, with B, p 4 for cable; with A, k 1, p 3, k 1 for right sleeve; with B, p 4; with A, k 1, p 27, k 1 for back; with B, p 4; with A, k 1, p 3, k 1 for left sleeve; with B, p 4; with A, k 1, p 12, k 6 for left front.
Row 2—Begin raglan yoke increases—With A, k 16, * inc. 1 st in next st, k 1, p 1; with A on wrong side, pass B under A, with B, k 4—when changing colors, always twist yarns on wrong side in this way to prevent holes—with A, p 1, inc. 1 st in each of next 2 sts, k 1, p 1; with B, k 4; with A, p 1, inc. 1 st in next st *, k 24; repeat between *'s once, with A, k 17; 101 sts.
Row 3—With A, k 6, p 13, * k 1; with B, p 4; with A, k 1, p 5, k 1; with B, p 4; with A, k 1 *, p 29; repeat between *'s once, p 13, k 6.
Row 4—With A, k 17, * inc. 1 st in next st, k 1, p 1; with B, k 4; with A, p 1, inc. 1 st in next st, k 2, inc. 1 st in next st, k 1, p 1; with B, k 4; with A, p 1, inc. 1 st in next st *, k 26; repeat between *'s once, k 18; 109 sts.
Row 5—K 6, p 14, * k 1; with B, p 4; with A, k 1, p 7, k 1; with B, p 4; with A, k 1 *; p 31; repeat between *'s once, p 14, k 6.
Row 6—cable twist—K 18, * inc. 1 st in next st, k 1, p 1; slip next 2 B sts to crochet hook and hold at back, with B, k next 2 sts, k 2 sts from hook—cable twist—; with A, p 1, inc. 1 st in next st, k 4, inc. 1 st in next st, k 1, p 1; with B, work cable twist on next 4 B sts; with A, p 1, inc. 1 st in next st *; k 28; repeat between *'s once; k 19; 117 sts.
Continue yoke in this way, increasing 8 sts every 2nd row 23 (25) times more; having 2 sts more between incs. on back and sleeves and 1 st more on each front after every inc. row; repeating cable twists every 6th row; at the same time repeat buttonhole on front border every 1⅞ (2⅛) ins. including previous buttonhole. This completes yoke; 301 (317) sts, end with row worked on right side; 52 (56) rows from ribbing.
Next row—K 6, p 39 (41), slip on holder for right front; bind off 4 B sts; p 57 (61), slip on holder for right sleeve; bind off 4; p 81 (85), slip on holder for back; bind off 4, p 57 (61) for left sleeve; bind off 4; slip remaining 45 (47) sts of left front on holder.

LEFT SLEEVE—Continuing on sts of left sleeve, k 1 row, p 1 row for 6 rows.
Dec. row—K 1, slip, k and pass, k to within 3 sts of end, k 2 tog., k 1; 55 (59) sts. Repeat dec. row every ¾ (1) in. 4 times more. Work even on 47 (51) sts until 5 (6) ins. from yoke, end with p row.

Cuff—Dec. row—K, decreasing 15 (17) sts evenly spaced across row; 32 (34) sts. With size 1 needles, work k 1, p 1 ribbing for 2½ ins. Bind off loosely in ribbing.

RIGHT SLEEVE—Beg. with k row, work to correspond to left sleeve.

BODY—Take up sts of left front, join A at left underarm edge and work to front edge, turn, k left front sts; take up sts of right front and back on free needle, k these sts to same needle with left front; 171 (179) sts. Continuing border and buttonholes, work even until 4 (4½) ins. from yoke, end on right side, about 1½ ins. below 5th buttonhole. Continuing garter st border on 6 sts at each side, work ribbing for 5 rows. Work 6th buttonhole in next 2 rows. Work 5 rows more. Bind off.
FINISHING—Steam and finish, see page 46.

No. 2165 (*Continued from page* 23)

Row 2—P 1, * k 1, p 1; repeat from * to end. Repeat these 2 rows twice.
Buttonhole row for girl's sweater—right side—K 1, p 1, k 1, yo, k 2 tog., finish row in ribbing. *Note: For boy's sweater work buttonholes on left front.* Work ribbing for 3 more rows.

Pattern—Row 1—right side—K 1, p 1 for 7 sts for front border; p 2, k 4, p 2, k 36 (40).
Row 2—P 36 (40), k 2, p 4, k 2; p 1, k 1 for 7 sts.
Row 3—Work 7 sts in ribbing, p 2, slip next 2 sts to crochet hook, hold in front of work, k next 2 sts, k 2 sts from hook—cable twist—p 2, k to end.
Row 4—Same as row 2.
Rows 5 and 6—Same as rows 1 and 2.
Repeat these 6 rows for pat., working buttonhole every 22nd (24th) row until 73 (89) rows above ribbing, end at underarm edge.

Armhole—Bind off 3 (4) sts at beg. of next row. Continuing buttonholes as before, dec. 1 st at armhole edge every 2nd row 3 (4) times, end at front edge with 5th row above last cable twist; 45 (47) sts.

Yoke—Row 1—right side—Work border, * p 2, twist cable on next 4 sts; repeat from * 5 times, end p 2 (p 2, k 2). Continue pat. with 6 cables and border until 26 rows in yoke, end at front edge.

Neck and Shoulder Shaping—K 1, p 1, k 1, yo, k 2 tog., p 1, k 1; place these 7 sts on holder for neck ribbing, bind off next 10 sts for neck edge, finish row. Continue pat., decreasing 1 st at neck edge every row 6 times, shaping shoulder as on back when armhole is same length.

LEFT FRONT—Cast on 51 (55) sts. For girl's sweater, work ribbing for 10 rows.
Note: For boy's sweater work 6 rows of ribbing as on right front, make first buttonhole in 7th row of ribbing as follows: Work to within 4 sts of end, yo, k 2 tog., p 1, k 1; repeat buttonhole as on right front of girl's sweater.

Pattern—Row 1—K 36 (40), p 2, k 4, p 2, work 7 sts ribbing for border. Finish left front to correspond to right, shaping at opposite sides. Sew shoulder seams.

Neck Ribbing—Take up and work ribbing on 7 sts of right front border; pick up and k 15 (17) sts on side of neck; 25 sts on back; 15 (17) sts on other side; take up and work last 7 sts of border; 69 (73) sts. Work ribbing for 6 rows. Bind off loosely in ribbing.

SLEEVES—Cast on 40 (44) sts. Work k 1, p 1 ribbing for 2 ins. Inc. row—Continuing ribbing, inc. 1 st in every 3rd st 12 (14) times, finish row; 52 (58) sts. Working stockinette st, inc. 1 st each side every 1 in. 6 (7) times; 64 (72) sts. Work even until 7 (9) ins. above ribbing. Bind off 3 sts at beg. of next 14 (16) rows. Bind off remaining 22 (24) sts.
FINISHING—Steam and finish, see page 46.

No. 2171 (*Continued from page* 23)

With A, work 2 more rows, decreasing 1 st at beg. of k row, end on wrong side; 54 (58) sts. Break off A. With C, work even until armhole measures 3 ins., straight up from underarm, making 5th set of buttonholes on last k row, end at front edge.

Neck Shaping—Bind off 18 sts at beg. of next row. Dec. 1 st at neck edge every row 10 times. Work even until 4 (4½) ins. above underarm. Bind off remaining 26 (30) sts for shoulder.

BACK—With A, from wrong side, p 86 (94) sts of back. Dec. 1 st each side of next row. P 1 more row; drop A. Work yoke and continue to shape armhole as for front; 80 (88) sts. With C, work even until armhole is same length as front. Bind off.

RIGHT FRONT—Beg. at armhole edge, work right front to correspond to left, up to neck shaping, end at front edge. Bind off 10 sts at beg. of next row. Shape neck edge and finish right front to correspond to left. Sew shoulder seams, leaving 28 sts free for back of neck. Turn under and hem left front facing.

NECKBAND—With size 1 needles and C, from right side, pick up and k 26 (30) sts on neck edge of right front; 28 sts on back of neck; 26 (30) sts on left front; 80 (88) sts. P 1 row, k 1 row, p 1 row. K 3 rows for turning ridge. P 1 row, k 1 row, p 1 row. Bind off as to k.

SLEEVES—With size 1 needles and A, cast on 46 (50) sts. P 1 row, k 1 row, p 1 row, k 3 rows for turning ridge. With size 2 needles, p 1 row, k 1 row and continue stockinette st, increasing 1 st each side every ¾ in. 10 (12) times; 66 (74) sts. Work even until 8 (10) ins. above turning ridge. Bind off 3 sts at beg. of next 2 rows. Work 2 more rows with A, decreasing 1 st each side of k row. Work 2 rows B, decreasing 1 st each side of k row. Work 2 rows A, decreasing 1 st each side of k row; 54 (62) sts. With C, bind off 2 sts at beg. of next 6 (10) rows; 3 sts at beg. of next 8 rows. Bind off remaining 18 sts.

FINISHING—Steam and finish, see page 46.

PANTIES

With size 1 needles and A, cast on 98 (106) sts for one leg. Work hem facing and turning ridge as on sleeves. With size 2 needles, work stockinette st until ½ (1) in. above turning ridge. Inc. 1 st each side every k row 5 times; 108 (116) sts, end with p row. Drop A. With B, work 2 rows even; break off B. With A, work 2 rows; break off A. Leave sts on needle. Work 2nd leg in same way.

Divide 216 (232) sts of both legs on 3 needles. With C, k 1 row and join, placing a marker between 2 center sts of front and 2 center sts of back, right above crotch; carry up markers. K 5 rounds even.

First dec. round—K to within 3 sts of first marker, * slip, k and pass, k 2, k 2 tog. *, k to within 3 sts of next marker; repeat between *'s once, k to end; 212 (228) sts. Repeat decs. every 6th round 8 times more; 180 (196) sts. Work even until 8 (9) ins. above crotch.

Short rows of back—Row 1—K until 22 sts beyond first marker, turn. Slip 1 st, p until 22 sts on other side of marker, turn.

Row 3—Slip 1 st, k until 14 sts beyond marker, turn. Slip 1 st, p until 14 sts on other side of marker, turn.

Row 5—Slip 1, k until 8 sts beyond marker, turn.

Slip 1, p until 8 sts on other side of marker, turn. K until 8 sts beyond marker, with point of right needle, take up st directly below next "slipped st," place on left needle, k this st tog. with slipped st to prevent hole, k to end of round working all slipped sts in this way; 180 (196) sts. With size 1 needles, work k 1, p 1 ribbing for 6 rounds, end at center back.

Buttonholes for Suspenders—Work ribbing for 21 (23) sts, yo, k 2 tog., work 47 (51) sts, yo, k 2 tog., work 36 (40) sts, yo, k 2 tog., work 47 (51) sts, yo, k 2 tog., k 21 (23) sts. Continue ribbing for 5 more rounds. Bind off in ribbing.

SUSPENDER STRAPS—With size 1 needles and C, cast on 9 sts. **Row 1**—K 2 sts in each st across row; 18 sts.

Row 2—K first st inserting needle in back of st, * yarn forward in front of work and slip next st as to p, yarn back, k 1; repeat from * across, end with slip 1 st. Repeat row 2 until 16 (18) ins. from beg. or desired length. To bind off, k first 2 sts tog., k next 2 tog.; * slip first st on right hand needle over 2nd st, k 2 tog.; repeat from * until 1 st remains. Fasten off. Make 2.

Make 2 more straps about 3½ ins. long for cross straps. Sew cross straps to suspender straps about 4 ins. from ends.

FINISHING—Sew inner seams of legs and crotch matching stripes. Steam, see page 46. Sew a button about ½ in. from each end of suspender straps.

No. 2189 (*Continued from page* 13)

Join yarn in first dc of 3rd dc group, ch 38 for leg, slip st in 3rd dc of last dc group. Ch 1, from right side, work 1 sc in joining st, 1 sc in each st on 3 sides of instep, 1 sc in joining st, 1 sc in each st of ch; join; 66 sts.

Round 2—Ch 2, turn, work 1 cluster in every 2nd st; join; 33 clusters.

Round 3—right side—Ch 1, turn, work 1 sc in each st; do not join; 66 sts. Continue around in sc for 6 more rounds, slip st in next st. Fasten off.

LEG—Beg. at end of ch 38, from right side, work 1 sc in each st of ch and 10 sc on front of instep; join; 48 sts.

Beading round—Ch 4, turn, * skip 1 st, 1 dc in next st, ch 1; repeat from *, end skip 1 st, slip st in 3rd st of ch.

Next round—right side—Ch 1, turn, 1 sc in each dc and under each ch 1; join. † Ch 2, turn, work 1 cluster in every 2nd st around; join. Ch 1, turn, work 1 sc in each st; join. Repeat from † once.

Picot Edge—Ch 1, from right side, work 1 sc in each of 2 sts, * ch 3, slip st in last sc (picot), 1 sc in each of next 3 sts; repeat from * around, end 1 sc; join. Fasten off.

SOLE—Ch 20, 3 hdc in 2nd st from hook, 1 hdc in each of next 17 sts, 3 hdc in last st, work 17 hdc on other side of ch; join with slip st in first st; 40 sts.

Round 2—Ch 1, turn, 1 sc in each of 6 sts, 1 hdc in each of 11 sts, 2 hdc in next st, 3 hdc in next st, 2 hdc in next st, 1 hdc in each of 11 sts, 1 sc in each of 6 sts, 2 sc in each of 3 sts; join; 47 sts.

Round 3—Ch 1, turn, 2 sc in first st; work 4 sc; 2 sc in next st; work 8 sc and 9 dc; 2 dc in next st, 1 dc in next st, 2 dc in each of 3 sts, 1 dc in next st, 2 dc in next st; work 9 dc and 8 sc; join; 54 sts.

Round 4—Ch 1, turn, work 10 sc and 9 hdc; 2 hdc in next st, 1 hdc in each of next 2 sts, 2 hdc in each of next 2 sts, 1 hdc in each of next 2 sts, 2 hdc in next st; work 9 hdc and 11 sc; 2 sc in next st, 1 sc in next st, 2 sc in each of next 2 sts, 1 sc in next st, 2 sc in next st, 1 sc in last st; join; 62 sts.

Round 5—Ch 1, turn, work 5 sc, 2 sc in each of next 2 sts; work 17 sc and 8 hdc; 2 hdc in next st; work 8 hdc, 2 hdc in next st; 8 hdc and 12 sc; join; 66 sts.

Round 6—Ch 1, turn, 1 sc in each st. Fasten off.

Pin center of narrow (heel) end of sole to center back of top. Beg. at center back, join sole and top with a row of sc worked from right side of top through both pieces. Work 1 row slip st loosely. Fasten off.

TIE—With double strand of yarn make a 12-in. ch. Fasten off. Run through beading. Make 2 small pom-pons and attach one to each end of tie.

No. 2172 (*Continued from page* 23)

Row 2—Same as row 1.
Row 3—Ch 1, turn, 1 sc in both loops of first st; working in back loop of each st, work 1 sc in each of next 11 sts—ribbing at lower edge; * 1 dc in next st, 1 sc in next st; repeat from *, 1 dc in both loops of last st.
Row 4—Ch 1, turn, working in both loops of each st, * 1 sc in dc, 1 dc in sc; repeat from * to within 12 sts of end, 1 sc in back loop of each of next 11 sts, 1 sc in both loops of last st. Repeat last 4 rows 3 times.
Right Shoulder—Work row 1 of pat. to within 1 st of end, drop yarn; join separate strand of yarn in next st, ch 6, fasten off; take up dropped yarn, work 1 sc in last st and in each st of ch; 87 (95) sts. Continue pat. on these sts as before for 21 rows more, end at lower edge with pat. row 2.
Right Underarm—**Next row**—Work pat. to within 30 sts of end; 57 (65) sts. Ch 1, turn. Work pat. on these 57 (65) sts for 5 (9) rows more, end at lower edge with pat. row 4.

BACK—Work row 1 of pat. to within 1 st of end, drop yarn; join separate strand of yarn in next st, ch 24, fasten off; take up dropped yarn, work 1 sc in last st and in each st of ch; 81 (89) sts. Continue pat. on these sts until there are 74 rows from beg. of back, end at lower edge with pat. row 2.
Left Underarm—**Next row**—Work pat. to within 24 sts of end; 57 (65) sts. Ch 1, turn. Work pat. on these sts for 5 (9) rows more, end at lower edge with pat. row 4.
Left Shoulder—Work row 1 of pat. to within 1 st of end, drop yarn; join separate strand of yarn in next st, ch 30, fasten off; take up dropped yarn, work 1 sc in last st and in each st of ch; 87 (95) sts. Continue pat. on these sts until there are 22 rows from beg. of left shoulder, end at lower edge with pat. row 2.

LEFT FRONT—Work pat. to within 6 sts of end; 81 (89) sts. Ch 1, turn. Continue pat. on these sts for 15 more rows, end at lower edge with pat. row 2.
Band—Work 6 more rows sc, working in both loops. Fasten off.

SLEEVES—Ch 58 (66) sts. **Row 1**—Wrong side—1 sc in 2nd and each remaining st of ch; 57 (65) sts.
Row 2—Ch 1, turn, 1 sc in both loops of first st, 1 sc in back loop of each st to within 1 st of end, 1 sc in both loops of last st.
Row 3—Same as row 3 of body.
Row 4—Same as row 4 of body. Continue pat. and ribbing at lower edge as for body until 19 rows from beg., end at top edge with pat. row 3.
† **First short row**—Work as for pat. row 4 to within 13 sts of lower edge, slip st in next st.
2nd short row—Ch 1, turn, working in both loops of each st, slip st in slip st, * 1 sc in dc, 1 dc in sc; repeat from * to end.
Next row—Work as for pat. row 4 to lower edge. Work pat. rows 1, 2 and 3 on all sts.
Repeat from † twice, completing short rows. Work 15 more rows in pat., end at lower edge with pat. row 2. Fasten off.

COLLAR—Ch 17, 1 sc in 2nd and each remaining st of ch; 16 sts. **Row 2**—Ch 1, turn, 1 sc in both loops of first st, 1 sc in back loop of each st to within 1 st of end, 1 sc in both loops of last st. Repeat row 2 until long enough to go around neck from center of left front band to center of right front band (about 11 ins.). Fasten off.

FINISHING—Finish, see page 46. Work 1 row slip st on each front edge from right side.
Ties—With 2 strands of contrasting color, ch 6 ins. Make a small pom-pon with contrasting color and attach to end of ch. Make 2. Sew to neck as illustrated. Embroider flower at each corner of collar if desired.

No. 2188 (*Continued from page* 11)

Ch 3, turn, 1 dc in each st working through both loops of first and last st and through back loop of all other sts. Repeat last 2 rows until 4 ins. from beg. of loop pat., end with loop row.
Ch 1, turn, work sc row in back loop of sts, working through both loops of first and last st.
Ch 1, turn, working in back loop, * 1 sc in each of next 5 sc, skip 1 st; repeat from *, end 1 sc in each of last 3 sc. Fasten off.
NECKBAND—From wrong side, work 21 sc along lower side edge spacing sts evenly, 14 sc across foundation ch of back piece, 21 sc on other side to front edge. Ch 1, turn, 1 sc in back loop of each sc. Repeat last row 3 times. Fasten off.
With Contrasting Color, from right side, work 1 sc through both loops of each st around entire cap, with 2 sc in each corner. Fasten off.
Trim with ribbon and embroider Rosebuds on front of cap if desired.

No. 2185 (*Continued from page* 25)

RIGHT FRONT—With size 4 needles, cast on 28 (30) sts. Work p 1, k 1 ribbing for 6 rows. Finish to correspond to left front, beg. rows on right side with p 1.

SLEEVES—With size 4 needles, cast on 40 (42) sts. Work k 1, p 1 ribbing for 6 rows. With size 9 needles, work pat. until 2 ins. above ribbing. Bind off 2 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row twice; 32 (34) sts. Work pat. even until 2½ (3) ins. above bound-off sts, end with p row. K 2 tog. across next row; 16 (17) sts. Bind off as to p.

FINISHING—Steam and finish, see page 46, working 2 rows sc on fronts and neck edge, with 6 buttonloops evenly spaced on 2nd row of right front.

No. 3861 (*Continued from page* 17)

Row 2—With A, * p 6, k 1, p 1, k 1, p 1, k 1; repeat from * across, end p 6. Repeat these 2 rows for pat. working horizontal stripes as follows: 8 more rows A, 2 rows B, 2 rows A, 2 rows C, 2 rows A, 2 rows D.
Repeat these 20 rows of pat. 8 (13) times; 180 (280) rows. With A, repeat rows 1 and 2, 5 times. Bind off.
VERTICAL LINES—right side—Beg. at top of blanket in first p rib from side edge, with B embroider a ch st over p rib to lower edge, see cut. Work next p stripe with C, next p stripe with D. Continue to alternate B, C and D until all p ribs are embroidered.
FINISHING—right side—Join A to corner st and work 2 rows of sc around, working 3 sc in corner sts, keeping work flat, join. Fasten off. Steam, see page 46.
FRINGE—Wind A around 6-in. cardboard. Cut at one end. Knot 2 strands in every 2nd st across top and lower edge.



No. 2146 (*Continued from page* 22)

Buttonhole row—wrong side—Work ribbing to within 6 sts of end, k 1, p 1, bind off 2 sts, work to end. Cast on 2 sts over buttonhole on next row. Repeat rows 1 and 2 until 14 rows from beg., end on right side.
With size 2 needles, p to within 6 sts of end, work last 6 sts in seed st.
Next row—Work 6 sts seed st, k to end. Repeat last 2 rows, working buttonhole every 1¾ (2⅛) ins.; including previous buttonhole, until same length as back to armhole, end at underarm edge.
Armhole—P 6, slip to holder for underarm, finish row. Continuing buttonholes as before, work even on remaining 44 (48) sts until armhole measures 3¼ (3¾) ins., end at front edge, having about 1½ (2) ins. above 5th buttonhole.
Neck Shaping—Work 21 (23) sts, slip on holder for neck, k remaining 23 (25) sts. Work 1 in. even, end with k row at armhole edge. Break yarn, leaving a 24 in. end for weaving. Slip on holder.

LEFT FRONT—With size 1 needles, cast on 50 (54) sts. For boy's sweater, first buttonhole is made in 7th row of ribbing as follows: K 1, p 1, bind off 2 sts, work to end. Buttonhole is repeated as indicated on right front. Finish left front to correspond to right front, shaping at opposite sides. Weave shoulder sts to same number of sts at each side of back, see page 46.

NECK RIBBING—With size 1 needles, take up 21 (23) sts of right front, join yarn in 21st (23rd) st from front edge, pick up and k 4 sts on side, take up and k 28 (32) sts on back of neck, pick up and k 4 sts on left side, take up and work 21 (23) sts of left front; 78 (86) sts.
Row 1—wrong side—Work 6 sts seed st, p 2, * k 2, p 2; repeat from * to within 6 sts of end, work 6 sts seed st.
Row 2—Work 6 sts, k 2, * p 2, k 2; repeat from * to within 6 sts of end, work 6 sts seed st. Work 6th buttonhole in next row. Continue neck ribbing and bands until there are 8 rows. Bind off in pat.

SLEEVES—With size 2 needles, take up and k 6 sts of underarm on left front, pick up and k 50 (58) sts on armhole edge, take up and k 4 sts of back underarm; 60 (68) sts. Working stockinette st, dec. 1 st each side every 1 in. 5 (7) times; 50 (54) sts. Work even until sleeve measures 6 (8) ins., or desired length, allowing 2 ins. for cuff, end with k row. With size 1 needles dec. 16 sts evenly spaced across row; 34 (38) sts.
Cuff—Work k 2, p 2 ribbing for 2 ins., bind off in ribbing.

FINISHING—Sew seams. Steam, see page 46. Finish buttonholes. Sew ½-in. satin ribbon to wrong side of each front, placing just back of buttonholes, over 2 sts seed st and 2 sts of stockinette st.

No. 2175 (*Continued from page* 28)

To prevent a hole when changing yarns, always bring color to be used under last color used.
Row 2—Work ribbing on 7 (9) sts; p 1 A, 1 C, 9 A, 3 B, 9 A, 1 C, 2 A, 1 B, 9 A, 3 C; for 2 years—p 7 A (for 4 years—p 9 A, 1 B, 1 A).
Continue pat. following chart, having ribbed front border. Repeat pat. until 68 (84) pat. rows, about 6¼ (7¾) ins. above ribbing, end at underarm edge.
Armhole—Bind off 3 (4) sts at beg. of next row for underarm. Dec. 1 st at armhole edge every 2nd row 5 (6) times; 45 (49) sts. Work even continuing pat. until 33 (35) rows above underarm, end at front edge.
Neck Shaping—Work 7 (9) border sts and next 7 sts and place these 14 (16) sts on holder for neck band, finish row. Dec. 1 st at neck edge every row 7 times. Work even until armhole measures 4 (4½) ins., straight up from underarm. Bind off 24 (26) sts for shoulder.
RIGHT FRONT—Work ribbing as for left front for 10 rows.
Buttonhole—For 2 years—k 1, p 1 (for 4 years—k 1, p 1, k 1), bind off next 3 sts, finish row. Continuing ribbing cast on 3 sts over buttonhole on next row.
Pattern—**Row 1**—right side—K 1, p 1 for 7 (9) sts; k 1 B, 11 A, 1 C, 11 A, 1 B, 1 C, 11 A, 1 B; for 2 years—end with 8 A (4 years—11 A, 1 C). Finish to correspond to left front, shaping at opposite side, repeating buttonhole every 25th and 26th row including previous buttonhole 3 (4) times more.
BACK—With A, cast on 88 (96) sts. Work k 1, p 1 ribbing for 12 rows. With A only, work stockinette st until same length as fronts to armhole.
Armholes—Bind off 3 (4) sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 3 (4) times; 76 (80) sts. Work even until armhole is same length as on fronts. Bind off 24 (26) sts for shoulder, work next 28 sts and place on holder for back of neck, bind off remaining 24 (26) sts. Sew shoulder seams.
NECKBAND—From right side, with A, work k 1, p 1 ribbing on 7 (9) border sts of right front, k next 7 sts, pick up and k 12 (14) sts on right neck edge, k 28 sts of back, pick up and k 11 (13) sts on left neck edge, k next 7 sts, work ribbing on last 7 (9) sts; 79 (87) sts. Work ribbing for 3 rows. Work last buttonhole on next 2 rows. Work 2 more rows of ribbing. Bind off in ribbing.
SLEEVES—With A, cast on 42 (46) sts. Work k 1, p 1 ribbing for 2 ins.
Inc. row—Continuing ribbing, inc. 14 (16) sts evenly spaced across row; 56 (62) sts. Work stockinette st, increasing 1 st each side every 1½ ins. 4 (5) times; 64 (72) sts. Work even until 7 (9) ins. above ribbing. Bind off 3 (4) sts at beg. of next 2 rows. Dec. 1 st at each side every 2nd row 3 (6) times. Bind off 2 sts at beg. of next 16 rows. Bind off remaining 20 sts.
FINISHING—Steam and finish, see page 46.

No. 2175



No. 2164 (*Continued from page* 23)

Note: Scotties may be embroidered in duplicate st following chart, after garment is finished, in which case fronts are worked with solid color in stockinette st. Instructions call for knitting in the Scotties.
Wind 2 bobbins A. Wind one bobbin each of B and C.

LEFT FRONT—With A, cast on 44 (46) sts. Work ribbing as for back.
Row 1—K, end at front edge. **Row 2**—P.
Row 3—As on chart for Scottie No. 1—With A, k 24 (26), with B, k 1, with another strand of A, k 19.
Row 4—With A, p 18; pass B under A, with B, p 2; when changing color twist yarns in this way on wrong side to prevent holes; with A, p to end.
Row 5—With A, k 24 (26); with B, k 2; with A, k 1; with B, k 2; with A, k to end. Continue stockinette st, following chart. Work even until same length as back to armhole, end at underarm edge. Shape armhole as on back working front edge even; 38 (40) sts. Work even until 10 (12) rows above underarm, end at armhole edge.
Next row—As on chart for Scottie No. 2—With A, k 25 (27); with C, k 2, with another strand of A, k to end. Continue following chart. Work even until 2¾ (3) ins. above underarm, end at front edge.
Neck Shaping—Bind off 7 sts at beg. of next row. Dec. 1 st at neck edge every row 7 times; 24 (26) sts. Work even until armhole is same length as on back. Bind off.

RIGHT FRONT—Work same as left front to end of ribbing.
Row 1—K, end at underarm edge. **Row 2**—P.
Row 3—As on chart for Scottie No. 3—With A, k 15; with C, k 2, with another strand of A, k to end.
Finish to correspond to left front, knitting in Scotties No. 3 and 4, in place of No. 1 and 2, shaping armhole and neck edge at opposite sides.

SLEEVES—Cast on 40 (44) sts. Work k 1, p 1 ribbing for 2 ins.
Inc. row—Continuing ribbing, inc. 12 sts evenly spaced across row; 52 (56) sts. Work stockinette st, increasing 1 st each side every 1½ ins. 4 times; 60 (64) sts. Work even until 6½ (7½) ins. above ribbing or desired length to underarm. Bind off 3 sts at beg. of next 2 rows; 2 sts at beg. of next 18 (20) rows. Bind off remaining 18 sts.

POCKETS—Cast on 20 sts. Work stockinette st for 2 ins. Bind off. Make 2.

FINISHING—Sew seams, leaving 28 sts at center back free for neck edge. Sew in sleeves with seam at center underarm.

BORDERS—With A, from right side, work 1 row sc around fronts and neck edge, keeping work flat.
Row 2—Ch 1, turn, 1 sc in each st to left front neck edge, work sc over corner sts keeping work flat; work around neck edge and over corner sts, ch 2, skip 2 sts for buttonhole, 1 sc in next st; finish row in sc, repeating buttonhole 5 times evenly spaced, with last buttonhole about ½ in. from lower edge; drop A.
Row 3—With B, fron right side, 1 sc in first sc, * ch 1, skip, 1 st, 1 sc in next st *; repeat between *'s to corner; work ch 1 and 1 sc in each of 3 corner sts; repeat between *'s to next corner; work corner as before; repeat between *'s to end of row. Fasten off B.
Row 4—With A, from right side, 1 sc in first sc, 1 sc under next ch 1, * ch 1, skip 1 sc, 1 sc under next ch 1; repeat from *, end 1 sc in last st. Fasten off.
Row 5—Working from right side, join C at end of 2nd row, ch 3, 1 sc in first sc of row 4, ch 1, skip sc; continue same as row 4, end ch 3, 1 slip st in first st of row 2. Repeat border on bound-off edges of pockets, omitting row 2.

FINISHING—Sew on pockets with lower edge above ribbing and side edge 1 (3) sts from underarm seam. Steam, see page 46. With C, make 2-in. ch to extend from dog's collar to pocket and sew to left front as illustrated. Repeat with B for right front.

No. 2164



No. 2196 (*Continued from page* 11)

Row 2—right side—K 1, p 1 ribbing to within 2 sts of center st, slip, k and pass, k center st, k 2 tog., finish row in ribbing.
Row 3—Work ribbing to within 2 sts of center st, k 2 tog., p 1, k 2 tog., finish row.
Repeat last 2 rows until 3 sts remain. P 3 tog. Fasten off. Make 2. Block each piece to measure 5 by 5 ins.
CENTER—With size 4 needles, cast on 18 sts for neck edge. Work stockinette st, increasing 1 st each side every ¾ in. 5 times; 28 sts. Work even until 9½ ins. from beg. Dec. 1 st each side every 2nd row twice, end with p row; 24 sts. Break off. Sew center piece to side edges of side pieces, leaving cast-on edges free.
VISOR—From right side, with size 2 needle, pick up and k 1 st in each of 6 k ribs nearest to center piece, k the 24 center sts to same needle; pick up and k 1 st in each of next 6 k ribs on other side piece; 36 sts. P 1 row. Begin short rows.
Row 1—Slip 1, k to end. **Row 2**—Slip 1, p to end.
Row 3—Slip 1, k 32, turn. **Row 4**—Slip 1, p 29, turn.
Continue to work 3 sts less in every row, always slipping first st, until 12 sts in the last row.
FACING—**Row 1**—Slip 1, k 14, turn.
Row 2—Slip 1, p 17, turn.
Continue to work 3 more sts in every row, always slipping first st, until all 36 sts are worked. Bind off. Fold over and hem on wrong side.
NECK RIBBING—From right side, with size 2 needle, pick up and k 28 sts on neck edge of left side piece, 18 sts on center and 28 sts on right side piece; 74 sts. Work k 1, p 1 ribbing for 7 rows. Bind off in ribbing.
CORD—Ch loosely for about 25 ins. Work 1 slip st in each st of ch. Fasten off. Draw cord through center of neck ribbing.
FINISHING—From right side, work 1 row sc on front edge, from beg. of neck ribbing to beg. of visor. Finish other side of front edge to correspond. Steam, see page 46.

No. 2150 (*Continued from page* 15)

Note: For seed st, always k 1 over p 1 and p 1 over k 1.
Row 3—K 34 (38), work 4 seed sts, * slip 1 st, k 2, pass slipped st over 2 k sts, work 4 seed sts *; repeat between *'s once, k to end.
Row 4—P 34 (38), 4 seed sts, * p 1, yo, p 1, 4 seed sts *; repeat between *'s once, p to end. Repeat these 4 rows until 5½ (6½) ins. above ribbing, or desired length to underarm.
Armholes—Bind off 4 sts at beg. of next 2 rows for underarm; 78 (86) sts. Continuing pat., work until about ¾ (1¼) ins. above underarm, end with pat. row 4.
Yoke—Beg. with p 1, k 1, work 6 (10) seed sts; repeat between *'s of pat. row 1 across, end 6 (10) seed sts.
Row 2—Work 6 (10) seed sts; repeat between *'s of pat. row 2, end last repeat 6 (10) seed sts.
Row 3—Work 6 (10) seed sts; repeat between *'s of pat. row 3, end last repeat 6 (10) seed sts.
Row 4—Work 6 (10) seed sts; repeat between *'s of pat row 4, end last repeat 6 (10) seed sts.
Repeat last 4 rows 2 (3) times. Continue pat. on first and last 2 pat. stripes only, working the 46 center sts in seed st, until 2½ (3½) ins. above underarm.
Neck Shaping—Work first 27 (29) sts, slip to holder, bind off 24 (28) sts in seed st, finish row. Continue on remaining 27 (29) sts until 3½ (4) ins. above underarm. Bind off. Beg. at neck edge, finish other side to correspond.

BACK—Work ribbing as for front. With size 2 needles, work even in stockinette st—k 1 row, p 1 row—as for front to underarm, omitting center pat.
Shape armholes as for front; work same length as front to yoke. Work full yoke pat. as for front for 16 (20) rows. Continue pat. on first and last 2 pat. stripes only, with 46 center sts in seed st, until armhole is same length as on front. Bind off.

SLEEVES—With size 1 needles, cast on 46 (50) sts. Work k 1, p 1 ribbing for 2 ins. **Inc. row**—right side—K, increasing 8 sts evenly spaced across row; 54 (58) sts. With size 2 needles, work stockinette st, increasing 1 st each side every 1¼ ins. 3 (5) times; 60 (68) sts. Work even until 5 (7) ins. above ribbing, or desired length to underarm. Bind off 4 sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 7 times. Bind off 2 sts at beg. of next 4 (8) rows. Bind off remaining 30 sts.

FINISHING—Sew seams, sewing shoulder seams for ½ in. from armhole edges. Sew in sleeves. Work 2 rows sc from right side around neck and shoulder openings, working 2 buttonloops on 2nd row on each front shoulder. Steam, see page 46.

No. 2218 (*Continued from page* 28)

Continue working figures as on chart.
Work pat. until about 7 ins. above ribbing, end with pat. row 4.
Armholes—Work 39 sts and place on holder for right front, bind off 8 sts for underarm, work until 75 sts from bind-off and place on 2nd holder for back, bind off 8 sts for left underarm, finish row.
Continue pat. on left front, decreasing 1 st at armhole edge every 2nd row 3 times; 36 sts. Work pat. even until armhole measures 3¼ ins., straight up from underarm, end at front edge with pat. row 31.
Neck Shaping—Bind off 7 sts at beg. of next row. Discontinue figures and repeat first 8 pat. rows for remainder of front. Dec. 1 st at neck edge every row 7 times; 22 sts. Work even until armhole measures 4½ ins., end at armhole edge.
Shoulders—Bind off 11 sts at beg. of next 2 rows worked from armhole.
Beg. at underarm edge, finish Right Front to correspond to left.

Beg. on wrong side, work Back, decreasing 1 st each side every 2nd row 3 times with care to keep pat. centered; 69 sts. There will be 6 figures.
Continue pat. to correspond to fronts until armholes are same length as on fronts. Bind off 11 sts at beg. of next 4 rows. Bind off remaining 25 sts for back of neck.
FRONT BANDS—With size 2 needles and A, cast on 15 sts.
Row 1—K 7, slip 1 st, k 7.
Row 2—P. Repeat these 2 rows once.
Buttonholes—K 2, bind off 3 sts, with 1 st on needle after buttonhole, k 1, slip 1 st, k 2, bind off 3 sts, k to end. On next row, cast on 3 sts over each buttonhole. Continue as for first 2 rows repeating buttonholes every 2½ ins., including last buttonhole, 4 times more; 6th buttonhole will be in neck ribbing.
Work even until same length as front edge. Bind off. Make 2nd front band to correspond, omitting buttonholes. Block, see page 55. Fold band double on slipped st and sew to front edges. Sew shoulder seams.
NECK RIBBING—From right side, with size 2 needles and A, pick up and k 78 sts evenly spaced around neck edge. P 2, * k 2, p 2; repeat from * to end. Work 2 more rows of ribbing.
Work 1 buttonhole on next 2 rows, 2 sts from front edge. Continue ribbing for 4 more rows. Bind off in ribbing.
SLEEVES—With size 2 needles and A, cast on 44 sts. Work k 2, p 2 ribbing for 2 ins., increasing 17 sts evenly spaced across last row; 61 sts. With size 3 needles, k 1 row, p 1 row for 4 rows.
Pattern—Work pat. rows 1 to 8 inclusive.
Pat. row 9—Repeat between *'s of row 9 of pat., end last repeat k 2. Continue pat. until 10 ins. above ribbing, end with pat. row 28. Bind off 2 sts at beg. of next 4 rows. Discontinue figures and repeat first 8 pat. rows for remainder of sleeve, binding off 2 sts at beg. of next 16 rows. Bind off remaining 21 sts.
FINISHING—Steam and finish, see page 46.

No. 2218



No. 2145 (*Continued from page* 14)

FINISHING—Sew 25 cast-on and 25 bound-off sts tog. Work 1 sc in every 2nd ridge on narrow edge for center of back, join. Continue around, working 2 sts tog. until there are 5 sts left. Fasten off. Run end of yarn through these 5 sts, draw up and fasten off. From wrong side, join yarn on neck edge in 11th st from front edge, work 11 sc to corner for turn-back, 3 sc at corner, 1 sc in each ridge on front edge, 3 sc at corner, 11 sc on other edge for turn-back. Fasten off. From right side, work 1 row sc around neck edge, keeping work flat. Fasten off.

TIE—Cast on 214 sts. Work garter st (k every row) for 5 ridges (10 rows). Bind off. Sew 8 ins. at center of cast-on edge to neck of cap.

Steam cap, stretching front edge to 12 ins., see below. Turn front edge back for 1½ ins. and tack at neck edge.

MITTENS

Cast on 44 sts.

Row 1—K 44. **Row 2**—K 19.

Row 3—Turn, slip 1 st, k 18. **Row 4**—K 44.

Row 5—K 19. **Row 6**—Turn, slip 1 st, k 18.

Repeat these 6 rows for 4½ ins. (about 32 ridges on wide parts and 16 ridges at center). Bind off. Do not break.

FINISHING—Finish edge for tip of mitten same as center back of cap. Sew seam. From right side, work 1 row sc on cuff edge. Steam, see below.

BOOTEES

Cast on 34 sts for top edge. Work garter st for 2 ins.

Beading row—K 1, * yo, k 2 tog.; repeat from * 15 times, yo, k 1; 35 sts. K 1 row. **Next row**—K 2 tog., k to end; 34 sts. K 2 rows.

Instep—Slip first 10 sts to holder; join another strand of yarn, k next 14 sts; slip last 10 sts to holder. Work back and forth on 14 sts for 14 ridges. Break yarn. Slip 10 sts from first holder to same needle with instep sts; k these 10 sts; pick up and k 15 sts on side edge of instep; k 14 instep sts; pick up and k 15 sts on other side of instep; slip 10 sts from holder to free needle and k these 10 sts; 64 sts. Work 1 in., end on wrong side.

First dec. row—K 2 tog., k 28, k 2 tog. twice, k 28, k 2 tog.; 60 sts. K 1 row.

2nd dec. row—K 2 tog., k 26, k 2 tog. twice, k 26, k 2 tog.; 56 sts. K 1 row.

3rd dec. row—K 2 tog., k 24, k 2 tog. twice, k 24, k 2 tog.; 52 sts. Bind off.

FINISHING—From right side work 1 row sc on top of bootee. Steam, see below. Sew seam.

Cord—Using 2 strands of yarn, make a 12-in. ch. Fasten off. Run cord through beading. Make 2 pom-pons and sew to ends of cord.

SOME HINTS TO GOOD KNITTING

COMPLETE ABBREVIATIONS

k—knit
p—purl
st(s)—stitch(es)
inc.(s.)—increase(s)
dec.(s.)—decrease(s)
tog.—together
beg.—beginning
pat.(s.)—pattern(s)
in.(s.)—inch(es)
yo—yarn over
ch—chain
sc—single crochet
dc—double crochet
hdc—half double crochet
slip, k and pass—slip 1, k 1, pass the slipped st over the knitted st.

An asterisk (*) indicates that the instructions immediately following are to be repeated the given number of times in addition to the original.

Dagger (†) is used in the same way.

"Work even," means to work without increase or decrease, continuing the stitch which has been described.

ASSEMBLING

Finish coats, sacques, cardigans, pullovers, etc., as follows: Sew side, shoulder and sleeve seams, matching pattern where necessary. Sew in sleeves with sleeve seam at center underarm. If garment has a collar, sew on collar with center back of collar at center back of neck and front edges meeting at center front.

If there are separate cuffs, sew on as illustrated.

Finish all free edges (with exception of ribbing) with 1 or 2 rows of sc (work first sc row from right side), spacing sts to keep an even edge and increasing at corners.

Finish edges with 1 row sc if you wish to use a slide fastener; then sew in fastener.

If there are pockets, sew on as illustrated.

If there are hems or facings, turn up and sew to wrong side.

Overcast buttonholes, or finish in blanket st and sew on buttons.

STEAMING

TO STEAM FINISHED ARTICLE—Lay flat on pressing board, wrong side out. Steam lightly with warm iron over a wet cloth. Do not steam ribbing.



WEAVING STOCKINETTE STITCH



DUPLICATE STITCH EMBROIDERY

IMPORTANT—Washing instructions will be found on either outside or inside of yarn band. Please save band and follow instructions given for most satisfactory results.

For choice of other yarns, see Interchangeable Yarn Chart, page 47.

"BOYE" or "DIANA" Products are used exclusively by our design staff in creating the fashions illustrated in this book and are specified herein in accordance with an agreement whereby the publishers receive consideration for such specification.

The directions in this book are carefully checked and rechecked to assure accuracy. We cannot, however, be responsible for typographical errors or misinterpretation of instructions.

E-Z REFERENCE GAUGE AND INTERCHANGEABLE YARN CHART

***Gauges listed are based on stockinette stitch before blocking.**

HOW TO USE THIS CHART: — This is a new type of interchangeable yarn and stitch gauge chart.* It will help you to quickly and easily select interchangeable yarns by stitch gauge as follows: —

Step 1. Choose garment you wish to make.

Step 2. Refer to the stitch gauge given in the instructions for the garment selected.

Step 3. Then refer to the same stitch gauge in this chart.

Step 4. Garment can be made of any yarn listed for that same stitch gauge on this chart. Check quantities required as yardages may vary in different types of yarns.
The numbers in parentheses ( ) indicate approximate yardage per unit.

In some instances the row gauge may differ though stitch gauge is the same. Where row gauge differs, this is overcome by knitting more or less rows to obtain required length designated in the instructions. For Raglans, however, you must get row gauge.

STITCHES ROWS	NEEDLE SIZE	Bucilla®	BEAR BRAND FLEISHER	BOTANY
5 sts = 1 inch 7 rows = 1 inch	8	"Wool & Shetland Wool" (170)	Winsom (180) Win-Tot (90)	Winsom (180) Win-Tot (90)
	6	Wonder-Knit (235) Softex (280) or Softex Spectrum Shades (245) Knitting Worsted (270) or Ombree Knitting Worsted (235) Shamrock (135)	Twin-Pak Win-Knit (280) or Twin-Pak Ombree Win-Knit (245)	
6 sts = 1 inch 8 rows = 1 inch	5		Spectator (185)	Spectator (185)
	4	Wonder-Knit (235) Softex (280) or Softex Spectrum Shades (245) Knitting Worsted (270) or Ombree Knitting Worsted (235) Shamrock (135)	Twin-Pak Win-Knit (280) or Twin-Pak Ombree Win-Knit (245)	
7 sts = 1 inch 9 rows = 1 inch	3	Perlette (200)	Spectator	Spectator
15 sts = 2 inches 19 rows = 2 inches	2	Perlette (200)		
8 sts = 1 inch 21 rows = 2 inches	2	Fingering Yarn		
8 sts = 1 inch 21 rows = 2 inches	3	Lollipop (175)	Winfant (175)	Winfant (175)
17 sts = 2 inches 21 rows = 2 inches	2	Silverflake (140)	Baby Zephyr (155)	Baby Zephyr (155)
9 sts = 1 inch 13 rows = 1 inch	1			

Printed in U.S.A. – 11R

Bucilla® Baby Book

INFANTS TO 4 YEARS

REVISED
VOL. 339
$1.25

BUCILLA
BEAR BRAND
FLEISHER
BOTANY